



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	18/07/2020 18:00 pm
Date and time of reporting (dd/mm/yyyy)	20/07/2020 13:40 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16276	GOPAL BABU BHOIR	55	M	20.07.2020	Negative
C16275	BAJIRAO LAHANU UBALE	52	M	20.07.2020	Positive
C16274	RUPESH GOPAL NICHITE	30	M	20.07.2020	Negative
C16273	KARTAVYA PUNDALIK DINKAR	2	M	20.07.2020	Negative
C16272	NANDINEE PRAVIN THAKARE	31	F	20.07.2020	Negative
C16271	LATA GOPAL DONGRE	50	F	20.07.2020	Negative
C16270	KAVERI PUNDALIK DINKAR	10	F	20.07.2020	Negative
C16269	USHA MARUTI MOHAPE	37	F	20.07.2020	Negative
C16268	MEENA BHAURAO JAGTAP	32	F	20.07.2020	Positive
C16267	SATISH BHURA PANDIT	50	M	20.07.2020	Negative
C16266	TUKARAM MANOHAR SHINDE	27	M	20.07.2020	Negative
C16265	PRADEEP GANPAT ADHIKARI	25	M	20.07.2020	Negative
C16264	DEVYANI NARNATH SABLE	37	M	20.07.2020	Negative
C16263	AASHA VAMAU JADHAV	64	F	20.07.2020	Positive
C16262	MRUNALI VIJAY KULKARNI	42	F	20.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	18/07/2020 18:00 pm
Date and time of reporting (dd/mm/yyyy)	20/07/2020 13:40 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16261	VEER PRADIP GAIKAR	12	M	20.07.2020	Negative
C16260	AARADHYA SANJAY LONDHE	7	F	20.07.2020	Negative
C16259	BHAU NIVNUTTI BENDKOLI	35	M	20.07.2020	Negative
C16258	USHA MURLIDHAR JOSHI	73	F	20.07.2020	Negative
C16257	SOHAM VIJAY KULKARNI	17	M	20.07.2020	Negative
C16256	SANDIP JAGANNATH KHATEGHARE	22	M	20.07.2020	Negative
C16255	ONKAR PRADIP GAIKAR	13	M	20.07.2020	Negative
C16254	ANANTA VAMAN BHADAUGE	37	F	20.07.2020	Positive
C16253	PIYUSH SUNIL JADHAV	12	M	20.07.2020	Positive
C16252	AAYUSH SUNIL JADHAV	14	M	20.07.2020	Negative
C16251	KIRAN VALKU JADHAV	39	M	20.07.2020	Negative
C16250	BHARAT GAJANAN BHOIR	34	M	20.07.2020	Negative
C16249	DIYA PUNDALIK DINKAR	7	F	20.07.2020	Negative
C16248	YASHASWI SANJAY LONDHE	13	F	20.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)