



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/07/2020 15:20 pm
Date and time of reporting (dd/mm/yyyy)	04/07/2020 18:51 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C12523	SAVITA JAGTAP 10780	28	F	04.07.2020	Positive
C12522	SHASHIKANT ROKADE 10833	48	M	04.07.2020	Negative
C12515	RAJESH HIRE 10779	54	M	04.07.2020	Negative
C12514	RAMESH KADAM 10775	45	M	04.07.2020	Positive
C12532	PRAMILA MEDEKAR 10774	60	F	04.07.2020	Negative
C12533	LAXMI SALAVE 10465	30	F	04.07.2020	Positive
C12530	SHRIKRISHNA SALAVE 10464	30	M	04.07.2020	Positive
C12542	SUDHIR D. NAIKODI 10764	40	M	04.07.2020	Positive
C12537	LALBAHADUR YADAV 10751	52	M	04.07.2020	Positive
C12536	DEVANSH AKHILESH DUBEY 10800	3	M	04.07.2020	Positive
C12541	VIKRANT NAVNATH SHINDE 10803	28	M	04.07.2020	Positive
C12520	VINOD ARJUN SHINDE 10521	45	M	04.07.2020	Positive
C12535	SHRUTI PACHKOR 10795	27	F	04.07.2020	Negative
C12527	AKHILESH ASHOK DUBE 10800	32	M	04.07.2020	Negative
C12518	RAJESH PRAMOD BHOSALE 10823	43	M	04.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/07/2020 15:20 pm
Date and time of reporting (dd/mm/yyyy)	04/07/2020 18:51 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C12538	SHUBHAM SUBHASH GUPTA 10822	25	M	04.07.2020	Positive
C12545	SAGAR PRAKASH KHULPE 10804	29	M	04.07.2020	Positive
C12534	MANISH ARUNKUMAR PANDE 10802	25	M	04.07.2020	Positive
C12512	NILESH SHANKAR RANE 10806	38	M	04.07.2020	Positive
C12511	NEHA NILESH RANE 10809	33	F	04.07.2020	Positive
C12516	PRAVIN NARAYAN KILEKAR 10811	50	M	04.07.2020	Positive
C12524	MONIKA ROHIT DHANGAD 10814	21	F	04.07.2020	Negative
C12519	VIJAY CHANDRAKANT JADHAV 10843	40	M	04.07.2020	Positive
C12543	RAJHANSE SALIKRAM MOURYA 10747	32	M	04.07.2020	Positive
C12529	PRADIP VASANT CHAVAN 10838	34	M	04.07.2020	Negative
C12513	MONU HARISHCHANDRA SHARMA 10832	34	F	04.07.2020	Positive
C12528	RAMNATH LAXMAN MENGAL 10850	34	M	04.07.2020	Positive
C12540	DR. AMOL KENDRE 8721	31	M	04.07.2020	Positive
C12517	SADHNA RAJNISH BARANWAL 10837	29	F	04.07.2020	Negative
C12544	VILAS ASHOK JADHAV 10841	29	M	04.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/07/2020 15:20 pm
Date and time of reporting (dd/mm/yyyy)	04/07/2020 18:51 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C12525	RAVI BABU KAMBLE 10849	40	M	04.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)