

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/09/2020 16:30 pm
Date and time of reporting (dd/mm/yyyy)	06/09/2020 15:58 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

	T					
Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2	
C25621	SANDEEP JADHAV K-3139	47	М	06.09.2020	Negative	
C25622	SUNIL MUKANE K-3151	59	М	06.09.2020	Negative	
C25624	GANESH LOKRE K-3165	33	М	06.09.2020	Positive	
C25625	POOJA MORE K-3068	36	F	06.09.2020	Negative	
C25623	RATNAKAR BHOIR K - 3156	25	М	06.09.2020	Positive	
C25641	MANGESH SONAWANE KK-544	37	М	06.09.2020	Positive	
C25642	AJAY MOURYA KK-545	35	М	06.09.2020	Negative	
C25643	PRADIP SHARMA KK-546	50	М	06.09.2020	Negative	
C25644	SANTOSH K KUMLA KK-547	42	M	06.09.2020	Negative	
C25645	MOHAN KANOJIYA KK-548	35	M	06.09.2020	Negative	
C25656	ANJALI DAS KK-559	43	F	06.09.2020	Negative	
C25657	LEESA DAS KK-560	19	F	06.09.2020	Negative	
C25658	MANALI PASTE KK-561	19	F	06.09.2020	Positive	
C25659	RAVIPRAKASH PRAJAPATI KK- 562	34	М	06.09.2020	Negative	
C25660	KAMESHWAR VARMA KK-563	49	М	06.09.2020	Negative	

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- · Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/09/2020 16:30 pm
Date and time of reporting (dd/mm/yyyy)	06/09/2020 15:58 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C25686	MALA SINHA KX-1236	48	F	06.09.2020	Negative
C25687	VIVEK GUPTA KX-1237	22	М	06.09.2020	Negative
C25688	VASIM SHAIKH KX-1238	18	М	06.09.2020	Negative
C25689	SAHIL PAWAR KX-1239	18	М	06.09.2020	Positive
C25690	MUNI YADAV KX-1240	30	F	06.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- · Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shawo Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)