



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	19/07/2020 16:30 pm
Date and time of reporting (dd/mm/yyyy)	20/07/2020 18:18 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16439	NANDA SURESH LONANDKAR	63	F	20.07.2020	Positive
C16440	DR MANISH PADMAKAR CHAUDHARI	45	M	20.07.2020	Negative
C16441	YAMUNA BHAGWAN PAGARE	65	F	20.07.2020	Positive
C16442	SHOBHA BHAGWAN PAGARE	55	F	20.07.2020	Positive
C16443	POORNIMA HARESH PAGARE	26	F	20.07.2020	Positive
C16444	SAGAR BHAGWAN PAGARE	25	M	20.07.2020	Positive
C16445	KOMAL PAPPU GUPTA	17	F	20.07.2020	Negative
C16446	VIKAS GOPAL DONGARE	31	M	20.07.2020	Positive
C16447	MANDA VISHNU NIKALE	61	F	20.07.2020	Negative
C16448	MANGAL SANDIP NIKALE	37	F	20.07.2020	Positive
C16449	PRACHI SANDIP NIKALE	10	F	20.07.2020	Negative
C16450	PRADNYA SANDIP NIKALE	14	F	20.07.2020	Positive
C16451	PRANAV SANDIP NIKALE	12	M	20.07.2020	Negative
C16452	DIMPAL GANESH NIKALE	12	F	20.07.2020	Positive
C16453	KUNAL GANESH NIKALE	14	M	20.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	19/07/2020 16:30 pm
Date and time of reporting (dd/mm/yyyy)	20/07/2020 18:18 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16454	RAGHUNATH BHAU MHASKAR	60	M	20.07.2020	Positive
C16455	NIKITADEVI HARERAM RAJBHAR	23	F	20.07.2020	Positive
C16456	ANANYA HARERAM RAJBHAR	05	F	20.07.2020	Positive
C16457	AARUSHI HARERAM RAJBHAR	1	F	20.07.2020	Positive
C16458	ANJANA RAGHUNATH MHASKAR	55	F	20.07.2020	Positive
C16459	MANISHA BABAN CHAWADE	32	F	20.07.2020	Positive
C16460	ATHARV BABAN CHAWADE	07	M	20.07.2020	Positive

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by

Dr. Shalmali Dharma Ph. D

  
Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)