



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/09/2020 12:55 pm
Date and time of reporting (dd/mm/yyyy)	20/09/2020 18:06 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30089	KANEYA SAROJ WQ-1168	56	M	20.09.2020	Negative
C30088	RAMJAN YAKUB KAZI WQ-227	55	M	20.09.2020	Negative
C30087	MANMOHAN PRAJAPATI WQ-156	38	M	20.09.2020	Negative
C30086	JAIKISHAN R. PUNJABI WQ-171	48	M	20.09.2020	Negative
C30085	MUNDHAR SAROJ WQ-191	42	M	20.09.2020	Negative
C30084	BELDA PAWAR WQ-152	45	F	20.09.2020	Negative
C30083	PARVATI SANTOSH JAYSWAL WQ-133	38	F	20.09.2020	Negative
C30082	UMASHANKAR SHAH WQ-173	45	M	20.09.2020	Negative
C30081	SALMA SHAIKH WQ-163	30	F	20.09.2020	Negative
C30080	SANJAY GUPTA WQ-166	41	M	20.09.2020	Negative
C30079	SUNITA SANTOSH PAWIMYA WQ-132	35	F	20.09.2020	Negative
C30078	VINOD PRAJAPATI WQ-167	55	M	20.09.2020	Negative
C30077	WASIM WQ-143	20	M	20.09.2020	Negative
C30076	KAMDHANI CHAUDHARI WQ-135	29	M	20.09.2020	Negative
C30075	ROHIT YADAV WQ-154	50	M	20.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/09/2020 12:55 pm
Date and time of reporting (dd/mm/yyyy)	20/09/2020 18:06 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30074	RAMBHAVI PRAJAPATI WQ-180	38	M	20.09.2020	Negative
C30073	RAJNISH KUMAR WQ-126	20	M	20.09.2020	Negative
C30072	VIJAY GUPTA WQ-141	40	M	20.09.2020	Negative
C30071	KALPANA NIKAM WQ-159	50	F	20.09.2020	Negative
C30070	RAM NARAYAN GUPTA WQ-144	50	M	20.09.2020	Negative
C30069	MANJULA DHARMA NAGAVKAR WQ-137	72	F	20.09.2020	Negative
C30068	SANJU DINESH KHARWA WQ-139	25	M	20.09.2020	Negative
C30067	KESHAV BABAN NEHARE WQ-215	59	M	20.09.2020	Negative
C30066	HARINANDAN GONA WQ-178	65	M	20.09.2020	Negative
C30065	MOHAR SING RAMSWAROOP WQ-136	19	M	20.09.2020	Negative
C30064	MANGESH VAITI WQ-170	39	M	20.09.2020	Negative
C30063	JAWAHAR KHAIRE WQ-158	46	M	20.09.2020	Negative
C30062	KUNSI HARIYA WQ-186	48	M	20.09.2020	Negative
C30061	SHIVA MAURYA WQ-129	31	M	20.09.2020	Negative
C30060	SAJID ALIT WQ-188	40	M	20.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/09/2020 12:55 pm
Date and time of reporting (dd/mm/yyyy)	20/09/2020 18:06 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30059	NAVIN C.GUDDHE WQ-187	64	M	20.09.2020	Negative
C30058	HARI CHAKLYA WQ-145	19	M	20.09.2020	Negative
C30057	MURSUNDAR RAO WQ-184	45	M	20.09.2020	Negative
C30056	SANJAY GULABGIRI WQ-131	40	M	20.09.2020	Negative
C30055	BABLU JAISWAL WQ-128	34	M	20.09.2020	Negative
C30054	ATIK SHAIKH WQ-169	35	M	20.09.2020	Negative
C30053	MANGAL KADAM WQ-160	45	F	20.09.2020	Negative
C31250	SIDDHI SACHIN PATIL W - 5312	14	F	20.09.2020	Negative
C31249	DATTA GOVIND THAMBRE W - 5296	64	M	20.09.2020	Negative
C31248	SITARAM BALI PATIL W - 5311	77	M	20.09.2020	Negative
C31247	MANISH R. SUKHIJA W - 5250	39	M	20.09.2020	Negative
C31246	SWATI MAHAJAN W - 5335	54	F	20.09.2020	Positive
C31245	RANJANA SAPKAL W - 5284	48	F	20.09.2020	Negative
C31244	SACHIN SITARAM PATIL W - 5262	51	M	20.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)