



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	16/08/2020 16:15 pm
Date and time of reporting (dd/mm/yyyy)	18/08/2020 13:02 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C22162	NARENDRA MANOHAR BHAGVAT W - 2157	47	M	18.08.2020	Negative
C22306	RAJIV YOGESH KAJALE WG-7	5	M	18.08.2020	Negative
C22307	PRAGATI PRASANNA WAGUSKAR WG - 11	50	F	18.08.2020	Negative
C22308	PRASAD SHAMRAO TUPE WG- 14	40	M	18.08.2020	Negative
C22309	SURENDRA KOLI WG-15	34	M	18.08.2020	Negative
C22310	KADAMBARI JADHAV WG-16	22	F	18.08.2020	Negative
C22311	RAMU GAIKWAD WG-17	84	M	18.08.2020	Negative
C22312	HARSH JADHAV WG-19	17	M	18.08.2020	Negative
C22313	NANDA JADHAV WG - 20	47	F	18.08.2020	<b>Positive</b>
C22314	ADNYAN C. NANAWARE W - 2196	30	M	18.08.2020	Negative
C22315	VAIBHAV K. MHATRE W - 2197	41	M	18.08.2020	<b>Positive</b>
C22316	SWAPNIL R. TAMORE W - 2198	34	M	18.08.2020	Negative
C22317	NIRA CHINTAMAN PAYAR W - 2201	30	F	18.08.2020	Negative
C22318	SUNIL DAJI BHOSALE W - 2211	43	M	18.08.2020	Negative
C22319	SHARADHA SUNIL BHOSALE W - 2212	38	F	18.08.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by

Dr. Shalmali Dharma Ph. D

  
Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	16/08/2020 16:15 pm
Date and time of reporting (dd/mm/yyyy)	18/08/2020 13:02 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C22320	DURVA SUNIL BHOSALE W - 2213	14	F	18.08.2020	Negative
C22321	NETRA SUNIL BHOSALE W - 2214	12	M	18.08.2020	Negative
C22322	SHARAD SHETY W - 2215	50	M	18.08.2020	Negative
C22323	BHAURAO AKHDE W - 2217	28	M	18.08.2020	Negative
C22324	VINIT ZAA W - 2218	30	M	18.08.2020	Negative
C22325	NIKHIL NARKAR W - 2219	29	M	18.08.2020	Negative
C22326	RAJENDRA MAHADIK W - 2220	52	M	18.08.2020	<b>Positive</b>

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)