



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	21/07/2020 15:50 pm
Date and time of reporting (dd/mm/yyyy)	23/07/2020 12:07 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17024	DEEPAK DATTATRAY SHIROSE	39	M	23.07.2020	Negative
C17025	DEEPAK DEEPAK SHIROSE	32	F	23.07.2020	Negative
C17026	SAMARTH DEEPAK SHIROSE	8	M	23.07.2020	Negative
C17027	BHUMIKA DEEPAK SHIROSE	7	F	23.07.2020	Negative
C17028	DINESH DATTATRAY SHIROSE	30	M	23.07.2020	Positive
C17029	NAMDEV A. SHIROSE	49	M	23.07.2020	Positive
C17030	LEELADHAR SONWANE	45	M	23.07.2020	Positive
C17031	PANDU MAHADU JADHAV	70	M	23.07.2020	Negative
C17032	SUNIL TELAWANE	58	M	23.07.2020	Negative
C17033	RUCHIRA S. TELAVANE	50	F	23.07.2020	Negative
C17034	DARSHAN GANESH JAMGHARE	18	M	23.07.2020	Negative
C17035	NILESH PANDURANG JAMGHARE	32	M	23.07.2020	Negative
C17037	BALU DATTU WAGH	34	M	23.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)