



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	22/08/2020 12:30 pm
Date and time of reporting (dd/mm/yyyy)	22/08/2020 17:36 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C23035	VIKRAM RAJ MEHTA 14563/A - 2188	42	M	22.08.2020	Negative
C23034	SHEETAL PRAVIN JAGTAP N-883/A A -883	44	F	22.08.2020	Negative
C23033	PRANAV VASANT PATIL 14570/A - 2195	23	M	22.08.2020	Negative
C23032	MIRJAWED ISMAIL NADAF 14553/A - 2176	27	M	22.08.2020	Negative
C23031	NAGESHWAR RAO YELLUMULLA N - 822/ AA - 822	29	M	22.08.2020	Negative
C23030	JAYA RAJU SALUNKHE 14569 / A - 2194	28	F	22.08.2020	Negative
C23029	HAJARA HUSSAIN SAYYED 16646/A - 2189	15	F	22.08.2020	Negative
C23028	SWAPNALI AMIT VEER 14560/A - 2184	34	F	22.08.2020	Negative
C23027	ROLI ANJESH VISWAKARMA 14552/A - 2175	21	F	22.08.2020	Negative
C23026	SHANTI JAYWANT LABDE 14548/A - 2169	24	F	22.08.2020	Negative
C23025	ANJESH VIJAY VISHWAKARMA 14551 /A - 2171	27	M	22.08.2020	Negative
C23024	RAJSHREE VINAYAK KARDE 14379 /A - 2201	32	F	22.08.2020	Negative
C23023	VIJAY KUMAR MUSHIRAM 42562/ A - 2203	20	M	22.08.2020	Negative
C23022	LALIT PURSHOTAM PATIL 14576 /A - 2204	23	M	22.08.2020	Negative
C23021	FAIYAZ FARID SHAIKH 14574 / A - 2198	19	M	22.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)