



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	06/06/2020 14:47 pm
Date and time of reporting (dd/mm/yyyy)	07/06/2020 16:28 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C7081	MALLESH N. MACHARLA	54	M	07.06.2020	Negative
C7082	DR. VINAYAK NAGAPURKAR	40	M	07.06.2020	Negative
C7083	VANDANA S. SOLE	31	F	07.06.2020	Negative
C7084	SUREKHA G. PARDESI	30	F	07.06.2020	Negative
C7085	MANASVI M. MANDAK	37	F	07.06.2020	Negative
C7086	SHRIKANT M. GUTTE	27	M	07.06.2020	Negative
C7087	AMITA P. VASAVE	31	F	07.06.2020	Negative
C7088	RUKHMUNI BHUMBE	34	F	07.06.2020	Negative
C7089	BHARTI WADEKAR	31	F	07.06.2020	Negative
C7090	SUMAYA SHAIKH	26	F	07.06.2020	Negative
C7091	SUNITA RANPISE	57	F	07.06.2020	Negative
C7092	SAURABH S. KAMBLE	21	M	07.06.2020	Negative
C7093	BHAVIN H. THAKKAR	25	M	07.06.2020	Negative
C7094	DEEPALI H. THAKKAR	45	F	07.06.2020	Negative
C7095	KEVIN H. THAKKAR	21	M	07.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	06/06/2020 14:47 pm
Date and time of reporting (dd/mm/yyyy)	07/06/2020 16:28 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C7096	VAIBHAV SHINDE	31	M	07.06.2020	Negative
C7097	PRIYANKA G. PAWAR	32	F	07.06.2020	Negative
C7098	AMRUT G. PAWAR	1Y5M	F	07.06.2020	Negative
C7099	SINDHU G. PAWAR	7	F	07.06.2020	Negative
C7100	DEVRAJ N. PAWAR	74	M	07.06.2020	Negative
C7101	KALPANA D. PAWAR	67	F	07.06.2020	Negative
C7102	ARCHANA D. PAWAR	45	F	07.06.2020	Negative
C7103	YASHWANT G. GOSAVI	59	M	07.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)