



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	15/07/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	16/07/2020 17:04 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH IPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C15317	DHAMENDRA PRITAMCHAND SINGH 17020	40	M	16.07.2020	Negative
C15318	PAVITRA MANDAL 17300	35	M	16.07.2020	Negative
C15319	EKNATH KASHINATH GHODKE 411	73	M	16.07.2020	Negative
C15320	SATISH SHASHIKANT JOSHI 17279	38	M	16.07.2020	Negative
C15321	RABIYA KHATUN JALALUDDIN SHAH 410	47	F	16.07.2020	Positive
C15322	SUGRIV RAMLAL GAUTAM 17408	48	M	16.07.2020	Negative
C15323	NANDKISHOR GOVIND SATAM 17387	57	M	16.07.2020	Positive
C15324	BAJRANG ANANDA PARDESHI 412	53	M	16.07.2020	Negative
C15325	VIJAYA GOVIND SATAM 17386	75	F	16.07.2020	Positive
C15326	MANIK SAKHARAM PANCHANGANE 17381	64	M	16.07.2020	Negative
C15327	TUKARAM MHATRE 413	65	M	16.07.2020	Positive
C15329	ZINKU JAISWAR 17361	60	M	16.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)