



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	19/07/2020 15:00 pm
Date and time of reporting (dd/mm/yyyy)	20/07/2020 18:13 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KASARVADAVALI

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16389	ASHA BHOIR	54	F	20.07.2020	Negative
C16390	PRABHAKAR SABHAJI TIWARI	42	M	20.07.2020	Negative
C16391	SHAIKH SHOUKAT HUSSAIN	34	M	20.07.2020	Negative
C16392	HITESH PATEL	38	M	20.07.2020	Negative
C16393	SAMEER N. AMIN	35	M	20.07.2020	Negative
C16394	JITENDRA TIKLU SHARMA	34	M	20.07.2020	Negative
C16395	MACHHI DILIP NARAYAN	34	M	20.07.2020	Negative
C16396	MACHHI MANOJ KANIYAMR	32	M	20.07.2020	Negative
C16397	NAVED YUNUS RAJAPKAR	31	M	20.07.2020	Negative
C16398	FARHAN RAIS SHAIKH	26	M	20.07.2020	Negative
C16399	AMAN RAMKUMAR YADAV	25	M	20.07.2020	Negative
C16400	VASANT VASUDEV PAWAR	46	M	20.07.2020	Negative
C16401	SANTOSH MORE	39	M	20.07.2020	Negative
C16402	SHANTILAL YADAV	30	M	20.07.2020	Negative
C16403	SAJID HAMID	45	M	20.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	19/07/2020 15:00 pm
Date and time of reporting (dd/mm/yyyy)	20/07/2020 18:13 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KASARVADAVALI

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16404	DR NIKHIL SIRSURE	26	M	20.07.2020	Negative
C16405	DR ABHINAV SHRIVASTAV	23	M	20.07.2020	Negative
C16406	VINOD SAPRE	67	M	20.07.2020	Negative
C16407	DR RICHA AGARWAL	27	F	20.07.2020	Negative
C16408	SANDEEP DNYANOBA MISAL	32	M	20.07.2020	Negative
C16409	PRAVIN WAJE	30	M	20.07.2020	Negative
C16410	PRAJAKTA PATIL	29	F	20.07.2020	Negative
C16411	ABU FAIJAL KHAN	24	M	20.07.2020	Negative
C16412	MOHAMMAD ZEESHAN MOHD AIRA SHAIKH	24	M	20.07.2020	Negative
C16413	SANJEEV KAMLESH SHARMA	22	M	20.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by

Dr. Shalmali Dharma Ph. D

  
Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)