Coding & Solution

Date	1 October 2026
Team ID	6ab63662000bf9bb96385cb4
Project Name	Auto Ticket Classification using Flow Designer
Maximum Marks	3 Marks

Coding & Solution

This document presents the key code artifacts and solution implementation details for the Auto Ticket Classification system on ServiceNow.

1. Flow Designer - Main Flow: Auto Classify Incident

Trigger: Record Created -> Incident Table [incident]
Condition: Current.state == 'New' AND Current.short_description != ''

Step 1: Log - 'Starting auto-classification for INC: ' + trigger.record.number
Step 2: Action - Get Predictive Intelligence Prediction
    Input: record = trigger.record, solution = 'Incident Classification'
    Output: predicted_category, predicted_subcategory,
        predicted_assignment_group, confidence_score
Step 3: If confidence_score >= 0.80
    Step 3a: Update Record - Set category, subcategory, assignment_group,
        priority (from prediction)
    Step 3b: Add Work Note - 'Auto-classified by Predictive Intelligence
        (Confidence: ' + confidence_score + '%)'
    Step 3c: Subflow - Send Notification to assigned group
Step 4: Else (confidence < 80%)
    Step 4a: Subflow - Route to Manual Triage Queue
    Step 4b: Add Work Note - 'Low confidence prediction (' +
        confidence_score + '%). Routed for manual review.'
Step 5: Log - 'Classification complete for ' + trigger.record.number

2. Script Include: ClassificationUtils

```
var ClassificationUtils = Class.create();
ClassificationUtils.prototype = {
    initialize: function() {},

    getConfidenceThreshold: function() {
        return parseFloat(gs.getProperty(
            'x_auto_classify.confidence_threshold', '0.80'));
    },
```

```
    getAssignmentGroup: function(category, subcategory) {
        var gr = new GlideRecord('x_auto_classify_category_mapping');
        gr.addQuery('category', category);
        gr.addQuery('subcategory', subcategory);
        gr.query();
        if (gr.next()) {
            return gr.getValue('assignment_group');
        }
        return gs.getProperty(
            'x_auto_classify.default_group');
    },

    logClassification: function(incidentSysId, category,
                    confidence, wasAutoAssigned) {
        var log = new GlideRecord('x_auto_classify_log');
        log.initialize();
        log.setValue('incident', incidentSysId);
        log.setValue('predicted_category', category);
        log.setValue('confidence_score', confidence);
        log.setValue('auto_assigned', wasAutoAssigned);
        log.insert();
    },

    type: 'ClassificationUtils'
};
```

3. Business Rule: AutoClassifyTrigger

Name: AutoClassifyTrigger
Table: Incident [incident]
When: After Insert
Condition: current.state == 1 (New)

```
(function executeRule(current, previous) {
    try {
        // Trigger the Flow Designer flow
        sn_fd.FlowAPI.getRunner()
            .flow('x_auto_classify.auto_classify_incident')
            .inBackground()
            .withInputs({ 'incident_record': current })
            .run();
        gs.info('Auto-classify flow triggered for: '
                + current.number);
    } catch (e) {
        gs.error('Failed to trigger classification: '
```

```
            + e.message);
    }
})(current, previous);
```