

Phase 5

Project Development Phase

Project: **Implement Client Script & UI Policy (Incident)**

Item	Details
Platform	ServiceNow (Incident Management)
Organization	SmartBridge
Team ID	SWTID-2026-3598
Team Size	5
Team Leader	VEERAMANI B
Team Members	BALAJI E, Anbumani A, NAGULAN.C, Kathir

1. Overview

This document describes the step-by-step configuration of the solution in the ServiceNow instance. Development follows the sequence of Tasks 1 to 5.

Task 1: Create UI Policy on Incident

Activity 1: Create UI Policy

- Log in to the ServiceNow instance with administrative or configuration access.
- Navigate to **System UI** → **UI Policies** and click **New**.
- Fill in: **Short description / Name:** High Impact Control; **Table:** Incident [incident]; **Active:** true.
- In **When to Apply** add the condition: Field **Impact**, Operator **is**, Value **1 - High**. The policy is therefore triggered only when impact is High.
- Enable **Reverse if false** so that the effects are reverted automatically when the condition is not met. (On load and Global remain checked.)
- Click **Submit** to save the UI Policy.
- In the **UI Policy Actions** related list click **New**: Field name **Assignment group**, **Mandatory** = **True**, Visible = Leave alone, **Read only** = **False**. Click Submit.

Task 2: Create UI Policy Action - Urgency

Activity 1: Configure the Urgency field

- Open the **High Impact Control** UI Policy and scroll to the **UI Policy Actions** related list.
- Click **New**. Field name: **Urgency**.
- Set **Read only** = **True**; leave Mandatory and Visible as 'Leave alone'. The field stays visible but cannot be changed when Impact = High.
- Click **Submit**. The action is linked to the policy and applies automatically.
- Optional verification: open an Incident, set Impact to High, confirm Urgency becomes read-only; change Impact and confirm it reverts.

Task 3: Create onChange Client Script

Activity 1: Create Client Script

- Navigate to **System UI** → **Client Scripts** and click **New**.
- Name: **Auto set urgency for high impact**; Table: **Incident [incident]**; UI Type: Desktop; Type: **onChange**; Field name: **Impact**; Active: true.
- Paste the script below and click **Submit**.
- Verify: change Impact to High on an Incident; Urgency updates to 1 - High automatically.

```
function onChange(control, oldValue, newValue, isLoading) {  
    if (isLoading || newValue == '') {  
        return;  
    }  
}
```

```

    }
    if (newValue == '1') {
        g_form.setValue('urgency', '1');
        g_form.addInfoMessage('Urgency set to High for High impact incident.');
```

How it works: *isLoading* prevents the script from running when the form first loads; *newValue == ''* ignores a cleared field; value '1' corresponds to 1 - High; *g_form.setValue* updates Urgency; *g_form.addInfoMessage* shows the confirmation banner.

Task 4: Create onSubmit Client Script (Save Validation)

Activity 1: Create Client Script

- Navigate to **System UI** → **Client Scripts** and click **New**.
- Name: **Prevent save if Assigned To missing**; Table: **Incident**; Type: **onSubmit**; Active: true.
- Paste the script below and click **Submit**.
- Verify: try saving a High impact Incident without Assigned To; the save is blocked and an error box appears.

```

function onSubmit() {
    if (g_form.getValue('impact') == '1' &&
        g_form.getValue('assigned_to') == '') {
        g_form.showErrorMessage(
            'assigned_to',
            'Assigned To is mandatory for High impact incidents.'
        );
        return false;
    }
    return true;
}
```

Task 5: Create onCellEdit Client Script

Activity 1: Create Client Script

- Navigate to **System UI** → **Client Scripts** and click **New**.
- Name: **Prevent state change via list edit**; Table: **Incident**; Type: **onCellEdit**; Field name: **State**; Active: true.
- Paste the script below and click **Submit**.
- Verify: in the Incident list double-click the State cell; an alert appears and State is unchanged.

```

function onCellEdit(sysIDs, table, oldValues, newValue, callback) {
    alert('State cannot be updated using list editing. Please open the Incident.');
```

Configuration Summary

Artefact	Type	Key settings
High Impact Control	UI Policy	Incident; Impact is 1 - High; Reverse if false = true
Assignment group action	UI Policy Action	Mandatory True, Read-only False
Urgency action	UI Policy Action	Read-only True
Auto set urgency for high impact	Client Script	onChange on Impact
Prevent save if Assigned To missing	Client Script	onSubmit
Prevent state change via list edit	Client Script	onCellEdit on State

Development Best Practices Followed

- Declarative UI Policy used wherever possible; scripts only for logic.
- Descriptive names for every artefact.
- Scripts are short, commented in documentation and avoid server calls.
- Isolate script enabled for strict-mode compliance.