






MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7*
Limit to 1000 rows
(106, 5, 'Chair', 'Furniture', 7000, 'Pending'),
(107, 6, 'Laptop', 'Electronics', 60000, 'Delivered'),
(108, 7, 'Desk', 'Furniture', 12000, 'Delivered'),
(109, 8, 'Mouse', 'Accessories', 1000, 'Cancelled'),
(110, 2, 'Smartphone', 'Electronics', 25000, 'Delivered'),
(111, 3, 'Chair', 'Furniture', 6500, 'Delivered'),
(112, 4, 'Headphones', 'Electronics', 3000, 'Pending');
SELECT * FROM customers;
Result Grid
customer_id customer_name city age
1 Arun Chennai 24
2 Priya Bangalore 27
3 Rahul Hyderabad 22
4 Sneha Chennai 29
5 Kiran Mumbai 25
6 Divya Bangalore 23
7 Vijay Hyderabad 31
8 Meena Mumbai 26
SQLAdditions
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
Navigator
SCHEMAS
abc
cms
college
endsemlab
ep
event_manage
leftoverlove
leftoverlovefinal
lms_progress
mydb
productapp
restdb
sys
telusko
todos
traveljournal
traveltalesdb
Administration Schemas
Information
No object selected
Object Info Session
customers 2
Output
Action Output
# Time Action Message Duration / Fetch
5 15:23:58 use devsecops_training 0 row(s) affected 0.000 sec
6 15:24:33 CREATE TABLE customers ( customer_id INT PRIMARY KEY, customer_name VARCHAR(50), city V... 0 row(s) affected 0.094 sec
7 15:24:52 CREATE TABLE orders ( order_id INT PRIMARY KEY, customer_id INT, product_name VARCHAR(50... 0 row(s) affected 0.062 sec
8 15:25:18 INSERT INTO customers VALUES (1, 'Arun', 'Chennai', 24), (2, 'Priya', 'Bangalore', 27), (3, 'Rahul', 'Hyderabad'... 8 row(s) affected Records: 8 Duplicates: 0 Warnings: 0 0.031 sec
9 15:25:40 INSERT INTO orders VALUES (101, 1, 'Laptop', 'Electronics', 55000, 'Delivered'), (102, 2, 'Headphones', 'Elec... 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 0.016 sec
10 15:25:59 SELECT * FROM customers LIMIT 0, 1000 8 row(s) returned 0.000 sec / 0.000 sec
Context Help Snippets
34°C Sunny
Search
ENG IN
87%
15:27 28-10-2026



MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7*
Limit to 1000 rows
(108, 7, 'Desk', 'Furniture', 12000, 'Delivered'),
(109, 8, 'Mouse', 'Accessories', 1000, 'Cancelled'),
(110, 2, 'Smartphone', 'Electronics', 25000, 'Delivered'),
(111, 3, 'Chair', 'Furniture', 6500, 'Delivered'),
(112, 4, 'Headphones', 'Electronics', 3000, 'Pending');
SELECT * FROM customers;
select * from orders;
Result Grid
order_id customer_id product_name category amount order_status
101 1 Laptop Electronics 55000.00 Delivered
102 2 Headphones Electronics 2500.00 Delivered
103 1 Mouse Accessories 800.00 Delivered
104 3 Keyboard Accessories 1500.00 Pending
105 4 Smartphone Electronics 30000.00 Delivered
106 5 Chair Furniture 7000.00 Pending
107 6 Laptop Electronics 60000.00 Delivered
108 7 Desk Furniture 12000.00 Delivered
109 8 Mouse Accessories 1000.00 Cancelled
110 2 Smartphone Electronics 25000.00 Delivered
SQLAdditions
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
Navigator
SCHEMAS
abc
cms
college
endsemlab
ep
event_manage
leftoverlove
leftoverlovefinal
lms_progress
mydb
productapp
restdb
sys
telusko
todos
traveljournal
traveltalesdb
Administration Schemas
Information
No object selected
Object Info Session
orders 3
Output
Action Output
# Time Action Message Duration / Fetch
6 15:24:33 CREATE TABLE customers ( customer_id INT PRIMARY KEY, customer_name VARCHAR(50), city V... 0 row(s) affected 0.094 sec
7 15:24:52 CREATE TABLE orders ( order_id INT PRIMARY KEY, customer_id INT, product_name VARCHAR(50... 0 row(s) affected 0.062 sec
8 15:25:18 INSERT INTO customers VALUES (1, 'Arun', 'Chennai', 24), (2, 'Priya', 'Bangalore', 27), (3, 'Rahul', 'Hyderabad'... 8 row(s) affected Records: 8 Duplicates: 0 Warnings: 0 0.031 sec
9 15:25:40 INSERT INTO orders VALUES (101, 1, 'Laptop', 'Electronics', 55000, 'Delivered'), (102, 2, 'Headphones', 'Elec... 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 0.016 sec
10 15:25:59 SELECT * FROM customers LIMIT 0, 1000 8 row(s) returned 0.000 sec / 0.000 sec
11 15:27:50 select * from orders LIMIT 0, 1000 12 row(s) returned 0.015 sec / 0.000 sec
Context Help Snippets
34°C Sunny
Search
ENG IN
87%
15:27 28-10-2026



MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7*
Limit to 1000 rows
(112, 4, 'Headphones', 'Electronics', 3000, 'Pending');
SELECT * FROM customers;
select * from orders;
SELECT *
FROM orders
WHERE order_status = 'Delivered';
Result Grid
order_id customer_id product_name category amount order_status
101 1 Laptop Electronics 55000.00 Delivered
102 2 Headphones Electronics 2500.00 Delivered
103 1 Mouse Accessories 800.00 Delivered
105 4 Smartphone Electronics 30000.00 Delivered
107 6 Laptop Electronics 60000.00 Delivered
108 7 Desk Furniture 12000.00 Delivered
110 2 Smartphone Electronics 25000.00 Delivered
111 3 Chair Furniture 6500.00 Delivered
No object selected
Output
Action Output
7 15:24:52 CREATE TABLE orders ( order_id INT PRIMARY KEY, customer_id INT, product_name VARCHAR(50... 0 row(s) affected 0.062 sec
8 15:25:18 INSERT INTO customers VALUES (1, 'Arun', 'Chennai', 24), (2, 'Priya', 'Bangalore', 27), (3, 'Rahul', 'Hyderabad'... 8 row(s) affected Records: 8 Duplicates: 0 Warnings: 0 0.031 sec
9 15:25:40 INSERT INTO orders VALUES (101, 1, 'Laptop', 'Electronics', 55000, 'Delivered'), (102, 2, 'Headphones', 'Elec... 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 0.016 sec
10 15:25:59 SELECT * FROM customers LIMIT 0, 1000 8 row(s) returned 0.000 sec / 0.000 sec
11 15:27:50 select * from orders LIMIT 0, 1000 12 row(s) returned 0.015 sec / 0.000 sec
12 15:29:44 SELECT * FROM orders WHERE order_status = 'Delivered' LIMIT 0, 1000 8 row(s) returned 0.016 sec / 0.000 sec
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
34°C Sunny
Search
ENG IN
86%
15:29 28-10-2026



MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7*
Limit to 1000 rows
SELECT *
FROM orders
WHERE order_status = 'Delivered';
SELECT order_id, product_name, amount
FROM orders
WHERE amount > 5000
ORDER BY amount DESC;
Result Grid
order_id product_name amount
107 Laptop 60000.00
101 Laptop 55000.00
105 Smartphone 30000.00
110 Smartphone 25000.00
108 Desk 12000.00
106 Chair 7000.00
111 Chair 6500.00
No object selected
Output
Action Output
8 15:25:18 INSERT INTO customers VALUES (1, 'Arun', 'Chennai', 24), (2, 'Priya', 'Bangalore', 27), (3, 'Rahul', 'Hyderabad'... 8 row(s) affected Records: 8 Duplicates: 0 Warnings: 0 0.031 sec
9 15:25:40 INSERT INTO orders VALUES (101, 1, 'Laptop', 'Electronics', 55000, 'Delivered'), (102, 2, 'Headphones', 'Elec... 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 0.016 sec
10 15:25:59 SELECT * FROM customers LIMIT 0, 1000 8 row(s) returned 0.000 sec / 0.000 sec
11 15:27:50 select * from orders LIMIT 0, 1000 12 row(s) returned 0.015 sec / 0.000 sec
12 15:29:44 SELECT * FROM orders WHERE order_status = 'Delivered' LIMIT 0, 1000 8 row(s) returned 0.016 sec / 0.000 sec
13 15:30:12 SELECT order_id, product_name, amount FROM orders WHERE amount > 5000 ORDER BY amount DESC LI... 7 row(s) returned 0.000 sec / 0.000 sec
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
34°C Sunny
Search
ENG IN
86%
15:30 28-10-2026


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7*
Limit to 1000 rows
60
61 • SELECT
62 SUM(amount) AS total_sales,
63 AVG(amount) AS average_order_value,
64 MAX(amount) AS highest_order,
65 MIN(amount) AS lowest_order,
66 COUNT(*) AS total_orders
67 FROM orders
68 WHERE order_status = 'Delivered';
Result Grid
total_sales average_order_value highest_order lowest_order total_orders
191800.00 23975.000000 60000.00 800.00 8
Result 6
Read Only
Context Help Snippets
Output
Action Output
# Time Action Message Duration / Fetch
9 15:25:40 INSERT INTO orders VALUES (101, 1, 'Laptop', 'Electronics', 55000, 'Delivered'), (102, 2, 'Headphones', 'Elec... 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 0.016 sec
10 15:25:59 SELECT * FROM customers LIMIT 0, 1000 8 row(s) returned 0.000 sec / 0.000 sec
11 15:27:50 select * from orders LIMIT 0, 1000 12 row(s) returned 0.015 sec / 0.000 sec
12 15:29:44 SELECT * FROM orders WHERE order_status = 'Delivered' LIMIT 0, 1000 8 row(s) returned 0.016 sec / 0.000 sec
13 15:30:12 SELECT order_id, product_name, amount FROM orders WHERE amount > 5000 ORDER BY amount DESC LI... 7 row(s) returned 0.000 sec / 0.000 sec
14 15:32:47 SELECT SUM(amount) AS total_sales, AVG(amount) AS average_order_value, MAX(amount) AS highe... 1 row(s) returned 0.000 sec / 0.000 sec
No object selected
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
34°C Sunny
Search
ENG IN
85%
15:32 28-10-2026


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7*
Limit to 1000 rows
66 COUNT(*) AS total_orders
67 FROM orders
68 WHERE order_status = 'Delivered';
69
70 • SELECT
71 category,
72 COUNT(*) AS number_of_orders
73 FROM orders
74 GROUP BY category;
Result Grid
category number_of_orders
Electronics 6
Accessories 3
Furniture 3
Result 7
Read Only
Context Help Snippets
Output
Action Output
# Time Action Message Duration / Fetch
10 15:25:59 SELECT * FROM customers LIMIT 0, 1000 8 row(s) returned 0.000 sec / 0.000 sec
11 15:27:50 select * from orders LIMIT 0, 1000 12 row(s) returned 0.015 sec / 0.000 sec
12 15:29:44 SELECT * FROM orders WHERE order_status = 'Delivered' LIMIT 0, 1000 8 row(s) returned 0.016 sec / 0.000 sec
13 15:30:12 SELECT order_id, product_name, amount FROM orders WHERE amount > 5000 ORDER BY amount DESC LI... 7 row(s) returned 0.000 sec / 0.000 sec
14 15:32:47 SELECT SUM(amount) AS total_sales, AVG(amount) AS average_order_value, MAX(amount) AS highe... 1 row(s) returned 0.000 sec / 0.000 sec
15 15:33:23 SELECT category, COUNT(*) AS number_of_orders FROM orders GROUP BY category LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec
No object selected
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
34°C Sunny
Search
ENG IN
85%
15:33 28-10-2026


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7*
Limit to 1000 rows
74 GROUP BY category;
75
76 SELECT
77 category,
78 SUM(amount) AS total_sales
79 FROM orders
80 WHERE order_status = "Delivered"
81 GROUP BY category
82 ORDER BY total_sales DESC;
Result Grid Filter Rows: Export: Wrap Cell Content:
category total_sales
Electronics 172500.00
Furniture 18500.00
Accessories 800.00
Result 8
Read Only
Context Help Snippets
Output
Action Output
# Time Action Message Duration / Fetch
11 15:27:50 select * from orders LIMIT 0, 1000 12 row(s) returned 0.015 sec / 0.000 sec
12 15:29:44 SELECT * FROM orders WHERE order_status = 'Delivered' LIMIT 0, 1000 8 row(s) returned 0.016 sec / 0.000 sec
13 15:30:12 SELECT order_id, product_name, amount FROM orders WHERE amount > 5000 ORDER BY amount DESC LI... 7 row(s) returned 0.000 sec / 0.000 sec
14 15:32:47 SELECT SUM(amount) AS total_sales, AVG(amount) AS average_order_value, MAX(amount) AS highe... 1 row(s) returned 0.000 sec / 0.000 sec
15 15:33:23 SELECT category, COUNT(*) AS number_of_orders FROM orders GROUP BY category LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec
16 15:37:32 SELECT category, SUM(amount) AS total_sales FROM orders WHERE order_status = 'Delivered' GROU... 3 row(s) returned 0.000 sec / 0.000 sec
No object selected
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
34°C Sunny
Search
ENG IN
84%
15:37
28-10-2026


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7*
Limit to 1000 rows
81 GROUP BY category
82 ORDER BY total_sales DESC;
83
84 SELECT
85 category,
86 COUNT(*) AS number_of_orders
87 FROM orders
88 GROUP BY category
89 HAVING COUNT(*) > 2;
Result Grid Filter Rows: Export: Wrap Cell Content:
category number_of_orders
Electronics 6
Accessories 3
Furniture 3
Result 9
Read Only
Context Help Snippets
Output
Action Output
# Time Action Message Duration / Fetch
12 15:29:44 SELECT * FROM orders WHERE order_status = 'Delivered' LIMIT 0, 1000 8 row(s) returned 0.016 sec / 0.000 sec
13 15:30:12 SELECT order_id, product_name, amount FROM orders WHERE amount > 5000 ORDER BY amount DESC LI... 7 row(s) returned 0.000 sec / 0.000 sec
14 15:32:47 SELECT SUM(amount) AS total_sales, AVG(amount) AS average_order_value, MAX(amount) AS highe... 1 row(s) returned 0.000 sec / 0.000 sec
15 15:33:23 SELECT category, COUNT(*) AS number_of_orders FROM orders GROUP BY category LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec
16 15:37:32 SELECT category, SUM(amount) AS total_sales FROM orders WHERE order_status = 'Delivered' GROU... 3 row(s) returned 0.000 sec / 0.000 sec
17 15:38:06 SELECT category, COUNT(*) AS number_of_orders FROM orders GROUP BY category HAVING COUNT... 3 row(s) returned 0.000 sec / 0.000 sec
No object selected
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
34°C Sunny
Search
ENG IN
83%
15:38
28-10-2026


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
abc
cms
college
endsemlab
ep
event_manage
leftoverlove
leftoverlovefinal
lms_progress
mydb
productapp
restdb
sys
telusko
todos
traveljournal
traveltalesdb
Administration Schemas
Information
No object selected
Object Info Session
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7*
Limit to 1000 rows
95 SUM(o.amount) AS total_order_value
96 FROM customers c
97 JOIN orders o
98 ON c.customer_id = o.customer_id
99 GROUP BY
100 c.customer_id,
101 c.customer_name,
102 c.city
103 ORDER BY total_order_value DESC;
Result Grid Filter Rows: Export: Wrap Cell Content:
customer_name city total_orders total_order_value
Divya Bangalore 1 60000.00
Arun Chennai 2 55800.00
Sneha Chennai 2 33000.00
Priya Bangalore 2 27500.00
Vijay Hyderabad 1 12000.00
Rahul Hyderabad 2 8000.00
Kiran Mumbai 1 7000.00
Meena Mumbai 1 1000.00
Result Grid
Form Editor
Field Types
Result 11
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
Context Help Snippets
Output
Action Output
# Time Action Message Duration / Fetch
14 15:32:47 SELECT SUM(amount) AS total_sales, AVG(amount) AS average_order_value, MAX(amount) AS highe... 1 row(s) returned 0.000 sec / 0.000 sec
15 15:33:23 SELECT category, COUNT(*) AS number_of_orders FROM orders GROUP BY category LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec
16 15:37:32 SELECT category, SUM(amount) AS total_sales FROM orders WHERE order_status = 'Delivered' GROU... 3 row(s) returned 0.000 sec / 0.000 sec
17 15:38:06 SELECT category, COUNT(*) AS number_of_orders FROM orders GROUP BY category HAVING COUNT... 3 row(s) returned 0.000 sec / 0.000 sec
18 15:39:41 SELECT c.customer_name, c.city, COUNT(o.order_id) AS total_orders, SUM(p.amount) AS total_ord... 8 row(s) returned 0.000 sec / 0.000 sec
19 15:41:23 SELECT c.customer_name, c.city, COUNT(o.order_id) AS total_orders, SUM(p.amount) AS total_ord... 8 row(s) returned 0.000 sec / 0.000 sec
34°C Sunny
Search
ENG IN
82%
15:41 28-10-2026