






MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7* SQL File 8*
SCHEMAS
abc cms college endsemlab ep event_manage leftoverlove leftoverlovefinal lms_progress mydb productapp restdb sys telusko todos traveljournal traveltalesdb
18
19 • INSERT INTO courses VALUES
20 (101, 'Java Development', 'CSE', 15000),
21 (102, 'Data Science', 'CSE', 20000),
22 (103, 'Cloud Computing', 'IT', 18000),
23 (104, 'Cyber Security', 'IT', 17000),
24 (105, 'Business Analytics', 'MBA', 22000);
25
26 • select * from courses;
Result Grid
course_id course_name department fee
101 Java Development CSE 15000.00
102 Data Science CSE 20000.00
103 Cloud Computing IT 18000.00
104 Cyber Security IT 17000.00
105 Business Analytics MBA 22000.00
SQLAdditions
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
No object selected
Output
Action Output
Time Action Message Duration / Fetch
18 15:39:41 SELECT c.customer_name, c.city, COUNT(o.order_id) AS total_orders, SUM(p.amount) AS total_ord... 8 row(s) returned 0.000 sec / 0.000 sec
19 15:41:23 SELECT c.customer_name, c.city, COUNT(o.order_id) AS total_orders, SUM(p.amount) AS total_ord... 8 row(s) returned 0.000 sec / 0.000 sec
20 15:44:30 CREATE TABLE courses (course_id INT PRIMARY KEY, course_name VARCHAR(50), department V... 0 row(s) affected 0.031 sec
21 15:44:46 CREATE TABLE students (student_id INT PRIMARY KEY, student_name VARCHAR(50), city VARCH... 0 row(s) affected 0.109 sec
22 15:45:04 INSERT INTO courses VALUES (101, 'Java Development', 'CSE', 15000), (102, 'Data Science', 'CSE', 20000),... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.016 sec
23 15:45:24 select * from courses LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
34°C Mostly sunny
Search
ENG IN
81%
15:45 28-10-2026



MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7* SQL File 8*
SCHEMAS
abc cms college endsemlab ep event_manage leftoverlove leftoverlovefinal lms_progress mydb productapp restdb sys telusko todos traveljournal traveltalesdb
28 • INSERT INTO students VALUES
29 (1, 'Akhil', 'Chennai', 21, 101, 85),
30 (2, 'Bhavana', 'Hyderabad', 22, 102, 92),
31 (3, 'Charan', 'Chennai', 20, 101, 76),
32 (4, 'Deepika', 'Bangalore', 23, 103, 88),
33 (5, 'Eswar', 'Hyderabad', 21, 104, 67),
34 (6, 'Farah', 'Mumbai', 22, 102, 95),
35 (7, 'Girish', 'Chennai', 24, 105, 72),
36 (8, 'Harini', 'Bangalore', 21, 103, 81),
Result Grid
student_id student_name city age course_id marks
1 Akhil Chennai 21 101 85
2 Bhavana Hyderabad 22 102 92
3 Charan Chennai 20 101 76
4 Deepika Bangalore 23 103 88
5 Eswar Hyderabad 21 104 67
6 Farah Mumbai 22 102 95
7 Girish Chennai 24 105 72
8 Harini Bangalore 21 103 81
9 Ishaan Mumbai 20 104 90
10 Jaya Hyderabad 23 105 86
SQLAdditions
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
No object selected
Output
Action Output
Time Action Message Duration / Fetch
20 15:44:30 CREATE TABLE courses (course_id INT PRIMARY KEY, course_name VARCHAR(50), department V... 0 row(s) affected 0.031 sec
21 15:44:46 CREATE TABLE students (student_id INT PRIMARY KEY, student_name VARCHAR(50), city VARCH... 0 row(s) affected 0.109 sec
22 15:45:04 INSERT INTO courses VALUES (101, 'Java Development', 'CSE', 15000), (102, 'Data Science', 'CSE', 20000),... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.016 sec
23 15:45:24 select * from courses LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
24 15:46:05 INSERT INTO students VALUES (1, 'Akhil', 'Chennai', 21, 101, 85), (2, 'Bhavana', 'Hyderabad', 22, 102, 92), (3... 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 0.015 sec
25 15:46:18 select * from students LIMIT 0, 1000 12 row(s) returned 0.000 sec / 0.000 sec
34°C Mostly sunny
Search
ENG IN
81%
15:46 28-10-2026



MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7* SQL File 8*
Limit to 1000 rows
(10, 'Jaya', 'Hyderabad', 23, 105, 86),
(11, 'Karthik', 'Chennai', 22, 102, 79),
(12, 'Lavanya', 'Bangalore', 21, 101, 93);
select * from students;
SELECT student_name, marks
FROM students
WHERE marks > 80;
Result Grid
student_name marks
Akhil 85
Bhavana 92
Deepika 88
Farah 95
Harini 81
Ishaan 90
Jaya 86
Lavanya 93
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
No object selected
Action Output
21 15:44:46 CREATE TABLE students (student_id INT PRIMARY KEY, student_name VARCHAR(50), city VARCH... 0 row(s) affected 0.109 sec
22 15:45:04 INSERT INTO courses VALUES (101, 'Java Development', 'CSE', 15000), (102, 'Data Science', 'CSE', 20000),... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.016 sec
23 15:45:24 select * from courses LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
24 15:46:05 INSERT INTO students VALUES (1, 'Akhil', 'Chennai', 21, 101, 85), (2, 'Bhavana', 'Hyderabad', 22, 102, 92), (3... 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 0.015 sec
25 15:46:18 select * from students LIMIT 0, 1000 12 row(s) returned 0.000 sec / 0.000 sec
26 15:49:15 SELECT student_name, marks FROM students WHERE marks > 80 LIMIT 0, 1000 8 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7* SQL File 8*
Limit to 1000 rows
SELECT student_name, marks
FROM students
WHERE marks > 80;
SELECT student_name, city, marks
FROM students
WHERE city = 'Chennai'
ORDER BY marks DESC;
Result Grid
student_name city marks
Akhil Chennai 85
Karthik Chennai 79
Charan Chennai 76
Girish Chennai 72
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
No object selected
Action Output
22 15:45:04 INSERT INTO courses VALUES (101, 'Java Development', 'CSE', 15000), (102, 'Data Science', 'CSE', 20000),... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.016 sec
23 15:45:24 select * from courses LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
24 15:46:05 INSERT INTO students VALUES (1, 'Akhil', 'Chennai', 21, 101, 85), (2, 'Bhavana', 'Hyderabad', 22, 102, 92), (3... 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 0.015 sec
25 15:46:18 select * from students LIMIT 0, 1000 12 row(s) returned 0.000 sec / 0.000 sec
26 15:49:15 SELECT student_name, marks FROM students WHERE marks > 80 LIMIT 0, 1000 8 row(s) returned 0.000 sec / 0.000 sec
27 15:49:41 SELECT student_name, city, marks FROM students WHERE city = 'Chennai' ORDER BY marks DESC LIMIT ... 4 row(s) returned 0.000 sec / 0.000 sec


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7* SQL File 8*
Limit to 1000 rows
WHERE city = 'Chennai'
ORDER BY marks DESC;
SELECT
COUNT(*) AS total_students,
AVG(marks) AS average_marks,
MAX(marks) AS highest_marks,
MIN(marks) AS lowest_marks
FROM students;
Result Grid
total_students average_marks highest_marks lowest_marks
12 83.6667 95 67
Result 5
Read Only
Output
Action Output
23 15:45:24 select * from courses LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
24 15:46:05 INSERT INTO students VALUES (1, 'Akhil', 'Chennai', 21, 101, 85), (2, 'Bhavana', 'Hyderabad', 22, 102, 92), (3... 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 0.015 sec
25 15:46:18 select * from students LIMIT 0, 1000 12 row(s) returned 0.000 sec / 0.000 sec
26 15:49:15 SELECT student_name, marks FROM students WHERE marks > 80 LIMIT 0, 1000 8 row(s) returned 0.000 sec / 0.000 sec
27 15:49:41 SELECT student_name, city, marks FROM students WHERE city = 'Chennai' ORDER BY marks DESC LIMIT ... 4 row(s) returned 0.000 sec / 0.000 sec
28 15:50:05 SELECT COUNT(*) AS total_students, AVG(marks) AS average_marks, MAX(marks) AS highest_marks... 1 row(s) returned 0.000 sec / 0.000 sec
No object selected
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7* SQL File 8*
Limit to 1000 rows
MAX(marks) AS highest_marks,
MIN(marks) AS lowest_marks
FROM students;
SELECT
city,
COUNT(*) AS total_students
FROM students
GROUP BY city;
Result Grid
city total_students
Chennai 4
Hyderabad 3
Bangalore 3
Mumbai 2
Result 6
Read Only
Output
Action Output
24 15:46:05 INSERT INTO students VALUES (1, 'Akhil', 'Chennai', 21, 101, 85), (2, 'Bhavana', 'Hyderabad', 22, 102, 92), (3... 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 0.015 sec
25 15:46:18 select * from students LIMIT 0, 1000 12 row(s) returned 0.000 sec / 0.000 sec
26 15:49:15 SELECT student_name, marks FROM students WHERE marks > 80 LIMIT 0, 1000 8 row(s) returned 0.000 sec / 0.000 sec
27 15:49:41 SELECT student_name, city, marks FROM students WHERE city = 'Chennai' ORDER BY marks DESC LIMIT ... 4 row(s) returned 0.000 sec / 0.000 sec
28 15:50:05 SELECT COUNT(*) AS total_students, AVG(marks) AS average_marks, MAX(marks) AS highest_marks... 1 row(s) returned 0.000 sec / 0.000 sec
29 15:50:26 SELECT city, COUNT(*) AS total_students FROM students GROUP BY city LIMIT 0, 1000 4 row(s) returned 0.000 sec / 0.000 sec
No object selected
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7* SQL File 8*
Limit to 1000 rows
65
66 • SELECT
67 c.course_name,
68 AVG(s.marks) AS average_marks
69 FROM students s
70 JOIN courses c
71 ON s.course_id = c.course_id
72 GROUP BY c.course_id, c.course_name
73 ORDER BY average_marks DESC;
Result Grid Filter Rows: Export: Wrap Cell Content:
course_name average_marks
Data Science 88.6667
Java Development 84.6667
Cloud Computing 84.5000
Business Analytics 79.0000
Cyber Security 78.5000
Result 7
Read Only
Output
Action Output
Time Action Message Duration / Fetch
25 15:46:18 select * from students LIMIT 0, 1000 12 row(s) returned 0.000 sec / 0.000 sec
26 15:49:15 SELECT student_name, marks FROM students WHERE marks > 80 LIMIT 0, 1000 8 row(s) returned 0.000 sec / 0.000 sec
27 15:49:41 SELECT student_name, city, marks FROM students WHERE city = 'Chennai' ORDER BY marks DESC LIMIT ... 4 row(s) returned 0.000 sec / 0.000 sec
28 15:50:05 SELECT COUNT(*) AS total_students, AVG(marks) AS average_marks, MAX(marks) AS highest_marks... 1 row(s) returned 0.000 sec / 0.000 sec
29 15:50:26 SELECT city, COUNT(*) AS total_students FROM students GROUP BY city LIMIT 0, 1000 4 row(s) returned 0.000 sec / 0.000 sec
30 15:50:52 SELECT c.course_name, AVG(s.marks) AS average_marks FROM students s JOIN courses c ON s.co... 5 row(s) returned 0.000 sec / 0.000 sec
No object selected
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
34°C Mostly sunny
Search
ENG IN
79%
15:50 28-10-2026


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7* SQL File 8*
Limit to 1000 rows
74
75 • SELECT
76 c.course_name,
77 AVG(s.marks) AS average_marks
78 FROM students s
79 JOIN courses c
80 ON s.course_id = c.course_id
81 GROUP BY c.course_id, c.course_name
82 HAVING AVG(s.marks) > 80;
Result Grid Filter Rows: Export: Wrap Cell Content:
course_name average_marks
Java Development 84.6667
Data Science 88.6667
Cloud Computing 84.5000
Result 8
Read Only
Output
Action Output
Time Action Message Duration / Fetch
26 15:49:15 SELECT student_name, marks FROM students WHERE marks > 80 LIMIT 0, 1000 8 row(s) returned 0.000 sec / 0.000 sec
27 15:49:41 SELECT student_name, city, marks FROM students WHERE city = 'Chennai' ORDER BY marks DESC LIMIT ... 4 row(s) returned 0.000 sec / 0.000 sec
28 15:50:05 SELECT COUNT(*) AS total_students, AVG(marks) AS average_marks, MAX(marks) AS highest_marks... 1 row(s) returned 0.000 sec / 0.000 sec
29 15:50:26 SELECT city, COUNT(*) AS total_students FROM students GROUP BY city LIMIT 0, 1000 4 row(s) returned 0.000 sec / 0.000 sec
30 15:50:52 SELECT c.course_name, AVG(s.marks) AS average_marks FROM students s JOIN courses c ON s.co... 5 row(s) returned 0.000 sec / 0.000 sec
31 15:51:14 SELECT c.course_name, AVG(s.marks) AS average_marks FROM students s JOIN courses c ON s.co... 3 row(s) returned 0.000 sec / 0.000 sec
No object selected
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
34°C Mostly sunny
Search
ENG IN
79%
15:51 28-10-2026


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
abc
cms
college
endsemlab
ep
event_manage
leftoverlove
leftoverlovefinal
lms_progress
mydb
productapp
restdb
sys
telusko
todos
traveljournal
traveltalesdb
Administration Schemas
Information
No object selected
Object Info Session
Query 1 SQL File 3* SQL File 4* SQL File 5* users SQL File 7* SQL File 8*
Limit to 1000 rows
89 FROM courses c
90 LEFT JOIN students s
91 ON c.course_id = s.course_id
92 GROUP BY
93 c.course_id,
94 c.course_name,
95 c.department,
96 c.fee
97 ORDER BY enrolled_students DESC;
Result Grid Filter Rows: Export: Wrap Cell Content:
course_name department fee enrolled_students
Java Development CSE 15000.00 3
Data Science CSE 20000.00 3
Cloud Computing IT 18000.00 2
Cyber Security IT 17000.00 2
Business Analytics MBA 22000.00 2
Result 9
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
27 15:49:41 SELECT student_name, city, marks FROM students WHERE city = 'Chennai' ORDER BY marks DESC LIMIT ... 4 row(s) returned 0.000 sec / 0.000 sec
28 15:50:05 SELECT COUNT(*) AS total_students, AVG(marks) AS average_marks, MAX(marks) AS highest_marks... 1 row(s) returned 0.000 sec / 0.000 sec
29 15:50:26 SELECT city, COUNT(*) AS total_students FROM students GROUP BY city LIMIT 0, 1000 4 row(s) returned 0.000 sec / 0.000 sec
30 15:50:52 SELECT c.course_name, AVG(s.marks) AS average_marks FROM students s JOIN courses c ON s.co... 5 row(s) returned 0.000 sec / 0.000 sec
31 15:51:14 SELECT c.course_name, AVG(s.marks) AS average_marks FROM students s JOIN courses c ON s.co... 3 row(s) returned 0.000 sec / 0.000 sec
32 15:51:37 SELECT c.course_name, c.department, c.fee, COUNT(s.student_id) AS enrolled_students FROM co... 5 row(s) returned 0.046 sec / 0.000 sec
34°C Mostly sunny
Search
ENG IN
79%
15:51 28-10-2026