SCRIPT-CONTROLLED ACL

Restrict Record Access Based on Field Value

SCENARIO	USER / ADMIN JOURNEY	CORE SECURITY OUTCOME
A user attempts to access a ServiceNow record. A Script-Controlled ACL evaluates a selected field value and determines whether the requested operation should be allowed or restricted.	Login → Navigate to records → Trigger access check → Evaluate field value → Allow or deny → Complete authorized action → Maintain and review ACL.	Only users and records satisfying the configured access condition are permitted. Unauthorized record access is blocked at the ACL layer.

JOURNEY MAP

1. LOGIN — Enter ServiceNow

EXPERIENCE	INTERACTIONS	THINGS	PEOPLE
The user signs in and reaches the ServiceNow application.	• Enter credentials • Authenticate • Open required application/module	• ServiceNow instance • Browser • User account	End user System administrator
GOAL & MOTIVATION	**POSITIVE MOMENTS**	**NEGATIVE MOMENTS**	**AREAS OF OPPORTUNITY**
Help me securely enter the system and reach the records I am authorized to use.	Successful login and clear navigation.	Authentication issues or uncertainty about where the required records are located.	Provide clear navigation and access-related feedback.

2. NAVIGATE — Find Required Records

EXPERIENCE	INTERACTIONS	THINGS	PEOPLE
The user opens the table containing the record they need.	• Open application/module • Select table • Search or filter records	• ServiceNow table • List view • Search/filter controls	End user Administrator
GOAL & MOTIVATION	**POSITIVE MOMENTS**	**NEGATIVE MOMENTS**	**AREAS OF OPPORTUNITY**
Help me find the required record without exposing records I should not access.	Relevant records can be located efficiently.	The user may be confused when a record is unavailable or restricted.	Apply access controls consistently and make restrictions understandable.

3. EVALUATE — Check Field Value

EXPERIENCE	INTERACTIONS	THINGS	PEOPLE
The requested record operation triggers the ACL evaluation.	• User requests read/write access • ACL script executes • Configured field value is evaluated	• Record • Restricted field • Field value • ACL script	End user Developer / administrator
GOAL & MOTIVATION	**POSITIVE MOMENTS**	**NEGATIVE MOMENTS**	**AREAS OF OPPORTUNITY**
Help me access the record only when the configured field condition is satisfied.	Authorization is evaluated automatically and consistently.	Incorrect script logic or field data can produce unintended results.	Validate field conditions and document the ACL logic clearly.

4. DECIDE — Allow or Restrict Access

EXPERIENCE	INTERACTIONS	THINGS	PEOPLE
The ACL returns an authorization decision based on the field value.	• Condition satisfied → allow • Condition not satisfied → deny • System enforces the result	• Script-Controlled ACL • Access condition • Record permissions	End user System administrator
GOAL & MOTIVATION	**POSITIVE MOMENTS**	**NEGATIVE MOMENTS**	**AREAS OF OPPORTUNITY**
Help me access only the records I am authorized to view or modify.	Unauthorized record access is prevented automatically.	Unexpected denial can interrupt legitimate work.	Test both permitted and restricted field-value scenarios.

5. PERFORM — Complete Authorized Action

EXPERIENCE	INTERACTIONS	THINGS	PEOPLE
If access is granted, the user views or updates the record.	• Open record • View permitted information • Update allowed fields • Save changes	• Record form • Fields • Save/update controls	Authorized user Administrator
GOAL & MOTIVATION	**POSITIVE MOMENTS**	**NEGATIVE MOMENTS**	**AREAS OF OPPORTUNITY**
Help me complete my task without unnecessary security restrictions.	The user completes the required operation successfully.	Unclear restrictions may make the user think the system is malfunctioning.	Keep authorization behavior predictable and documented.

6. RESTRICT — Handle Denied Access

EXPERIENCE	INTERACTIONS	THINGS	PEOPLE
When the field condition is not satisfied, the system blocks the requested operation.	• ACL denies request • Record remains protected • User receives access-related feedback	• ACL rule • Restricted record • Access-denied response	Unauthorized user Administrator
GOAL & MOTIVATION	**POSITIVE MOMENTS**	**NEGATIVE MOMENTS**	**AREAS OF OPPORTUNITY**
Help me understand that the record is restricted and know the appropriate next step.	Sensitive record information remains protected.	Generic denial messages may cause confusion or repeated failed attempts.	Use clear, security-conscious messages and define an access-request process.

7. MAINTAIN — Review and Improve ACL

EXPERIENCE	INTERACTIONS	THINGS	PEOPLE
Administrators maintain the ACL as field values, requirements, or security rules change.	• Review script • Test conditions • Troubleshoot access • Update rules • Monitor behavior	• ACL configuration • Script • Test records • Security logs	System administrator Developer Security administrator
GOAL & MOTIVATION	**POSITIVE MOMENTS**	**NEGATIVE MOMENTS**	**AREAS OF OPPORTUNITY**
Help me maintain secure, reliable record access as requirements change.	ACL remains aligned with security requirements.	Complex scripts can be difficult to troubleshoot and maintain.	Document rules, maintain test cases, and review ACL behavior regularly.

END-TO-END ACCESS FLOW

STAGE	ACTION	OUTCOME
1	**LOGIN**	User authenticates
2	**NAVIGATE**	User locates required record
3	**TRIGGER**	User requests record access
4	**EVALUATE**	ACL script checks field value
5A	**ALLOW**	Condition satisfied → operation permitted
5B	**DENY**	Condition not satisfied → operation restricted
6	**MAINTAIN**	Administrator tests, monitors, and updates ACL

CORE GOALS & MOTIVATIONS	KEY POSITIVE MOMENTS	KEY NEGATIVE MOMENTS	KEY OPPORTUNITIES
• Access only authorized records • Prevent exposure of restricted information • Complete permitted work efficiently • Maintain field-based security rules	• Correct users receive access • Unauthorized requests are blocked • Decisions are automated • Record-level security is consistently enforced	• Incorrect ACL logic • Unexpected denial • Unclear access-denied feedback • Maintenance complexity	• Test multiple field values • Document ACL conditions • Improve access feedback • Review and monitor rules regularly

Project Focus: Script-Controlled ACL — Restrict Record Access Based on Field Value