Problem-Solution fit canvas 2.0

PROJECT: Script-Controlled ACL – Restrict Record Access Based on Field Value

Purpose / Vision: Secure, flexible record-level authorization based on business-relevant field values.

Define CS, fit into CC

1. CUSTOMER SEGMENT(S) — CS

ServiceNow administrators and developers;
IT/security teams; application owners managing sensitive or department-specific records; organizations needing record-level access control.

6. CUSTOMER CONSTRAINTS — CC

- Existing roles and permissions
- Security and compliance requirements
- Large user/record volumes
- Script performance and maintainability
- Risk of affecting existing access
- Need for auditable access-control logic

5. AVAILABLE SOLUTIONS — AS

- Static role-based ACLs
- User criteria and role-based restrictions
- UI/client-side restrictions
- Business rules or scripted security logic

Scripted ACL: supports dynamic conditions, but requires careful testing, maintenance and security review.

Explore AS, differentiate

Focus on J&P, tap into BE, understand RC

2. JOBS-TO-BE-DONE / PROBLEMS — J&P

- Restrict record access dynamically based on field values.
- Prevent unauthorized viewing or modification.
- Reduce overly broad access.
- Support department, region, status, assignment-group, classification or ownership based restrictions.

9. PROBLEM ROOT CAUSE — RC

- Static rules may not reflect each record's business condition.
- Users with the same role may need different access based on record attributes.
- Broad permissions can expose sensitive data.
- Business requirements change, creating a need for flexible field-based authorization.

7. BEHAVIOUR — BE

- Admins define field-based access rules.
- Developers configure and test ACL scripts.
- Users request records normally.
- Platform evaluates the ACL and grants or denies access.
- Admins review failures and update rules when requirements change.

Focus on J&P, tap into BE, understand RC

Identify strong TR & EM

3. TRIGGERS — TR

- Sensitive-data/security requirement identified.
- New conditional-access requirement.
- Security or audit finding shows excessive visibility.
- Change in roles, departments, regions or record classification.

BEFORE: Concern about excessive access, complex ACL maintenance and unauthorized record visibility.

AFTER: Greater confidence and control because access follows defined record conditions.

10. YOUR SOLUTION — SL

Script-Controlled ACL evaluates selected record field values and the current user's authorization before granting access.

Flow: Request → ACL trigger → read field → check authorization → allow/deny.

Supports fine-grained, field-based record security for conditions such as department, region, status, assignment group, classification or ownership.

8. CHANNELS of BEHAVIOUR — CH

8.1 ONLINE
- ServiceNow application/interface
- Administration and developer tools
- Documentation/configuration records
- Testing and debugging tools

8.2 OFFLINE
- Security requirement discussions
- IT/admin meetings
- Access-control review and audit sessions
- Project documentation and approvals

Extract online & offline CH of BE

Problem-Solution it canvas is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 license
Created by Daria Nepriakhina / Amaltama.com

AMALTAMA