Acceptance Testing
UAT Execution & Report Submission

Date	02 October 2026
Team ID	SWTID-2026-9980
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	4 Marks

1. Purpose of Document

The purpose of this document is to describe the User Acceptance Testing (UAT) coverage for the Script-Controlled ACL project. The project applies record-access restrictions according to configured field values, ensuring that users can access only the records permitted by the applicable access rules. This report outlines the planned validation areas and provides a place to record execution results and defects.

2. Defect Analysis

Defect information was not supplied at the time this report was prepared. Therefore, no defect counts or resolutions are reported below. Update this section after UAT execution using the actual defects recorded by the testing team.

Severity	Open Defects	Resolved / Closed	Notes
Severity 1	Not assessed	Not assessed	Critical access-control impact
Severity 2	Not assessed	Not assessed	Major access-control impact
Severity 3	Not assessed	Not assessed	Moderate functional impact
Severity 4	Not assessed	Not assessed	Minor issue / usability impact
Total	Not assessed	Not assessed	Pending UAT results

3. Test Case Analysis

The following proposed UAT cases cover the main field-value-based access-control behaviours. All cases are pending execution; pass/fail results must be entered after testing in the target environment.

Section	Total Cases	Not Tested	Fail	Pass
Field-value rule evaluation	2	2	—	—
Authorized user record access	1	1	—	—
Restricted user record access	1	1	—	—
Record visibility across field values	1	1	—	—
Field-value change and access refresh	1	1	—	—
Boundary / blank / unexpected values	1	1	—	—
Role and permission interaction	1	1	—	—
Totals	**8**	**8**	**—**	**—**

4. UAT Test Scenarios & Expected Results

Use these scenarios to verify that the ACL script evaluates the configured field value and applies the corresponding record-level access decision.

Test ID	Scenario	Expected Result	Status
ACL-01	Set the record field to a value that grants access and sign in as an authorized user.	The permitted user can open the matching record.	Pending
ACL-02	Set the field to a value that restricts access and sign in as a user without permission.	The restricted user cannot open or view the record.	Pending
ACL-03	Check records containing different configured field values.	Access is granted or denied according to each field value and ACL condition.	Pending
ACL-04	Change the field value from an allowed value to a restricted value.	Access is recalculated and the user no longer has access where the rule denies it.	Pending
ACL-05	Change the field value from a restricted value to an allowed value.	Access is recalculated and access is granted only to users who meet the rule.	Pending
ACL-06	Test blank, null, or unexpected field values.	The script follows the defined default-deny / configured fallback behaviour; no unintended access is granted.	Pending
ACL-07	Test users with different roles or permission combinations.	The ACL condition and platform permissions work together without bypassing the restriction.	Pending
ACL-08	Attempt access through available record views or direct record navigation.	Restricted records remain inaccessible through supported access paths.	Pending

5. UAT Exit Notes

Record the actual execution date, tester name, evidence, defects, and final approval after the test cases have been run. This template currently contains proposed test coverage only; it does not represent completed testing or confirmed pass results.

Execution Summary	To be completed after testing
Open Issues / Defect References	To be updated from the defect log
UAT Outcome	Pending execution and stakeholder review