



GRC POST INSTALLATION ACTIVITIES


Post installation activities on ABAP Stack:

1. create your own user in '000' and '001' clients.
2. Login to '000' client with your own user created in step1 and using transaction SM28 or SICK check if the Installation is Successful or ended with any errors.




3. perform post installation using transaction SE06.







click YES.

Below Screen is displayed.





4. Configure TMS using transaction STMS.








Create Virtual Systems

















GO TO EDIT MODE









Save it.


5. schedule housekeeping/standard background jobs using transaction SM36.




Click on Standard Jobs



Then Click on Default Scheduling






6. Change profile parameters using transaction RZ10. we need to change following parameters


* abap/buffersize to 450000

* login/no_automatic_user_sapstar to = '0'


Note: Affect will take place only after restarting SAP.

7. Applying addon " AOI_VIRSANH_530_700_00" on ABAP stack using transaction SAINT.







Browse the location of ADDON file.



click open




Click on YES




Click on decompress.


Below Screen is displayed Once the decompression is Successful.

After uncar click on Start.







Click Continue




Click Continue




Click YES




Click Continue




Provide PASSWORD" E46B5BFA5F".






click FINISH




Uncar of Addon file Can be done even through CMD prompt.

<location of the file>:/ > sapcar -xvf <filename>


8. update the spam level from 26 to 44 by applying "KD70044.SAR" using transaction SPAM.




uncar the file





Browse the location of the Spam file.





Click DECOMPRESS











9. Now Apply the following patches using transaction SPAM.

K-53301INVIRSANH.SAR

K-53302INVIRSANH.SAR

K-53303INVIRSANH.SAR

K-53304INVIRSANH.SAR

K-53305INVIRSANH.SAR

go to CMD Prompt.

Uncar the Patches.

```

C:\Windows\system32\cmd.exe

D:\>cd D:\usr\sap\trans

D:\usr\sap\trans>sapcar -xvf K-53301INUIRSANH.SAR
SAPCAR: processing archive K-53301INUIRSANH.SAR (version 2.01)
x EPS/in/CSN0120061532_0030637.ATT
x EPS/in/CSN0120061532_0030637.PAT
SAPCAR: 2 file(s) extracted

D:\usr\sap\trans>sapcar -xvf K-53302INUIRSANH.SAR
SAPCAR: processing archive K-53302INUIRSANH.SAR (version 2.01)
x EPS/in/CSR0120031469_0031516.ATT
x EPS/in/CSR0120031469_0031516.PAT
SAPCAR: 2 file(s) extracted


D:\usr\sap\trans>sapcar -xvf K-53303INUIRSANH.SAR
SAPCAR: processing archive K-53303INUIRSANH.SAR (version 2.01)
x EPS/in/CSN0120061532_0032189.ATT
x EPS/in/CSN0120061532_0032189.PAT
SAPCAR: 2 file(s) extracted


D:\usr\sap\trans>sapcar -xvf K-53304INUIRSANH.SAR
SAPCAR: processing archive K-53304INUIRSANH.SAR (version 2.01)
x EPS/in/CSR0120031469_0032854.ATT
x EPS/in/CSR0120031469_0032854.PAT
SAPCAR: 2 file(s) extracted

D:\usr\sap\trans>sapcar -xvf K-53305INUIRSANH.SAR
SAPCAR: processing archive K-53305INUIRSANH.SAR (version 2.01)
x EPS/in/CSR0120031469_0032582.ATT
x EPS/in/CSR0120031469_0032582.PAT
x EPS/in/CSR0120031469_0034007.ATT
x EPS/in/CSR0120031469_0034007.PAT
SAPCAR: 4 file(s) extracted


D:\usr\sap\trans>_

```






click YES




go back


click on DISPLAY/DEFINE




Select VIRSANH and click nike.




Click nike




click YES




Click Nike








click Nike




click Nike









10. Now login to 001 client and activate BC set "/VIRSA/VIRSANH_530_700" using transaction SCPR20.






click Nike




double click on it.




Click on Activate.


it asks for creating Workbench and Customising requests. Create Them



Select Expert mode in select activation mode and click Nike



View log to check if the activation is Successful or not.



Note: if everything is in green then the activation is Successful


if u see anything in red fix them.

This Completes post installation on ABAP Stack.


Post installation activities on JAVA Stack:


1. Increase heap memory to 1024MB in the path specified below.

D:\usr\sap\<SID>\DVEBMGS00\j2ee\configtool\config.BAT




save it.





click OK

2. Logon to the URL <http://<hostname>:5<nr>00/>



To view info regarding system click on System Information

login with J2EE_ADMIN user.

RSD System Info - Windows Internet Explorer

Address bar: <http://grcserver:50000/sap/monitoring/SystemInfo>

System RSD

Find other systems in SLD...

Message Server		Enqueue Server		Database	
Host:	GRCSERVER	Host:	GRCSERVER	Name:	RSD
Port:	3901	Port:	3201	Host:	GRCSERVER
				Type:	Microsoft SQL Server (9.00.4035)

Software Components		all components...		Licenses	
Name	Version	Applied		Installation Number	*** not yet assigned ***
sap.com/SAP-JEECOR	7.00 SP14 (1000.7.00.14.0.20071210172300)	20080125132852		System Number	*** not yet assigned ***
sap.com/SAP-JEE	7.00 SP14 (1000.7.00.14.0.20071210172039)	20080125132853		Software Product	Days Until Expiry

[Download system configuration](#)

Instance DVEBMGS00

Host: GRCSERVER OS: Windows Server 2008 (amd64) 6.0 All processes running

dispatcher

Running

system properties...		Cluster	
VM		Node ID:	4961200
PID:	4400	Kernel Version:	7.00 PatchLevel 109886.44
Name:	Java HotSpot(TM) 64-Bit Server VM	HTTP Port:	50000
Vendor:	Sun Microsystems Inc.	HTTPS Port:	50001
Version:	1.4_2_31-b03	P4 Port:	50004
VM Parameters		Telnet Port:	50008

server0

Running

system properties...		Cluster	
VM		Node ID:	4961250
PID:	4016	Kernel Version:	7.00 PatchLevel 109886.44
Name:	Java HotSpot(TM) 64-Bit Server VM		
Vendor:	Sun Microsystems Inc.		
Version:	1.4_2_31-b03		
VM Parameters			


SDM

Running


system properties...	
VM	
PID:	3932
SDM Port:	50018

Taskbar: Start | configtool | sapmmc - [C... | 2 Microsof... | SAP J2EE En... | RSD Syste... | 12:46 PM


Click on SAP Netweaver management to perform 7steps of post installation.



goto Deploy and change tab.



select NWA_O1 and click on start.



change the password to Master password and click on next.

after completion return back to list.


Note: Perform the same steps till NWA_07 and whenever you see the password field change it to master Password.

2. Now apply Java Patches.


Paste the patches to D:\usr\sap\trans\EPS\in location.

go to the below location


D:\usr\sap\RSD\DVEBMGS00\j2ee\JSPM\go.BAT




provide Master password and click on LOG ON.




select Business Pacakges and click on Next



click on Next



click on Start.




Click on Exit.

3. Create a service user in ABAP Stack eg: servicejsf. while creating the user select the user type as Service in LOG ON tab.

attach the following roles to the service user.


SAP_BC_JSF_COMMUNICATION

SAP_BC_JSF_COMMUNICATION_RO




then go to the following location at OS level.


D:\usr\sap\RSD\DVEBMGS00\j2ee\admin\go.BAT



click on connect and Provide the Master Password.




scroll down and select JCO RFC Provider




enter the program id, and other details as shown in the above screen and click on set.

Now got to ABAP Stack and create an RFC (SM59) using above Program ID.




select TCP/IP Connection and click on Create



Save it.


and Now test the Connection.

It must work fine .





Restart SAP Console.

log on to the URL <http://<servername>:5<nr>00/>



click on User Management.





select ABAP click GO

Identity Management - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://grcserver:50000/webdynpro/dispatcher/sap.com/tc~sec~ume~wd~

Most Visited Getting Started Latest Headlines

SAP J2EE Engine Start Page Identity Management

Welcome J2EE_ADMIN Help Log Off SAP

Identity Management Import Configuration Consistency Check

Search

Search Criteria User ABAP Go Advanced Search

Select All Deselect All Create User Copy to New User Delete Unlock Lock Generate New Password Export

Type	Status	Logon ID	Name	Department	Data Source
		ADS_AGENT	ADS_AGENT,		ABAP
		ADSUSER	ADSUSER,		ABAP
		ARASHED	ARASHED,		ABAP
		DDIC	DDIC		ABAP
		J2EE_ADMIN	J2EE_ADMIN,		ABAP


Row 1 of 12

Done


Start NEW_GRC... GRC doc - ... 2 SAP Log... sapmmc - [...] Identity M... 2:26 PM

click on configuration Tab

Rashed's GRC PostInstallation




Click Modify Configuration and go to ABAP system Tab.




There provide user id and Password of service user which we have created in ABAP stack.(here is it servicejst) and also provide server name and system number the system.

Click on test Connection. the connection must be successful.



After this restart the CONSOLE.

then again login to Java Portal-> user management->create user



create a user and save it.

check whether it is reflecting in ABAP Stack.

This is End of Post Installation.