Assignment: Implement playwright/typescript with vibe coding

Prompting:

Analyse me entire code base for selenium java (Feature file, Page Class, Feature + Page Class)

GO STEP BY STEP. ONCE UP ON MY APPROVAL PROCEED WITH NEXT STEP

- Give me the files in which implementation is done
- Proceed with Playwright Typescript implementation
- Proceed with Playwright JavaScript implementation
- Proceed with Selenium C# net implementation




```
Feature: Create Lead

Scenario Outline: Create a new lead with valid details
   Given I navigate to the create lead page
   When I enter "<companyName>" in the company name field
   And I enter "<firstName>" in the first name field
   And I enter "<lastName>" in the last name field
   And I select "<source>" from the source dropdown
   And I select "<marketingCampaign>" from the marketing campaign dropdown
   And I click the create lead button
   Then I should see the lead created successfully message

Examples:
```

```
    | companyName | firstName | lastName | source      | marketingCampaign |
    | Test Company | John      | Doe      | Cold Call   | Affiliate Sites  |
    | Another Company | Jane     | Smith    | Conference  | Automobile       |

import { Given, When, Then, Before, After, setDefaultTimeout } from '@cucumber/cucumber';
import { Browser, Page, chromium, expect } from '@playwright/test';

setDefaultTimeout(30 * 1000);

interface IWorld {
   browser: Browser;
   page: Page;
}

let browser: Browser;
let page: Page;

Before(async function () {
   browser = await chromium.launch();
   page = await browser.newPage();
});

After(async function () {
   await page.close();
   await browser.close();
});

Given('I navigate to the create lead page', async function () {
   await
page.goto('https://leaftaps.com/crmsfa/control/createLeadForm;jsessionid=63CCD3EE1B08814DA
5C7EEFFECCA607D.jvm1');
   await page.waitForLoadState('networkidle');
});

When('I enter {string} in the company name field', async function (companyName: string) {
   const companyNameField = page.locator('#createLeadForm_companyName');
   await companyNameField.fill(companyName);
});

When('I enter {string} in the first name field', async function (firstName: string) {
   const firstNameField = page.locator('#createLeadForm_firstName');
   await firstNameField.fill(firstName);
});

When('I enter {string} in the last name field', async function (lastName: string) {
   const lastNameField = page.locator('#createLeadForm_lastName');
   await lastNameField.fill(lastName);
});

When('I select {string} from the source dropdown', async function (source: string) {
   const sourceDropdown = page.locator('#createLeadForm_dataSourceId');
```

```
    await sourceDropdown.selectOption({ label: source });
});

When('I select {string} from the marketing campaign dropdown', async function
(marketingCampaign: string) {
    const marketingCampaignDropdown = page.locator('#createLeadForm_marketingCampaignId');
    await marketingCampaignDropdown.selectOption({ label: marketingCampaign });
});

When('I click the create lead button', async function () {
    const createLeadButton = page.locator('input:has-text("Create Lead")');
    await createLeadButton.click();
    await page.waitForLoadState('networkidle');
});

Then('I should see the lead created successfully message', async function () {
    await expect(page.locator('.message')).toContainText('Lead Created Successfully');
});
```