

Freshdesk + Freshservice Hackathon Cookbook

A link-first guide to **public APIs** and **connection paths** for Freshdesk and Freshservice.

Collected **18 Sep 2026** from official Freshworks docs. There is **no GraphQL API**; the live product APIs are REST v2.

How to use this cookbook

Pick one track. Most weekend teams only need one.

If you want to...	Use	Start here
Script tickets/assets from Python/Node	REST v2 + API key	<i>Product REST APIs</i>
Let Cursor/Claude act on a demo tenant	Product MCP	<i>Product MCP</i>
Build a sidebar / ticket widget inside the product	FDK Marketplace app + Data/Events/Interface APIs	<i>Marketplace apps</i>
Automatically update tickets when something happens	Workflow Automator / Automation rules	<i>Create a workflow</i>
React to ticket create/update without polling	Serverless onTicket* or automation webhooks	<i>Create a workflow</i>
List an integration on the store	Freshworks app or External app	<i>Submit apps</i>
Scaffold/publish the app from Cursor	Agent Skills + Developer MCP	<i>Developer MCP</i>

1. Connection layers

Layer	What it is	Best for
1. REST APIs	Direct HTTPS to the tenant	Scripts, backends, n8n/Zapier, custom UIs
2. Product MCP	Official hosted MCP on the tenant	Cursor / Claude / Copilot talking to tickets, KB, assets
3. Marketplace apps + SDK APIs	Apps that run <i>inside</i> Freshdesk/Freshservice	Sidebars, serverless event apps, listed integrations
4. Developer MCP + Agent Skills	Build/publish those apps from an IDE	Shipping a Marketplace/custom app during the hackathon

2. Product REST APIs

Freshdesk

What	Link
API v2 (current)	https://developers.freshdesk.com/api/
Same v2 docs (alt host)	https://developer.freshdesk.com/api/
Developer hub	https://developers.freshdesk.com/
API v1 (legacy)	Linked from the v2 page as “v1.0 APIs”
Code samples (Java, Node, PHP, Python, Ruby, C#)	https://github.com/freshdesk/fresh-samples

What	Link
Generated SDK reference	https://developers.freshworks.com/freshdesk-sdk/docs/ConversationsApi.html

Base URL: `https://{domain}.freshdesk.com/api/v2/{resource}`

Auth: HTTP Basic — API key as username, dummy password (X). CORS is supported.

Shell

```
curl -u YOUR_API_KEY:X \
  -H "Content-Type: application/json" \
  https://YOUR_DOMAIN.freshdesk.com/api/v2/tickets
```

v2 resource map (API Index plus later sections on the same page):

- Tickets, conversations, outbound messages, watchers, merge/forward, bulk update, archive, ticket user access
- Ticket fields, sections, ticket forms / form fields
- Contacts, contact fields, companies, company fields, agents, skills, roles, groups
- Custom objects (schemas + records)
- Discussions (categories, forums, topics, comments)
- Solutions (categories, folders, articles)
- CSAT (new + legacy surveys / satisfaction ratings)
- Time entries, canned responses, products, business hours
- Email mailboxes, email settings, BCC, email configs
- Field service (service tasks/groups, field technicians)
- Threads / thread messages
- Omnichannel activities
- Automations, scenario automations, SLA policies
- Account, helpdesk settings, jobs

Freshservice

What	Link
API v2 (current)	https://api.freshservice.com/v2/
Same v2 (root)	https://api.freshservice.com/
API v1 (legacy)	https://api.freshservice.com/v1/
Rate limits	https://support.freshservice.com/support/solutions/articles/50000000293-what-is-the-rate-limit-for-apis-across-all-plans-
Check remaining quota	https://support.freshservice.com/support/solutions/articles/50000000308-how-can-i-check-the-available-api-limit-

Base URL: `https://{domain}.freshservice.com/api/v2/{resource}`

Auth: API key (Basic) or **OAuth 2.0**. Each endpoint lists a scope such as `freshservice.tickets.create`.

Docs cover **Freshservice**, **Freshservice for Business Teams**, and **Freshservice for MSPs** (module/endpoint differences are called out on the same v2 page).

Shell

```
curl -u YOUR_API_KEY:X \
  -H "Content-Type: application/json" \
  https://YOUR_DOMAIN.freshservice.com/api/v2/tickets
```

v2 resource map:

- Tickets, service requests, conversations, time entries, tasks, CSAT, approvals, child tickets
- Problems, changes, releases, CABs, major-incident promote/demote
- Workspaces / clients (MSP)
- Requesters/contacts, agents, roles, groups, requester groups
- Locations, products, vendors, departments, business hours
- Assets + Freshservice ITAM assets, asset types, software, contracts, purchase orders

- Projects / project tasks (classic + NewGen)
 - Solutions (categories, folders, articles)
 - Service catalog
 - Announcements, employee onboarding/offboarding, journeys
 - On-call management
 - Custom objects
 - Alerts, SLA policies, canned responses, audit logs, attachments, collaborate
 - Status page, delegation
 - CMDB-style ITAM: physical subtypes, devices, resources, resource relationships, cloud infrastructure, lifecycle events
 - Post-incident reports
-

3. MCP (two different servers)

These are not the same thing. Product MCP talks to a live helpdesk/ITSM tenant. Developer MCP talks to the Freshworks Developer Portal.

3.1 Product MCP — talk to a live account

Tenant-scoped servers. They wrap public REST APIs. They do **not** grant extra permissions beyond the user's role.

Freshdesk MCP

Generally available since **10 Sep 2026**.

Doc	Link
Setup + tools	https://support.freshdesk.com/support/solutions/articles/50000012670-model-context-protocol-mcp-integration-in-freshdesk-eap-
FAQ	https://support.freshdesk.com/support/solutions/articles/50000014407-mcp-integration-frequently-asked-questions-faq-
· URL: https://{domain}.freshdesk.com/mcp (custom domains are not supported) · Auth: API key only · Enable / copy URL: Admin → Apps & Integrations → MCP · Clients documented: Claude Code, Claude Desktop, Cursor, Copilot Studio, VS Code · Plans: Growth / Pro / Enterprise (per-minute rate + monthly action caps)	

- **Tools:** tickets, conversations, contacts, agents, groups, companies, solution categories/folders/articles

Cursor config:

```
JSON
{
  "mcpServers": {
    "freshdesk": {
      "type": "http",
      "url": "https://YOUR_DOMAIN.freshdesk.com/mcp",
      "headers": {
        "Authorization": "YOUR_API_KEY"
      }
    }
  }
}
```

Freshservice MCP

Doc	Link
Setup + tools	https://support.freshservice.com/support/solutions/articles/50000012678-model-context-protocol-mcp-integration-in-freshservice
FAQ	https://support.freshservice.com/support/solutions/articles/50000014409-mcp-integration-frequently-asked-questions-faqs-
Security	https://support.freshservice.com/support/solutions/articles/50000014410-freshworks-mcp-security
· URL: https://{domain}.freshservice.com/mcp · Auth: OAuth 2.0 + Dynamic Client Registration (recommended), or API key · Native connectors: Claude, Gemini, ChatGPT · Also documented: Claude Code, Claude Desktop, Cursor, Copilot Studio, VS Code · Enable: Admin → MCP → MCP Details	

- **Tools:** tickets, assets, agents/requesters, onboarding/offboarding, service catalog, solutions, workspaces, locations, vendors, departments, custom objects, groups, products, asset types

Cursor config (OAuth preferred; API key fallback shown):

```
JSON
{
  "mcpServers": {
    "freshservice": {
      "type": "http",
      "url": "https://YOUR_DOMAIN.freshservice.com/mcp",
      "headers": {
        "Authorization": "YOUR_API_KEY"
      }
    }
  }
}
```

MCP tools cheat sheet

Freshdesk

Resource	Tools
Tickets	createTicket, fetchTicket, fetchTickets, fetchSearchTickets, updateTicket, createTicketBulkUpdate, fetchTicketConversations
Conversations	replyTicket, createTicketNote, updateConversation
Contacts	createContact, fetchContact, fetchContacts, fetchContactAutocomplete
Agents	fetchAgent, fetchAgents, createAgent, updateAgent
Groups	createGroup, fetchGroup, fetchGroups, updateGroup
Companies	createCompany, fetchCompany, fetchCompanyAutocomplete, fetchSearchCompanies, updateCompany

Solutions category / folder / article fetch + create (articles also update)

Freshservice

Resource	Tools
Tickets	fetchTickets, fetchTicket, createTicket, updateTicket, createTicketNote, fetchTicketFormFields, fetchTicketFilter
Assets	fetchAssets, fetchAsset, createAsset, updateAsset
Users	fetchAgents, fetchAgent, fetchRequesters, fetchRequester
On/offboarding	fetch/create onboarding + offboarding requests and forms
Service catalog	search, fetch items, placeRequestServiceCatalogItem
Solutions	categories, folders, articles (including search)
Org data	workspaces, locations, vendors, departments, groups, products, custom objects, asset types

3.2 Developer MCP — build/publish apps

This is **not** the product. It talks to the Freshworks Developer Portal.

Doc	Link
Developer MCP	https://developers.freshworks.com/docs/agentic-dev-tools/mcp-server/
Configure it	https://developers.freshworks.com/docs/agentic-dev-tools/get-started/configure-mcp-server/
Agent skills	https://developers.freshworks.com/skills/
Install toolkit	https://developers.freshworks.com/docs/tutorials/foundations/agentic-dev-tools/install/
Environment setup	https://developers.freshworks.com/docs/agentic-dev-tools/get-started/set-up-environment/
• URL: https://mcp.freshworks.dev/mcp • Auth: Developer Portal API key (Bearer) • Rate limit: 60 requests/minute • Tools: list_custom_apps, list_app_versions, create_app_upload_url, submit_custom_app, add_app_version, get_app_status	

JSON

```
{
  "mcpServers": {
    "fw-dev-mcp": {
      "url": "https://mcp.freshworks.dev/mcp",
      "headers": {
        "Authorization": "Bearer YOUR_DEVELOPER_API_KEY"
      }
    }
  }
}
```

Install Agent Skills:

Shell

```
npx @freshworks/fw-dev-tools install
```

4. Marketplace apps Integration (run inside the product)

Stores

Store	Link
Freshdesk apps	https://www.freshworks.com/apps/freshdesk/
All Freshworks apps (filter Freshservice / Omni / MSP / Business Teams)	https://www.freshworks.com/apps/

App types

1. **Freshworks app** — built with FDK, reviewed, listed publicly
2. **Custom app** — FDK, private to one org, no marketplace review

3. **External app** — your SaaS listed with an install URL (Zapier-style)

Developer platform

Doc	Link
Platform home	https://developers.freshworks.com/
Docs home	https://developers.freshworks.com/docs/
Intro tutorial	https://developers.freshworks.com/tutorials/codelabs/introduction/index.html
FDK / CLI setup	https://developers.freshworks.com/docs/getting-started/freshdesk/freshworks-cli-setup/
App development process	https://developers.freshworks.com/docs/app-sdk/v3.0/task/app-development-process/
Modules map	https://developers.freshworks.com/docs/app-sdk/v3.0/product/global-app-concepts/modules/
Freshdesk support_ticket	https://developers.freshworks.com/docs/app-sdk/v3.0/support_ticket/introduction/
Freshservice service_ticket	https://developers.freshworks.com/docs/app-sdk/v3.0/service_ticket/introduction/

FDK install:

```
Shell
npm install https://cdn.freshdev.io/fdk/latest.tgz -g
fdk version    # expect 9.0.0 or later
```

Scaffold:

```
Shell
fdk create --products freshdesk --template your_first_app
# or
```

```
fdk create --products freshservice --template your_first_app
```

Modules you can target

Product	Modules
Freshdesk / Freshdesk Omni	support_email, support_ticket, support_portal, support_agent, support_contact, support_company
Freshservice	service_ticket, service_asset, service_change, service_user, service_device, service_physicalasset, service_resource
Freshservice MSP / Business Teams	service_ticket, service_user only

Submit an app

Doc	Link
Submit Freshworks apps	https://developers.freshworks.com/docs/app-sdk/v3.0/service_resource/app-submission-process/freshworks-apps/
Submit External apps	https://developers.freshworks.com/docs/app-sdk/v3.0/common/app-submission-process/external-apps/
Pre-submission checklist	https://developers.freshworks.com/docs/guides/submission-guidelines/pre-submission/

5. Marketplace / App development: SDK APIs

These are **in-app APIs** the FDK exposes while an app is running. They are not the product REST APIs.

SDK API	What it does	Doc
Data method	client.data.get(...) — ticket, user, host, etc.	https://developers.freshworks.com/docs/app-sdk/v3.0/service_change/front-end-apps/data-method/
Events method	UI events (client.events.on)	https://developers.freshworks.com/docs/app-sdk/v3.0/product/front-end-apps/events-method/

Interface methods	Notifications, hide fields, dialogs	Same module docs under “Interface methods”
Request method	Secure proxied HTTP (no leaked API keys)	https://developers.freshworks.com/docs/app-sdk/v3.0/common/advanced-interfaces/request-method/
OAuth (3rd party)	App talks to Slack/Jira/etc.	https://developers.freshworks.com/docs/app-sdk/v3.0/caller_agent/advanced-interfaces/request-method/oauth/
OAuth (Freshworks resources)	App talks to Freshservice/Freshdesk via OAuth	https://developers.freshworks.com/docs/app-sdk/v3.0/service_ticket/advanced-interfaces/request-method/oauth-access-freshworks-resources/
Serverless product events	onTicketCreate / onTicketUpdate / onTicketDelete	https://developers.freshworks.com/docs/app-sdk/v3.0/support_ticket/serverless-apps/product-events/onTicket/
Request method CORS guide	How to call APIs from an app	https://developers.freshworks.com/docs/guides/solve-cors-errors/how-to-make-api-with-request-method/

Data storage, SMI, and scheduled events are covered from the module intro pages above.

6. Workflows for automated updates

Use these when a ticket is created or changed and you want Freshdesk/Freshservice to **update fields, assign agents, send mail, or call your API** — no Marketplace app required.

Product	What to build	Admin path
Freshservice	Workflow Automator (drag-and-drop Event → Condition → Action)	Admin → Automation & Productivity → Workflow Automator
Freshdesk	Automation rules (Ticket Creation / Ticket Updates / Hourly Triggers)	Admin → Workflows → Automation Rules
Freshdesk Omni	Same automation model, different menu	Admin Settings → Configuration and Workflows → Ticket Automations

6.1 Freshservice — create a workflow

Official how-to:

<https://support.freshservice.com/support/solutions/articles/232139-how-to-work-with-workflow-automator>

1. Go to **Admin** → **Automation & Productivity** → **Workflow Automator**.
2. Click **Create** → **Workflow**.
3. Enter a title and description.
4. Pick the **module** (Ticket, Problem, Change, Asset, ...).
5. Pick **Event Based Workflow** (fires on create/update) or **Scheduled Workflow** (hourly/daily/weekly).
6. In the Event pane, choose when it runs — e.g. **Ticket is** → **Raised** or **Status is changed**. Click **Done**.
7. Drag a **Condition** node (example: Category is Hardware). Click **Done**.
8. Drag an **Action** node (example: Assign to group, Set priority, Set status, Send email, Trigger webhook). Click **Done**.
9. Click **Activate** (progress is auto-saved as a draft until then).

Hackathon example — auto-route and update a ticket

- Event: Ticket is → Raised
- Condition: Category is Hardware
- Action: Assign to group → Hardware Team

More scenarios (multi-team routing, multi-stage approval):

<https://support.freshservice.com/support/solutions/articles/50000011807-workflow-automation-scenarios>

Scheduled workflows:

<https://support.freshservice.com/support/solutions/articles/50000004790-create-scheduled-workflows>

Problems module:

<https://support.freshservice.com/support/solutions/articles/50000000200-create-automation-workflows-in-the-problems-module>

Nodes that matter for API-style updates

Node	Use it when	Doc
------	-------------	-----

Action → Trigger Webhook	Fire-and-forget POST/PUT to your backend or to Freshservice itself	https://support.freshservice.com/support/solutions/articles/157143-using-web-hooks-with-the-workflow-automator
Web Request	You need the HTTP response (then branch on status / body)	https://support.freshservice.com/support/solutions/articles/50000003705-web-request-node
JSON Parser	Parse a Web Request / orchestration response and use fields later	https://support.freshservice.com/support/solutions/articles/50000003708-json-parser-node
Reader	Look up a custom-object / standard-object record and route from it	https://support.freshservice.com/support/solutions/articles/50000004020-reader-node

Webhook notes: ~1000 calls/hour; retries up to 4 times if the callback is not 2xx/3xx. For GET/PUT against Freshservice REST, use Basic Auth with the API key as username and x as password.

Debug: **Admin → Workflow Automator → Execution Logs.**

6.2 Freshdesk — create an automation rule

Official overview:

<https://support.freshdesk.com/support/solutions/articles/207276-overview-of-automation-rules>

Ticket-update rules:

<https://support.freshdesk.com/support/solutions/articles/99047-automation-rules-that-run-on-ticket-updates>

1. Go to **Admin → Workflows → Automation Rules** (Omni: **Admin Settings → Configuration and Workflows → Ticket Automations**).
2. Open the tab that matches the job:

- **Ticket Creation** — run once when a ticket is created
 - **Ticket Updates** — run when an event happens on an existing ticket (best for automated updates)
 - **Hourly Triggers** — scan tickets every hour (time-based close / remind)
3. Click **New rule** (or **Templates** for a guided use case).
 4. Name the rule.
 5. For Ticket Updates, set:
 - **When an action performed by:** Agent / Requester / Agent or Requester / System
 - **Involves any of these events:** status/priority/group changed, reply sent, note added, ticket updated, ...
 6. Add **On tickets with these properties** conditions (status, tags, company, subject, ...). Match ANY or ALL.
 7. Under **Perform these actions**, add one or more: Set as (priority/status/custom field), Assign to agent/group, Add note, Add tag, Send email, Update custom objects, **Trigger webhook**.
 8. Click **Preview and Save**, review the summary, then **Save and enable**.

Hackathon example — auto-update on ticket change

- Tab: Ticket Updates
- When performed by: Agent
- Event: Status is changed from Any to Resolved
- Action: Add tag hackathon-resolved **and/or** Trigger webhook to your app

Short video on reopen-after-reply: <https://www.youtube.com/watch?v=EFo0ZShRRgU>

Rule order matters. Ticket Creation can run first-match or all-matching; Ticket Updates runs **all matching rules top to bottom**. Use **Reorder** if two rules fight.

6.3 Push an update to your hackathon backend (or back into the API)

Use this when the workflow should **notify your service** or **PATCH the ticket via REST**.

Freshdesk

1. In the rule's Actions, choose **Trigger Webhook** (fire-and-forget) or **Trigger API** (use the response in later actions / JS).
2. Method: POST or PUT. URL can include placeholders such as `https://YOUR_DOMAIN.freshdesk.com/api/v2/tickets/{{ticket.id}}`.
3. Enable **Requires authentication**, paste the agent API key.

4. Encoding: JSON. **Advanced** body, for example:

```
JSON
{
  "priority": 1,
  "status": 3,
  "tags": [ "hackathon-auto-updated" ]
}
```

Docs:

<https://support.freshdesk.com/support/solutions/articles/132589-using-webhooks-in-automation-rules>

Examples:

<https://support.freshdesk.com/support/solutions/articles/50000009511-automation-examples-using-webhooks>

Freshservice

1. After Event + Condition, add **Trigger Webhook** (no response needed) or a **Web Request** node (need status/body).
2. URL: `https://YOUR_DOMAIN.freshservice.com/api/v2/tickets/{{ticket.id_numeric}}` for an in-place update.
3. Auth: Basic — API key / x.
4. Optionally add **JSON Parser** and a later **Action** that sets fields from the response.

Docs:

<https://support.freshservice.com/support/solutions/articles/157143-using-webhooks-with-the-workflow-automator>

6.4 REST OAuth (when you call APIs yourself)

- **Freshservice:** first-class OAuth 2.0 on REST. Scopes are listed per endpoint on <https://api.freshservice.com/v2/>
- **Marketplace OAuth for Freshservice resources:** https://developers.freshworks.com/docs/app-sdk/v3.0/service_resource/oauth-implementation-in-apps/
- **Freshdesk REST:** primarily **API key / Basic**. OAuth shows up in Marketplace apps that call Freshworks or third-party APIs.

7. Videos and walkthroughs

Freshworks does **not** publish a dedicated “call REST with Postman” video. The official videos cover **Marketplace/FDK apps**, **Freddy Copilot**, and **MCP**. Pair those with the interactive tutorials below for actual public-API calls.

Watch first (official videos)

Topic	What you'll see	Link
First Freshdesk app (FDK)	Create an in-product app that talks to Freshdesk	https://www.youtube.com/watch?v=C1Pq3pfuKmE
Freshdesk app playlist	Full Freshworks app-development tutorial series	https://www.youtube.com/playlist?list=PLFC_n8izfaLpNYiLT6_V5HYh70dS0_S_1
First app with AI (25 min)	Freddy Copilot: zero to a Freshdesk sidebar app	https://developers.freshworks.com/learning-resources/
Conversation to code	Freddy Copilot generating app code	https://youtu.be/MdF_5-DTjXo
Use-case to code	Freddy Copilot from idea to app	https://youtu.be/A-wG_acmoCc
AI-assisted app migration	Move an older app forward	https://youtu.be/fCjdLPdzEnw
Code refinement	Copilot cleanup / refine actions	https://youtu.be/ugW0GQwi49s

Freshservice Meets MCP	Official webinar: connect Claude / Gemini / Copilot Studio, auth, tickets, assets, catalog	https://www.freshworks.com/freshservice/webinars/premium-support/meet-mcp/
Freshdesk reopen-on-reply	Short automation-rule video	https://www.youtube.com/watch?v=EFo0ZShRRgU

- Freddy Copilot channel: <https://www.youtube.com/@FreddyAICopilotforDevelopers/videos>
- Freshworks channel: <https://www.youtube.com/@FreshworksInc/videos>
- Freshservice channel: <https://www.youtube.com/channel/UCRwtI2VKkVdh-i2cuOKrchg>
- Past developer session recordings: <https://developers.freshworks.com/events/>

Follow along (interactive — these actually hit the public APIs)

Tutorial	Why it matters	Link
Find your Freshdesk API key	First step before any REST call	https://support.freshdesk.com/support/solutions/articles/215517-how-to-find-your-api-key
Find your Freshservice API key	Same for Freshservice	https://support.freshservice.com/support/solutions/articles/50000000306-where-do-i-find-my-api-key-
Say Hello — Freshdesk	Create a ticket via /api/v2/tickets from an app	https://developers.freshworks.com/tutorials/codelabs/say-hello-freshdesk/
Say Hello — Freshservice	Same pattern for Freshservice	https://developers.freshworks.com/tutorials/codelabs/say-hello-freshservice/
Build your first Freshworks app	Request API + API key iparams	https://developers.freshworks.com/tutorials/codelabs/freshdesk-basics/
Make API request	Basic auth and OAuth ticket-create from an app	https://developers.freshworks.com/learning-resources/

App setup +
external events

Incoming webhooks into an app

<https://developers.freshworks.com/tutorials/codelabs/app-setup-and-external-events-freshdesk/>

Introduction to the
platform

FDK, Data / Events / Interface /
Request APIs

<https://developers.freshworks.com/tutorials/codelabs/introduction/index.html>

5-minute REST check (no video needed)

After copying the API key from Profile Settings:

Shell

Freshdesk

```
curl -u YOUR_API_KEY:X \  
  -H "Content-Type: application/json" \  
  https://YOUR_DOMAIN.freshdesk.com/api/v2/tickets
```

Freshservice

```
curl -u YOUR_API_KEY:X \  
  -H "Content-Type: application/json" \  
  https://YOUR_DOMAIN.freshservice.com/api/v2/tickets
```

In Postman: Authorization → Basic Auth → Username = API key, Password = X.

8. Weekend track recommendations

1. **Fastest demo:** Product MCP in Cursor against a trial tenant.
2. **Most “product-y” demo:** FDK app on ticket_sidebar that calls REST via request templates.
3. **Automated updates, no code:** Freshservice Workflow Automator or Freshdesk Ticket Updates rule (set field / assign / webhook).

4. **Most flexible backend:** REST v2 + Workflow Automator / Freshdesk Trigger API webhooks.

Official source index (bookmark this)

Sources last checked **18 Sep 2026**. Re-open the official pages before a live demo — plan limits and MCP GA status can change.

Product APIs

- <https://developers.freshdesk.com/api/>
- <https://developers.freshdesk.com/>
- <https://api.freshservice.com/v2/>
- <https://api.freshservice.com/v1/>
- <https://github.com/freshdesk/fresh-samples>

Product MCP

- <https://support.freshdesk.com/support/solutions/articles/50000012670-model-context-protocol-mcp-integration-in-freshdesk-eap->
- <https://support.freshdesk.com/support/solutions/articles/50000014407-mcp-integration-frequently-asked-questions-faq->
- <https://support.freshservice.com/support/solutions/articles/50000012678-model-context-protocol-mcp-integration-in-freshservice>
- <https://support.freshservice.com/support/solutions/articles/50000014409-mcp-integration-frequently-asked-questions-faq->
- <https://support.freshservice.com/support/solutions/articles/50000014410-freshworks-mcp-security>

Developer platform + Marketplace

- <https://developers.freshworks.com/>
- <https://developers.freshworks.com/docs/>
- <https://developers.freshworks.com/docs/app-sdk/v3.0/product/global-app-concepts/modules/>

- https://developers.freshworks.com/docs/app-sdk/v3.0/support_ticket/introduction/
- https://developers.freshworks.com/docs/app-sdk/v3.0/service_ticket/introduction/
- <https://www.freshworks.com/apps/freshdesk/>
- <https://www.freshworks.com/apps/>

Developer MCP + Agent Skills

- <https://developers.freshworks.com/docs/agent-dev-tools/mcp-server/>
- <https://developers.freshworks.com/skills/>
- <https://developers.freshworks.com/docs/tutorials/foundations/agent-dev-tools/install/>

Workflows and automations

- <https://support.freshservice.com/support/solutions/articles/232139-how-to-work-with-workflow-automator>
- <https://support.freshservice.com/support/solutions/articles/157143-using-webhooks-with-the-workflow-automator>
- <https://support.freshservice.com/support/solutions/articles/50000003705-web-request-node>
- <https://support.freshdesk.com/support/solutions/articles/207276-overview-of-automation-rules>
- <https://support.freshdesk.com/support/solutions/articles/99047-automation-rules-that-run-on-ticket-updates>
- <https://support.freshdesk.com/support/solutions/articles/132589-using-webhooks-in-automation-rules>

Videos and walkthroughs

- <https://www.youtube.com/watch?v=C1Pq3pfuKmE>
- https://www.youtube.com/playlist?list=PLFC_n8izfaLpNYiLT6_V5HYh70dS0_S_1
- <https://www.youtube.com/watch?v=EFo0ZShRRgU>
- <https://www.youtube.com/@FreddyAICopilotforDevelopers/videos>
- <https://www.freshworks.com/freshservice/webinars/premium-support/meet-mcp/>
- <https://developers.freshworks.com/learning-resources/>
- <https://developers.freshworks.com/events/>

- <https://developers.freshworks.com/tutorials/codelabs/say-hello-freshdesk/>
- <https://developers.freshworks.com/tutorials/codelabs/say-hello-freshservice/>