

Final UAT / QA Report

Workflow Pipeline Functionality · Role-wise RBAC · Responsive UI/UX · Maps · Action Plan
Excel

Overall assessment: CONDITIONAL UAT PASS

The evidence package shows a strong functional baseline with no blocking workflow failure. Automated source tests are 38/38 passing. Browser UAT records 158 PASS / 9 raw FAIL; three raw failures are test-oracle false negatives, while six management-role console checks require investigation. Visual review also found two desktop clipping defects and excessive long-list scrolling on large mobile datasets. Production sign-off should follow remediation plus a controlled end-to-end DA submission/offline-sync test.

38/38

Source tests

pytest baseline

167

Browser UAT

role/device checks

158

Raw PASS

94.6% of checks

9

Raw FAIL

3 false-negatives + 6 console anomalies

Evidence	Value
Target environment	Windows · Python 3.14.6 · Flask local server at 127.0.0.1:5000
Role journeys	Admin · PM · PC · DA
Viewports	Desktop 1440×1000 · Mobile 375×667
Evidence bundle	112 ZIP entries including screenshots, result JSON, logs and PC workbook
Report date	23 August 2026 (Asia/Kolkata)

This report separates verified evidence from reviewer interpretation and from untested workflow stages. No PASS is claimed where the evidence package did not execute the action.

1. Executive summary

The application is functionally coherent across all four roles and both tested viewport classes. Core authentication, role landing behavior, scoped navigation, planning/report pages, operational maps, Admin CRUD/recycle/audit, PC workbook transfer, and DA scope/cascade behavior all produced positive evidence.

The strongest result is the absence of systemic breakage: all 38 source/contract tests passed, all 54 automated responsive-overflow checks passed, all 8 live Leaflet map render checks passed, and all 10 explicit RBAC checks passed with the expected HTTP 403 protections.

Release decision

Proceed as a release candidate, not yet as final production sign-off. Fix the desktop clipping defects, identify the recurring management-role HTTP 400 console request, and run one controlled DA Attendance + Specials submission including image/GPS/offline queue/reconnect before acceptance.

Raw browser-UAT result by role

Role	PASS	Raw FAIL	Reviewer interpretation
Admin	46	3	1 mobile Overview test-oracle mismatch; 2 console checks contain HTTP 400 (and intentional 403).
PM	31	3	1 mobile Overview test-oracle mismatch; 2 console checks contain HTTP 400.
PC	38	3	1 mobile Overview test-oracle mismatch; 2 console checks contain HTTP 400.
DA	43	0	All automated checks passed; submission/offline end-to-end was not executed.
TOTAL	158	9	3 raw failures are not product failures; 6 console anomalies remain to investigate.

Highest-priority findings

ID	Severity	Finding	Disposition
UX-01	Medium	Desktop Directory content is shifted under the fixed rail for Admin/PM/PC; heading and first card column are clipped.	Fix before production sign-off.
UX-02	Medium	Admin Master Data active list/table can shift under the fixed rail; Recycle Bin tab does not show the same defect.	Fix width/min-width/overflow containment.
UX-03	Medium	Action Plans on mobile renders very large result sets in one continuous list (Admin screenshot height 53,601 px; PC 28,916 px).	Add pagination/progressive loading/grouping.
TECH-01	Low-Medium	Admin/PM/PC journeys recorded recurring HTTP 400 console resource errors; visible screens still rendered.	Capture failing URL/response and remove before production.
COV-01	Coverage	Real DA submit/photo/GPS/WebP/offline queue/reconnect and report-detail live evidence were not executed by this capture.	Run final controlled field UAT.

2. Scope, methodology and evidence quality

The evidence bundle was generated from the running local application using browser automation with role credentials and two viewports. Results were then reviewed against screenshots rather than accepted solely from machine assertions.

Automated baseline

Gate	Result	Evidence
Ruff	PASS	LOGS/ruff.txt: "All checks passed!"
Pytest	PASS · 38/38	LOGS/pytest.txt: 38 passed in 3.40s
Responsive width	PASS · 54/54	Every tested page reports scrollWidth equal to clientWidth.
Map render	PASS · 8/8	Desktop and mobile Leaflet containers have visible tiles for every role.
RBAC	PASS · 10/10	Expected 403 protections for Admin field entry and non-Admin management routes.

What this run does and does not prove

Evidence class	Verified	Not verified by this package
Functional pipeline	Login, role landing, page routing, Admin master CRUD/recycle/restore/audit, PC export→validate→confirm, DA scope and village→committee cascade.	Actual DA Attendance/Specials submit with live count/member selection, image re-encode, GPS persistence, duplicate retry and final report creation.
UI/UX	Desktop/mobile rendering, horizontal-overflow checks, representative cards/forms/tables, top/bottom navigation, operational maps.	Physical-device touch ergonomics, keyboard-only accessibility, screen-reader semantics, real low-end device performance.
PWA/offline	Source contract tests passed and UI shows queue indicator.	Real browser offline submission, queued payload persistence, reconnect sync and idempotency.
Reports	List pages and Admin report controls are visible.	Current evidence package does not include a live report-detail screenshot/interaction after the latest fixes.

3. Workflow pipeline assessment

The product architecture is behaving as a role-scoped pipeline rather than as four independent interfaces. The following matrix traces the observable chain from planning through field work and reporting.

Pipeline stage	Admin	PM	PC	DA	Evidence status
Authentication / landing	Global Overview	Overview	Overview	Attendance	PASS
Scope enforcement	Global	Both clusters	Own cluster	Own villages	PASS
Monthly planning	Manage/read	Read	Export/import/confirm	Read assigned	PASS
Master data mutation	CRUD + recycle + restore + audit	No Admin	No Admin	No Admin	PASS
Field execution	403 blocked	Read only	Read/manage plan	Attendance/Specials forms	PARTIAL
Reports	View/Edit/Delete controls visible	View	View	View	PASS
Maps	Global	Global PM scope	PC scope	DA scope	PASS
Offline submission → sync	N/A	N/A	N/A	UI/source contracts only	NOT TESTED

PC monthly planning pipeline

Step	Observed evidence	Result
1. Open monthly plans	PC Action Plans loaded August 2026 with role-scoped totals.	PASS
2. Export workbook	pc_action_plans_uat.xlsx downloaded; 13,910 bytes.	PASS
3. Re-upload unchanged workbook	Validation preview completed with 0 errors.	PASS
4. Confirm	Application returned to /action-plans?month=2026-08 after confirmation.	PASS
5. Cross-cluster isolation	PC Directory API exposed only CSRB.	PASS

BULK MONTHLY PLANNING

Export / Import

Export the month, edit the yellow cells in Excel, then validate and preview every change before anything is saved.

Action Plans

EXPORT

1

Download planning sheet

The workbook is scoped to your access. Grey columns are system-controlled; yellow cells are the fields to complete.

Month

August, 2026

Export Excel

IMPORT

2

Validate changed sheet

Nothing is written during validation. You will see New, Changed, Unchanged and Error counts first.

Choose edited .xlsx file

pc_action_plans_uat.xlsx

Validate & preview

RULES

✓

Safe monthly history

- Type and Assigned Date are entered together.
- Assigned Date must stay inside the selected month.
- Completed and past-month plans cannot be overwritten.
- Import confirmation is atomic: errors mean no partial save.

Skip to content

NEW BEFORE IMPORT

26 changes

Clear

BV

Bala Vikasa

Model Village · 2026-27

Overview

Action Plans

Changed

0

Unchanged

186

Errors

0

Village

Committee

Type

Date


Result

Evidence: PC desktop Action Plan transfer/validation flow. The workflow presents export, validation and safe-history guidance as distinct steps.


4. Admin workflow and governance

Admin is correctly treated as the global governance role rather than as a field-submission role. The capture verifies authentication, global pages, reports administration, Master Data CRUD, Recycle Bin restore, audit logging, operational map, Monitoring and explicit denial of DA Attendance entry.

Admin capability	Evidence	Result
Create temporary PM	HTTP 201 · record id 4	PASS
Edit	HTTP 200 · notes changed to “UAT edit verified”	PASS
Soft delete	HTTP 200 · recycle_bin_id 3	PASS
Restore	HTTP 200	PASS
Audit trail	5 matching PM audit rows	PASS
Recycle UI	Temporary UAT record visible after final cleanup delete	PASS
Field Attendance access	HTTP 403	PASS
Report controls	View/Edit/Delete/Recycle Bin visible on Reports	PASS



Admin Overview: global summary and action shortcuts.



Admin Reports: View/Edit/Delete controls are visible.

Admin governance conclusion

CRUD/recycle/audit functionality is strong and the Admin is correctly prevented from impersonating DA field execution. The remaining Admin concerns are presentation-level (Master Data desktop clipping) and the unexplained management-console HTTP 400 request.

5. PM and PC workflow

The PM and PC roles demonstrate the intended hierarchy: PM has program-wide read visibility across both clusters, while PC is restricted to its own cluster and owns the monthly Action Plan transfer workflow.

Check	PM	PC	Result
Directory scope	CSRB + PDTC visible	CSRB only	PASS
Admin route	HTTP 403	HTTP 403	PASS
Plans	Read role-scoped planning	Planning + transfer workflow	PASS
Excel export	Not required	13,910-byte workbook	PASS
Import preview	Not required	0 validation errors	PASS
Import confirm	Not required	Returned to August 2026 plans	PASS
Operational map	24 visible desktop tiles / 6 mobile	18 desktop / 4 mobile	PASS

The PC transfer UI is particularly clear: download, validate and safe-history guidance are visibly separated. This lowers the risk of treating an uploaded workbook as trusted input without preview.


Scope control verified

PM: both CSRB and PDTC were present in the visible village dataset. PC: only CSRB was present. This is direct role-scope evidence, not only a navigation check.


6. DA field workflow

The DA experience is the strongest mobile-first portion of the current build. Login lands directly on Attendance; both / and /overview redirect to /field/attendance; Admin and Monitoring routes are denied; the duplicate page-level Online card has been removed; and the header retains the compact network/queue indicator and direct logout.

DA check	Observed result	Status
Login landing	/field/attendance	PASS
/overview redirect	/field/attendance	PASS
Village scope	DA id 1 · 5 visible villages	PASS
Village→committee cascade	8 committee options after selecting first assigned village	PASS
Attendance/Specials pages	Both render desktop/mobile with no horizontal overflow	PASS
No Admin / no Monitoring	Expected 403 responses	PASS
Duplicate Online card	Not detected	PASS
Operational map	Desktop 18 visible tiles · mobile 4 visible tiles	PASS
Actual Attendance/Specials submission	Not executed by this evidence run	NOT TESTED
Offline queue + reconnect sync	Not executed by this evidence run	NOT TESTED



DA mobile Attendance: compact form hierarchy and scoped selectors.




DA mobile Village Map: map tiles and markers render inside the mobile card.

7. Responsive UI/UX review


The v2026.27.x responsive polish materially improved the mobile shell. All 54 automated horizontal-overflow checks passed at 1440px desktop and 375px mobile, so the application is no longer suffering from page-level horizontal scrolling on the tested routes.

What works well

Area	Assessment	Evidence
Mobile app bar	Compact, role-neutral shell with queue indicator, menu and direct sign-out.	Admin/PM/PC/DA mobile top-bar screenshots.
Bottom navigation	Five-item role-specific navigation remains legible at 375px.	All role mobile screenshots.
Reports	Good mobile density: filters, KPI cards and report cards are readable without horizontal overflow.	ADMIN_mobile_reports / DA_mobile_reports.
Field forms	Inputs are single-column, touch-friendly and visually sequenced into Plan → Visit details.	DA_mobile_attendance / specials.
Maps	Map/List controls, tile canvas and marker layers fit mobile containers.	8/8 live map render checks.
PC import/export	Workflow cards make the safe sequence visually obvious.	PC transfer/import screenshots.
Admin mobile data	Master Data converts the desktop table into stacked label/value records.	ADMIN_mobile_master-data.



Admin mobile Reports: compact filters/KPIs and card-style report list.




Admin mobile Master Data: desktop columns become stacked key/value fields.

8. UI/UX defects found by visual review

The automated overflow check alone is not sufficient: CSS can hide overflow while content is still positioned underneath a fixed sidebar. Screenshot review exposed this condition on management-directory pages and on the active Admin Master Data table.

UX-01 · Desktop Directory clipped under sidebar

Admin, PM and PC Directory screenshots show the left side of the heading and the first card column underneath the fixed navigation rail. The DA Directory does not show this problem, which suggests an intrinsic-width/layout interaction rather than a global sidebar offset failure.




PM desktop evidence. The title begins mid-word and the first card column is partially obscured. The machine overflow check still reports 1440 = 1440, so this is a visual containment defect.

Recommended fix: ensure the main page shell and directory grid have **min-width:0; width:100%**; keep the fixed rail offset on the content container; avoid fixed minimum grid widths that can expand the page; use responsive **repeat(auto-fit, minmax(...))** and constrain overflow inside the grid rather than at document level.

UX-02 · Admin Master Data active table shifts left

The Master Data active-list screenshot shows the heading and the first table area under the rail, while the Recycle Bin tab renders correctly. That difference strongly points to table/intrinsic width pushing the Admin page wrapper rather than a generic Admin header bug.




Admin Master Data evidence. The active table produces a left-shifted page; Recycle Bin did not reproduce it.

Recommended fix: add **min-width:0** to the Admin content/grid chain; put wide tables inside a dedicated **overflow-x:auto** wrapper; keep the page shell width pinned to the available main-content width. Re-test at 1280, 1366, 1440 and 1920px.

UX-03 · Very long mobile result sets

Mobile Action Plans renders all rows into one page. Full-page evidence is 53,601px high for Admin (351 rows) and 28,916px for PC (186 rows). Search/filter helps, but the default still imposes heavy scrolling and potentially high DOM/render cost.



Recommended fix: default to actionable statuses or current DA/village grouping, then use pagination / “Load more” / virtualized lists. Keep search/filter sticky or easily reachable so users do not need to scroll back tens of thousands of pixels.

9. Technical anomalies and test-oracle review

Nine raw browser checks were marked FAIL. Visual review shows that not all nine represent product defects.

Raw failure	Reviewer adjudication	Severity / action
ADMIN/PM/PC mobile Overview expected text not found (3 checks)	False-negative test oracle. Mobile hero intentionally says “Good day...” rather than the literal word “Overview”; URL and rendered content are valid.	Automation fix only. Assert route/hero identity instead of literal sidebar label.
Admin desktop/mobile console: HTTP 400 + 403	403 is expected from intentional Admin→DA field denial. HTTP 400 remains unexplained.	Low–Medium. Capture failing request URL and response body.
PM desktop/mobile console: HTTP 400	No visible page failure; screenshots and scoped data render.	Low–Medium. Capture network request.
PC desktop/mobile console: HTTP 400	No visible page failure; Excel workflow/map/plans all pass.	Low–Medium. Capture network request.

Important interpretation

Do not report an adjusted 100% pass rate. The correct statement is: 158 raw PASS / 9 raw FAIL; three failures are confirmed test-oracle issues, while six console-anomaly checks still need root-cause evidence.

Recommended diagnostic for TECH-01

Repeat one management-role journey with request/response logging enabled (URL, method, status, response body, initiator). The current bundle only records the generic browser console message, so the failing endpoint cannot be identified reliably. Do not suppress the console error until the request is known.

10. Defect register and remediation order

Priorit y	ID	Finding	Acceptance criterion
P1	UX-01	Management Directory clipped under fixed rail on desktop.	At 1280/1366/1440/1920px, heading and first card start fully to the right of the rail; no hidden content.
P1	UX-02	Admin Master Data active table shifts page under rail.	Admin heading/table align exactly with Recycle Bin tab; wide table scrolls only inside its wrapper if needed.
P1	TECH-01	Unidentified HTTP 400 console resource on Admin/PM/PC journeys.	Zero unexplained 4xx/5xx requests during happy-path role journeys.
P2	UX-03	Action Plan mobile list too long for 186–351 rows.	Initial render is bounded; pagination/load-more/grouping keeps navigation/search reachable and reduces DOM size.
P1 UAT	COV-01	DA end-to-end submit/offline flow not captured.	One Attendance and one Specials submission complete with valid plan, GPS, photo, status/reason rules, report evidence; offline queue sync creates no duplicate.
P2 Test	AUTO-01	Mobile Overview literal-text assertion is invalid.	Mobile Overview checks validate route/hero data rather than hidden desktop label.

Suggested retest gate

Gate	Required outcome
Static/contract tests	Ruff clean; pytest 38/38 or higher.
Role smoke	Admin/PM/PC/DA login and primary route navigation with zero unexplained console errors.
Desktop layout	Directory and Admin Master Data no longer overlap the fixed rail at four common widths.
Mobile Action Plans	Bounded initial results; no 20k–50k pixel default page.
DA field E2E	Attendance + Specials submit, report view, GPS/photo, offline queue/reconnect/idempotency all evidenced.
Maps	Operational and report-detail maps fill containers after resize/orientation.

11. Final acceptance recommendation

CONDITIONAL UAT PASS

The Model Village SaaS rebuild is suitable to continue as the release candidate. The core role hierarchy, scoping model, Admin governance controls, PC planning transfer, DA mobile shell and operational maps are functioning coherently in the supplied evidence. No Blocker or High-severity functional defect was demonstrated.

Production sign-off should wait for three things: (1) correct the two desktop content-clipping defects, (2) identify and eliminate the unexplained management-role HTTP 400 console request, and (3) perform a real controlled DA Attendance/Specials submission including photo/GPS/offline queue/reconnect. These are focused closure items rather than a need for architectural rework.

Once those retests pass, the current evidence supports moving from conditional UAT acceptance to production-readiness sign-off.

Evidence references

Evidence item	Used in this report
RESULTS_AUTO/uat_results.json	167 browser UAT checks and per-role outcomes.
LOGS/pytest.txt	38/38 source/contract tests passing.
LOGS/ruff.txt	Static quality gate passing.
AUTO_SCREENSHOTS/*	Desktop/mobile visual review and UI/UX findings.
AUTO_DOWNLOADS/pc_action_plans_uat.xlsx	PC export/import workflow evidence.

Prepared from the supplied UAT evidence package. Findings reflect only observed evidence; unexecuted workflows are explicitly marked as not tested.