27 October 2026

PLM Portal eAF - Release Notes

EMA has launched the web-based Human Variations electronic application form (eAF) for Centrally Authorised Products (CAPs) on **4th November 2022**, on the Product Lifecycle Management (PLM) Portal. EMA was collaborating with the UNICOM consortium to develop the human variation form

UPDATE September 2025: The PLM portal eAF is strongly recommended starting with September 2025 for all non-centrally authorised procedures (MRP/DCP/NP), where possible.

UPDATE September 2026: The PLM portal eAF is mandatory starting with 1 September for all centrally authorised procedures (CAPs). From 1 September date onwards, any human CAP variation submissions sent to EMA using the interactive PDF eAF will be rejected unless it is accompanied by a valid and justified technical reason preventing the use of the PLM web-based eAF.

The formal **transition period** will start when all critical issues have been addressed and all features supporting all use cases covered by the interactive pdf eAF will be added to the form. The current interactive PDF eAF will remain available until the end of the transition period.

The new PLM Portal will in due course host all eAFs. It also hosts the user interface for product management service (PMS) data and the interface to provide data for electronic Product Information (ePI). The PLM Portal will further develop over time to inform and support you in the use of these services.

Versioning: Please note that the PLM Portal web-based pdf export is indicated with version number 2.x and this version is comparable to the v1.27.x.x of the interactive pdf eAF from eSubmission website.

This document lists and briefly describes the new features and fixed issues included in the release of the PLM Portal. The most recent release appears first.

Official address Domenico Scarlattilaan 6 ● 1083 HS Amsterdam ● The Netherlands
Address for visits and deliveries Refer to www.ema.europa.eu/how-to-find-us
Send us a question Go to www.ema.europa.eu/contact **Telephone** +31 (0)88 781 6000 An agency of the European Union

© European Medicines Agency, 2026. Reproduction is authorised provided the source is acknowledged.

Table of Contents

Version: 1.2.1.22 (Release date 26/10/2026) 5
Version: 1.2.1.21 (Release date 13/10/2026) 6
Version: 1.2.1.20 (Release date 28/09/2026) 9
Version: 1.2.1.19 (Release date 14/09/2026) 10
Version: 1.2.1.18 (Release date 31/08/2026) 10
Version: 1.2.1.17 (Release date 18/08/2026) 11
Version: 1.2.1.16 (Release date 03/08/2026) 15
Version: 1.2.1.15 (Release date 20/07/2026) 18
Version: 1.2.1.14 (Release date 07/07/2026) 23
Version: 1.2.1.13 (Release date 22/06/2026) 27
Version: 1.2.1.12 (Release date 08/06/2026) 30
Version: 1.2.1.11 (Release date 26/05/2026) 33
Version: 1.2.1.10 (Release date 11/05/2026) 37
Version: 1.2.1.9 (Release date 13/04/2026) 40
Version: 1.2.1.8 (Release date 30/03/2026) 43
Version: 1.2.1.7 (Release date 16/03/2026) 46
Version: 1.2.1.6 (Release date 16/02/2026) 49
Version: 1.2.1.5 (Release date 02/02/2026) 52
Version: 1.2.1.4 (Release date 19/01/2026) 56
Version: 1.2.1.3 (Release date 06/01/2026) 59
Version: 1.2.1.2 (Release date 11/12/2025) 62
Version: 1.2.1.1 (Release date 24/11/2025) 65
Version: 1.2.1.0 (Release date 10/11/2025) 69
Version: 1.2.0.16 (Release date 27/10/2025) 73
Version: 1.2.0.15 (Release date 13/10/2025) 77
Version: 1.2.0.14 (Release date 29/09/2025) 79
Version: 1.2.0.13 (Release date 15/09/2025) 82
Version: 1.2.0.12 (Release date 01/09/2025) 85
Version: 1.2.0.11 (Release date 19/08/2025) 88
Version: 1.2.0.10 (Release date 04/08/2025) 91
Version: 1.2.0.9 (Release date 21/07/2025) 94
Version: 1.2.0.8 (Release date 07/07/2025) 97
Version: 1.2.0.7 (Release date 23/06/2025) 100
Version: 1.2.0.6 (Release date 10/06/2025) 103
Version: 1.2.0.5 (Release date 26/05/2025) 106
Version: 1.2.0.4 (Release date 13/05/2025) 109
Version: 1.2.0.3 (Release date 28/04/2025) 112
Version: 1.2.0.2 (Release date 31/03/2025) 115
Version: 1.2.0.1 (Release date 17/03/2025) 118

Version: 1.2.0.0 (Release date 06/03/2025)....121
Version: 1.1.1.4 (Release date 18/02/2025)....124
Version: 1.1.1.3 (Release date 03/02/2025)....127
Version: 1.1.1.2 (Release date 20/01/2025)....131
Version: 1.1.1.1 (Release date 07/01/2025)....134
Version: 1.1.1.0 (Release date 09/12/2024)....140
Version: 1.1.0.3 (Release date 25/11/2024)....144
Version: 1.1.0.2 (Release date 11/11/2024)....147
Version: 1.1.0.1 (Release date 28/10/2024)....150
Version: 1.1 (Release date 14/10/2024)....153
Version: 1.0.1.19 (Release date 18/09/2024) 157
Version: 1.0.1.18 (Release date 06/09/2024) 159
Version: 1.0.1.17 (Release date 27/08/2024) 161
Version: 1.0.1.16 (Release date 08/08/2024) 164
Version: 1.0.1.15 (Release date 22/07/2024) 166
Version: 1.0.1.14 (Release date 15/07/2024) 168
Version: 1.0.1.13 (Release date 13/05/2024) 170
Version: 1.0.1.13 (Release date 05/02/2024) 173
Version: 1.0.1.12 (Release date 27/11/2023) 177
Version: 1.0.1.11 (Release date 07/08/2023) 181
Version: 1.0.1.10 (Release date 26/07/2023) 185
Version: 1.0.1.9 (Release date 13/06/2023)....189
Version: 1.0.1.8 (Release date 16/05/2023)....193
Version: 1.0.1.7 (Release date 17/04/2023)....197
Version: 1.0.1.6 (Release date 21/02/2023)....201
Version: 1.0.1.4 (Release date 23/01/2023)....206
Version: 1.0.1.3 (Release date 12/12/2022)....211
Version: 1.0.1.2 (Release date 28/11/2022)....216
Version: 1.0.1.1 (Release date 14/11/2022)....219
Version: 1.0.0.0 (Release date 04/11/2022)....226

About this Document

This document lists and briefly describes the new features and fixed issues included in each release of the PLM Portal.

The most recent release appears first.

The known issues are categorised per component or business process of the system so that users can easily identify which issues are relevant for them. The components currently used are:



Component	Short Description
PLM Portal	This component relates to the website, the UI (user interface)
Human Variations eAF	The business process where MAH's create and edit their variation eAF (electronic application form) on the PLM Portal
PDF	The PDF that is available for download after the completion of an application
FHIR XML	The FHIR xml file attached to exported PDF



For additional information on the PLM portal see this:

- User guidance documentation on the PLM Portal: eAF guidance documents and training material · PLM
- If you encounter any issue that is not addressed by the above, visit the EMA Service Desk portal: https://support.ema.europa.eu/esc
- For more general information, please visit: eSubmissions - PLM eAF

Version: 1.2.1.22 (Release date 26/10/2026)

New stories released in this version

ID	Description	Comments
322951, 322952	Product selection Improvements	The Product selection buttons are now included in a dropdown. Users can navigate through each view using different options.  In the product selection, a counter was added to the bottom of the list, showing how many products are already added to the eAF, how many are marked to be added, and how many are marked to be removed.  A subtitle was added to each page, explaining what needs to be filled in in each section.


ID	Description	Comments
		
322953	Guidance links	In each section, a Guidance link was added next to the title. 
337133	[Bug] Proposed changes	A bug related to the validation in the Proposed changes when not all products were added in a change was fixed.
355971	[Bug] "Collapse" button fixed	The "Collapse" button was not functional starting with 13 October. This is now resolved.

Known Issues, Limitations and business rules – no changes from previous version

Version: 1.2.1.21 (Release date 13/10/2026)

New stories released in this version

323767, 303769	Large Applications	The performance for adding products and proposed changes was significantly improved for the PLM portal eAF. The number of medicinal products that can now be added in a form is **600**, and the number of packages is **1500.**
352677, 352679, 352675, 352681	[UX/UI Improvements	Several User interface and User experience improvements were deployed (tooltips, flag for mandatory field in read-only, header spacing, standardised date format throughout the portal). There is no change in the functionality of the PLM eAF

352672	eAF list - sticky columns	In the list of applications, the first and the last column are always visible (sticky columns) 

Known Issues, Limitations and business rules – changes in red

ID	Short description
Known issue	When adding a change in "Proposed changes", maximum 9 scopes can be added. If more than 9 scopes are added, the form will not behave as expected. Workaround: select maximum 9 scopes in one change, and add more changes in a new proposed change.
Known issue (Updated)	For some large applications (i.e. large number of selected products and/or large number of packages), the export of the XML exceeds the current limit of supported lines, and the process of finalisation and export will fail with the following message: "Data refresh cannot be completed. Aborting the operation. Please retry again." If encountering this issue, raise a ticket and the team will confirm if the error is generated by the size of the export and will advise in some cases to use the interactive PDF eAF as a workaround. Performance improvements are planned to start in the second half of 2026. **Updated in version 1.2.1.21**: the current limit is **600** medicinal products, and **1500** packages The performance improvements will continue in 2027, to enable adding more medicinal products to an eAF.
Known issue/limitation	The synchronisation between OMS and the PLM Portal goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.

ID	Short description
Business rule	All the products, and their information, are synchronised in the PLM Portal from PMS. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for MRP/DCP products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The RMS/CMS in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). The label was changed to "Reference Member State / Reference Authority for worksharing / Authorising Member State"
Business rule	For the section 4.b (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For MRP/DCPs, all the packages of the selected medicinal products are considered for a variation, and they cannot be un-selected in the present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing Workaround: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. Please note: for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish All names existing in PMS for a medicinal product are shown in the PDF
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German

ID	Short description
	All names existing in PMS for a medicinal product are shown in the PDF
~~Known issue~~ **not applicable**	~~In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.~~ The high level checkbox was removed
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
~~Known limitation~~ **not applicable**	~~22845 – Deletion of Application Form is not yet available~~ The deletion of the application is not considered for development. Forms can be deactivated and will be automatically deleted after a period.
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.20 (Release date 28/09/2026)

New stories released in this version

ID	Description	Comments
318751	Read-only NCA Access	The NCA (National competent authority) users have now read-only access to all forms that were not created by themselves/colleagues in the same
335885	[UX/UI] Spacing	Spacing between Type of application and Procedure type should is now larger. No functionality impact

ID	Description	Comments
335886	[Export] Message changed	In the Export window, the message was changed so that is doesn't show a false fail message
341224	[Bug] Double click on "Save" in Product selection	A bug related to duplication of selected products when double-clicking very quickly on "save" was fixed
333815	[Bug] CMS recalculation	A bug related to the correct re-calculation of CMS after cloning an eAF and replacing products was fixed
348566	[Bug] Upload images in Changes	A bug related to an error when uploading images in Proposed changes was solved. The issue appeared mid-September and was resolved with a hot-fix.
323785	[Bug] Delete type of change	A bug related to deletion of type of change was fixed.

Known Issues, Limitations and business rules – no changes from previous version

Version: 1.2.1.19 (Release date 14/09/2026)

New stories released in this version


ID	Description	Comments
313123	[Bug] MA numbers in read-only	A bug related to missing MA numbers from the read-only pages was fixed

Known Issues, Limitations and business rules – no changes from previous version

Version: 1.2.1.18 (Release date 31/08/2026)

New stories released in this version

ID	Description	Comments
313123	[Bug] MA numbers in read-only	A bug related to missing MA numbers from the read-only pages was fixed

ID	Description	Comments
337422	[Bug] Product selection - special characters	A bug related to Error 504 in the product selection, caused by special characters in the names of the products was resolved
337434	[Bug] Proposed changes, save text	A bug related to the text in the "Scope and background for change" not being saved, was fixed
335885	Procedural information - User interface	In the procedural information section, a minor change was made to make the spacing between the sections
329044	[PDF] Summary of selected scopes	In Section 3, a new table was introduced, with a summary of the selected scopes: Additionally, the variations in the original table are now sorted alphabetically:  3. TYPES OF CHANGE(S) Variation / Selected / Type C.1.a / 2 / 1 - Type IAIN, 1 - Type IB M.9.b / 1 / Type II Variation Type / Selected Type IAIN 1 Type IB 1 Type II 1 Total 3

Known Issues, Limitations and business rules – no changes from previous version

Version: 1.2.1.17 (Release date 18/08/2026)

New stories released in this version

ID	Description	Comments
312004	Package sorting by MA	In the product selection section, the packages under each medicinal product are sorted automatically by the MA number
328340	Enabler Large Applications	The work on large applications continues with more enables deployed
333119	Scopes - full text for conditions and documentation	In the scope selection, the full text of the conditions and documentation will be shown in the page. The PDF already contained the full text for the scopes conditions and documentation

ID	Description	Comments
267110	Finalisation process improvements	Various improvements were made in the finalisation section. The users will receive clearer message on the status of the export/finalisation.
301818	Contact person - OMS search	In the list of organisations (from OMS) for adding a contact person, the results are sorted alphabetically.
306442	[Bug] - Member state dropdown	A (Firefox only) bug related to the Member state dropdown in contact person was fixed
336823	[Bug] Wrong status for export	A bug related to displaying the wrong status when an exported was completed ("Export started" instead of "Completed") was fixed
310934	[Bug] Adding proposed change stuck in "Processing"	A bug related to adding a proposed change for large applications and getting stuck in "Processing" was fixed
329623	Member state when no product was selected	For the cases when no product was selected and the users attempt to add a contact person, the dropdown list will show a different message.

Known Issues, Limitations and business rules

ID	Short description
Known limitation **(resolved)**	~~The conditions and documentations for the variation scopes are shown with their term name (short name, and for very few entries also truncated) instead of the term description (long name).~~ ~~The issue was fixed in the exported PDF, which now shows the full name.~~ ~~The web user interface will be resolved in a following release (estimated 17 August)~~
Known issue	When adding a change in "Proposed changes", maximum 9 scopes can be added. If more than 9 scopes are added, the form will not behave as expected. **Workaround**: select maximum 9 scopes in one change, and add more changes in a new proposed change.
Known issue	For some large applications (i.e. **large number of selected products** and/or large number of packages), the export of the XML exceeds the current limit of supported lines, and the process of finalisation and export will fail with the following message: "**Data refresh cannot be completed. Aborting the operation. Please retry again**." If encountering this issue, raise a ticket and the

	team will confirm if the error is generated by the size of the export and will advise in some cases to use the interactive PDF eAF as a **workaround**. Performance improvements are planned to start in the second half of 2026.
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). The label was changed to "Reference Member State / Reference Authority for worksharing / Authorising Member State"
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For **MRP/DCPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases.

	Please note: for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish **All names existing in PMS for a medicinal product are shown in the PDF**
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German **All names existing in PMS for a medicinal product are shown in the PDF**
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take ~~very~~ long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.16 (Release date 03/08/2026)

New stories released in this version

ID	Description	Comments
318525	Finalisation page - Fix Harmonisation section	On the finalisation page, the rules for showing the harmonisation section were verified and fixed. The Harmonisation section appears only when the application contains at least 1 non-CAP medicinal product, and at least one variation of type IB, type IB unforeseen, type II or type II article 29.
303771, 295818, 316833, 324971, 335641	Large Applications - Improve Export Robustness, FHIR export, product selection	Several improvements and bug fixes related to creation and export of large applications were deployed
192584, 192587	UI design implementation - Procedural info and Finalisation	Minor user interface changes were applied in procedural information and finalisation sections

Known Issues, Limitations and business rules

ID	Short description
Known limitation **(updated)**	The conditions and documentations for the variation scopes are shown with their term name (short name, and for very few entries also truncated) instead of the term description (long name). The issue was fixed in the exported PDF, which now shows the full name. The web user interface will be resolved in a following release (estimated 17 August)
~~Known issue~~ **~~Updated in 1.2.1.14 with new message~~** **Message updated**	~~After adding products to an eAF, when opening the medicinal product to verify the packages, in some cases the list is empty (saying "No data available in the table Loading packages… In packs are not visible, please refresh the page").~~ 

	~~**Workaround**: wait for a few seconds and then refresh the page. The packages will appear in the list.~~
Known issue	When adding a change in "Proposed changes", maximum 9 scopes can be added. If more than 9 scopes are added, the form will not behave as expected. **Workaround**: select maximum 9 scopes in one change, and add more changes in a new proposed change.
Known issue	For some large applications (i.e. **large number of selected products** and/or large number of packages), the export of the XML exceeds the current limit of supported lines, and the process of finalisation and export will fail with the following message: "**Data refresh cannot be completed. Aborting the operation. Please retry again**." If encountering this issue, raise a ticket and the team will confirm if the error is generated by the size of the export and will advise in some cases to use the interactive PDF eAF as a **workaround**. Performance improvements are planned to start in the second half of 2026.
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). The label was changed to "Reference Member State / Reference Authority for worksharing / Authorising Member State"
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For **MRP/DCPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.

Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish **All names existing in PMS for a medicinal product are shown in the PDF**
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German **All names existing in PMS for a medicinal product are shown in the PDF**
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take ~~very~~ long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.15 (Release date 20/07/2026)

Version Goal: Bug fixes

Date: 20/07/2026


Environment: Production


Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.1.15	This release note is for the version 1.2.1.15 release go-live 20/07/2026

New stories released in this version

ID	Description	Comments
267110	Finalisation process improvements	Several improvements and minor changes were applied in the Finalisation section. The form moves to status completed even if the popup window is not closed by clicking the "Close" button.
328340	Product selection improvement	Several improvements in the Product selection were deployed. When opening the Product selection, the actual loading of all the packages only happens once a product is expanded.
327723	PDF Export – Section 3 in landscape	The Section 3 in the exported PDF will be shown in "landscape", to improve the readability. The rest of the section will remain in "portrait" mode.
290656	Finalise / Export – message changed	In the "Export" and "Finalise" steps, the message was updated by removing the part "*You'll get an email to notify you when the process is complete and ready to download", as this was not applicable.* The message now appears as below "Export typically takes less than a minute but can take longer to complete, depending on the size of your application.": 


309526	[Bug] Associate MRP, Info icon	A bug related to a persistent Info Icon button in Associate MRP number was fixed
323428	[Bug] Proposed change deletion	A bug related to the deletion of a proposed change (the Action bar and the spinner visible at the same time) was fixed.
300109	[Bug] Wrong message error in proposed changes	A bug related to a wrong message error in the Proposed changes was fixed. This bug appeared only for large applications 

Coming soon/we are currently working on

ID	Short description
N/A	Various improvements in the UX/UI
N/A	Performance improvements

Known Issues, Limitations and business rules

ID	Short description
Known limitation **(new)**	The conditions and documentations for the variation scopes are shown with their term name (short name, and for very few entries also truncated) instead of the term description (long name). For example, for Q.II.e.2.a, one of the conditions and one of the documentations are both "truncated":

	 **We will change this in the upcoming period,** and if you have a strict deadline, send the form as is, and mention in the cover letter that this is the current behaviour of the form, and that the responsible EMA team will change it in a future version.
Known issue **Updated in 1.2.1.14 with new message**	After adding products to an eAF, when opening the medicinal product to verify the packages, in some cases the list is empty (saying "~~No data available in the table~~ Loading packages… In packs are not visible, please refresh the page").  **Workaround**: wait for a few seconds and then refresh the page. The packages will appear in the list.
Known issue	When adding a change in "Proposed changes", maximum 9 scopes can be added. If more than 9 scopes are added, the form will not behave as expected. **Workaround**: select maximum 9 scopes in one change, and add more changes in a new proposed change.

Known issue	For some large applications (i.e. **large number of selected products** and/or large number of packages), the export of the XML exceeds the current limit of supported lines, and the process of finalisation and export will fail with the following message: "**Data refresh cannot be completed. Aborting the operation. Please retry again**." If encountering this issue, raise a ticket and the team will confirm if the error is generated by the size of the export and will advise in some cases to use the interactive PDF eAF as a **workaround**. Performance improvements are planned to start in the second half of 2026.
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). The label was changed to "Reference Member State / Reference Authority for worksharing / Authorising Member State"
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For **MRP/DCPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing

	Workaround: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.14 (Release date 07/07/2026)

Version Goal: Bug fixes, Contact person - OMS

Date: 07/07/2026

Environment: Production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.1.14	This release note is for the version 1.2.1.14 release go-live 07/07/2026

New stories released in this version

ID	Description	Comments
270332	Annual update ***[developed in 1.2.1.12, enabled in production in 1.2.1.14]***	In the procedural information section, a new checkbox "Annual update" was created. The checkbox will appear in case only Type IA or Type IAIN scopes were selected in "Types of changes". Once selected, the "Earliest implementation date" will be auto-filled in with the earliest date in the types of changes. The checkbox must be used according to the variation regulation rules.
301818	Replace Company lookup with OMS Organisation in Add Contact Person	When adding a Contact person, the search for the Organisation is now done in the table that is synchronised directly between OMS and PLM, as opposed to the information coming from IRIS. **Important**: When reopening a completed form, the organisation of the contact person needs to be re-added to the form.
320570	[Bug] Liquid error: Parameter count mismatch on E-mail address field tooltip in Procedural info	A bug related to a tooltip appearing wrongly in the procedural information was fixed
322243	[Bug] Validation message	A bug related to a false-positive validation "Selected product(s) not added to proposed change(s)" when products were not added to the changes, was fixed
326680	Package under selected products	When adding products and expanding the list of packages, the message that appear, in case not all the packages are showing, was changed to "Loading packages… If packs are not visible, please refresh the page"

319171	[Bug] Orphan medicinal product	A bug related to orphan medicinal product not available in section 4a selection list and orphan information missing from PDF export was fixed

Coming soon/we are currently working on

ID	Short description
N/A	Various improvements in the UX/UI
N/A	Performance improvements

Known Issues, Limitations and business rules

ID	Short description
Known issue **Updated in 1.2.1.14 with new message**	After adding products to an eAF, when opening the medicinal product to verify the packages, in some cases the list is empty (saying "~~No data available in the table~~ Loading packages… In packs are not visible, please refresh the page").  **Workaround**: wait for a few seconds and then refresh the page. The packages will appear in the list.
Known issue	When adding a change in "Proposed changes", maximum 9 scopes can be added. If more than 9 scopes are added, the form will not behave as expected. **Workaround**: select maximum 9 scopes in one change, and add more changes in a new proposed change.
Known issue	For some large applications (i.e. **large number of selected products** and/or large number of packages), the export of the XML exceeds the current limit of supported lines, and the process of finalisation and export will fail with the following message: "**Data refresh cannot be completed. Aborting the operation. Please retry again**." If encountering this issue, raise a ticket and the team will confirm if the error is generated by the size of the export and will advise in some cases to use the interactive PDF eAF as a **workaround**. Performance improvements are planned to start in the second half of 2026.
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in

	the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). The label was changed to "Reference Member State / Reference Authority for worksharing / Authorising Member State"
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For **MRP/DCPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will

	result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.13 (Release date 22/06/2026)

Version Goal: Performance improvements

Date: 22/06/2026

Environment: Production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.1.13	This release note is for the version 1.2.1.13 release go-live 22/06/2026

New stories released in this version

ID	Description	Comments
311254, 299230	Add product and validation messages	Several improvements in the add/remove products and validation error messages for large applications were deployed
310560, 311143	Large applications improvements	Improvements in opening draft and read-only large applications (approx. 200 products) were deployed

Coming soon/we are currently working on

ID	Short description
N/A	Various improvements in the UX/UI
N/A	Performance improvements

Known Issues, Limitations and business rules

ID	Short description
Known issue (**new**, **release 1.2.1.13**)	After adding products to an eAF, when opening the medicinal product to verify the packages, in some cases the list is empty (saying "No data available in the table").

	 **Workaround**: wait for a few seconds and then refresh the page. The packages will appear in the list.
Known issue	When adding a change in "Proposed changes", maximum 9 scopes can be added. If more than 9 scopes are added, the form will not behave as expected. **Workaround**: select maximum 9 scopes in one change, and add more changes in a new proposed change.
Known issue	For some large applications (i.e. **large number of selected products** and/or large number of packages), the export of the XML exceeds the current limit of supported lines, and the process of finalisation and export will fail with the following message: "**Data refresh cannot be completed. Aborting the operation. Please retry again**." If encountering this issue, raise a ticket and the team will confirm if the error is generated by the size of the export and will advise in some cases to use the interactive PDF eAF as a **workaround**. Performance improvements are planned to start in the second half of 2026.
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). The label was changed to "Reference Member State / Reference Authority for worksharing / Authorising Member State"
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.

Business rule	For **MRP/DCPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.12 (Release date 08/06/2026)

Version Goal: Bug fixes

Date: 08/06/2026

Environment: Production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.1.12	This release note is for the version 1.2.1.12 release go-live 08/06/2026

New stories released in this version

ID	Description	Comments
270332	Annual update ***[to be enabled in Production on 6 July 2026]***	In the procedural information section, a new checkbox "Annual update" was created. The checkbox will appear in case only Type IA or Type IAIN scopes were selected in "Types of changes". Once selected, the "Earliest implementation date" will be auto-filled in with the earliest date in the types of changes. The checkbox must be used according to the variation regulation rules.
313043	[Bug] Clone large applications	A bug related to false error message when cloning large applications was fixed
308327	[Bug] Count of selected packages for NAPs	A bug related to wrong count of selected packages (in Product selection) for NAPs was fixed
313123	[Bug] MA numbers missing for completed eAFs	A bug related to completed eAFs -> View proposed changes -> Products (where some MAs were missing) was fixed

Coming soon/we are currently working on

ID	Short description
N/A	Various improvements in the UX/UI
N/A	Performance improvements

Known Issues, Limitations and business rules

ID	Short description
Known issue	When adding a change in "Proposed changes", maximum 9 scopes can be added. If more than 9 scopes are added, the form will not behave as expected. **Workaround**: select maximum 9 scopes in one change, and add more changes in a new proposed change.
Known issue	For some large applications (i.e. **large number of selected products** and/or large number of packages), the export of the XML exceeds the current limit of supported lines, and the process of finalisation and export will fail with the following message: "**Data refresh cannot be completed. Aborting the operation. Please retry again**." If encountering this issue, raise a ticket and the team will confirm if the error is generated by the size of the export and will advise in some cases to use the interactive PDF eAF as a **workaround**. Performance improvements are planned to start in the second half of 2026.
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). The label was changed to "Reference Member State / Reference Authority for worksharing / Authorising Member State"
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For **MRP/DCPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the

	present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.11 (Release date 26/05/2026)

Version Goal: Bug fixes

Date: 26/05/2026


Environment: Production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.1.11	This release note is for the version 1.2.1.11 release go-live 26/05/2026

New stories released in this version

ID	Description	Comments
284724	Display OMS address – reference MAH	In the reference MAH selection, the OMS details are now shown in a compact way, the same way as the PLM portal information 
290530, 309343	[Bug] Adding/removing products	A bug related to applications being blocked and showing the message "Just a moment... there is an issue with the products copy" when adding and removing products was fixed. The overall process/performance for adding/removing products was improved.
308601	[Bug] Validate without any added scope	The "Types of changes" section cannot be validated unless there is at least 1 scope added to the form
316357	[Bug] Info icon	The Info icons were restored on the PLM portal eAF

272826	PMS ID added to PDF	The PMS ID was added to the exported PDF as the last column *(the deployment of this feature was done on 2 Jun 2026)*
321112	Full name in all languages	The full name of a medicinal product is now shown in all existing languages (for example, for products authorised in Belgium, the name appear in both French and Dutch) *(the deployment of this feature was done on 2 Jun 2026)*
271425	Re-order of products	In the exported PDF, the products are now sorted by: MRP variation number (if existing), Active substance, MRP/DCP number (if existing), Country of authorisation, Full name, Authorised dose form, marketing authorisation (where it is numeric) and PMS ID (the column added recently) *(the deployment of this feature was done on 2 Jun 2026)*

Coming soon/we are currently working on

ID	Short description
N/A	Various improvements in the UX/UI
N/A	Performance improvements

Known Issues, Limitations and business rules

ID	Short description
Known issue	When adding a change in "Proposed changes", maximum 9 scopes can be added. If more than 9 scopes are added, the form will not behave as expected. **Workaround**: select maximum 9 scopes in one change, and add more changes in a new proposed change.
Known issue	For some large applications (i.e. **large number of selected products** and/or large number of packages), the export of the XML exceeds the current limit of supported lines, and the process of finalisation and export will fail with the following message: "**Data refresh cannot be completed. Aborting the operation. Please retry again**." If encountering this issue, raise a ticket and the team will confirm if the error is generated by the size of the export and will advise in some cases to use the interactive PDF eAF as a **workaround**. Performance improvements are planned to start in the second half of 2026.
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.

Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). The label was changed to "Reference Member State / Reference Authority for worksharing / Authorising Member State"
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For **MRP/DCPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.

Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.10 (Release date 11/05/2026)

Version Goal: Bug fixes

Date: 11/05/2026


Environment: Production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.1.10	This release note is for the version 1.2.1.10 release go-live 11/05/2026

New stories released in this version

ID	Description	Comments
301964	Default eAF version	When creating a new eAF, the version that is selected by default is "January 2026". In case the "September 2021" is needed, that can be changed manually by the user by clicking the search button at the end of the entry field. 
270486	New APIM for the FHIR Azure Functions - eAF	A user story was deployed, supporting the technical alignment on the PLM portal. There is no impact for the end-user.

Coming soon/we are currently working on

ID	Short description
N/A	Various improvements in the UX/UI
N/A	Performance improvements

Known Issues, Limitations and business rules

ID	Short description
(new) Known issue	The "Info" buttons are not visible in the user interface, and they will be re-introduced in the next release.
Known issue	When adding a change in "Proposed changes", maximum 9 scopes can be added. If more than 9 scopes are added, the form will not behave as expected. **Workaround**: select maximum 9 scopes in one change, and add more changes in a new proposed change.
Known issue	For some large applications (i.e. **large number of selected products** and/or large number of packages), the export of the XML exceeds the current limit of supported lines, and the process of finalisation and export will fail with the following message: "**Data refresh cannot be completed. Aborting the operation. Please retry again**." If encountering this issue, raise a ticket and the team will confirm if the error is generated by the size of the export and will advise in some cases to use the interactive PDF eAF as a **workaround**. Performance improvements are planned to start in the second half of 2026.
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). The label was changed to "Reference Member State / Reference Authority for worksharing / Authorising Member State"
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.

Business rule	For **MRP/DCPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.9 (Release date 13/04/2026)

Version Goal: Bug fixes

Date: 13/04/2026

Environment: Production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.1.9	This release note is for the version 1.2.1.9 release go-live 13/04/2026

New stories released in this version

ID	Description	Comments
256131	Performance	A technical user story addressing partially the performance when Exporting/Finalising an eAF was deployed
306489	[Bug] Proof of payment – Member state	A bug related to showing the wrong member state(s) in the Proof of payment section was fixed.

Coming soon/we are currently working on

ID	Short description
N/A	Various improvements in the UX/UI
N/A	Performance improvements

Known Issues, Limitations and business rules

ID	Short description
(new) Known issue	When adding a change in "Proposed changes", maximum 9 scopes can be added. If more than 9 scopes are added, the form will not behave as expected.

	Workaround: select maximum 9 scopes in one change, and add more changes in a new proposed change.
Known issue	For some large applications (i.e. **large number of selected products** and/or large number of packages), the export of the XML exceeds the current limit of supported lines, and the process of finalisation and export will fail with the following message: "**Data refresh cannot be completed. Aborting the operation. Please retry again**." If encountering this issue, raise a ticket and the team will confirm if the error is generated by the size of the export and will advise in some cases to use the interactive PDF eAF as a **workaround**. Performance improvements are planned to start in the second half of 2026.
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). The label was changed to "Reference Member State / Reference Authority for worksharing / Authorising Member State"
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For **MRP/DCPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.

Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.8 (Release date 30/03/2026)

Version Goal: Bug fixes

Date: 30/03/2026

Environment: Production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.1.8	This release note is for the version 1.2.1.8 release go-live 30/03/2026

New stories released in this version

ID	Description	Comments
259646	Improved validation message in Proposed changes	In Proposed changes, when validating the form, the error message (if any) will contain clearer more detailed information on the data that is missing
281163	Proposed changes – de-selection of packages for NAPs	For exceptional cases, the packages for NAPs can be un-selected from a proposed change (as long as there is at least 1 remaining package selected for all the products in the form). This feature can be used only in the cases where the MA number is different for each package of a medicinal product and only where the National competent authorities allow this.
294404	[Bug] Adding co-authors	A bug related to adding co-author from outside organisation with special characters in organisation name was fixed.
295824	[Bug] Info box	A bug related to the info box for some fields remaining a longer time on the screen was fixed.
297329	[Bug] ASMF label	The label in the proposed changes for ASMF was fixed (the "present org" and "proposed org" were removed)

Coming soon/we are currently working on

ID	Short description
N/A	Various improvements in the UX/UI

N/A	Performance improvements

Known Issues, Limitations and business rules

ID	Short description
Known issue	For some large applications (i.e. **large number of selected products** and/or large number of packages), the export of the XML exceeds the current limit of supported lines, and the process of finalisation and export will fail with the following message: "**Data refresh cannot be completed. Aborting the operation. Please retry again**." If encountering this issue, raise a ticket and the team will confirm if the error is generated by the size of the export and will advise in some cases to use the interactive PDF eAF as a **workaround**. Performance improvements are planned to start in the second half of 2026.
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). The label was changed to "Reference Member State / Reference Authority for worksharing / Authorising Member State"
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For **MRP/DCPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.

Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.7 (Release date 16/03/2026)

Version Goal: Bug fixes

Date: 16/03/2026

Environment: Production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.1.7	This release note is for the version 1.2.1.7 release go-live 16/03/2026

New stories released in this version

ID	Description	Comments
299517, 290593	[Bug] Add change – Edit & add package	An issue affecting a small number of forms related to the Proposed Changes – Edit & Add package feature was fixed
294055	[PDF] Validation page removed and other improvements	The Validation page was removed from the PDF, as it was never containing any information (deployment date: 9 March 18:00) Note: in rare cases, the PDF numbering is not 100% accurate, it shows for example page number 1/18, 2/18 … 17/18 (when the total number of pages is 17); this will be addressed in a future release The empty labels for sections in Present/Proposed changes will not be added to the PDF (and therefore there will be no empty lines).

Coming soon/we are currently working on

ID	Short description
N/A	Various improvements in the UX/UI
N/A	Performance improvements

Known Issues, Limitations and business rules

ID	Short description
Known issue	For some large applications (i.e. **large number of selected products** and/or large number of packages), the export of the XML exceeds the current limit of supported lines, and the process of finalisation and export will fail with the following message: "**Data refresh cannot be completed. Aborting the operation. Please retry again**." If encountering this issue, raise a ticket and the team will confirm if the error is generated by the size of the export and will advise in some cases to use the interactive PDF eAF as a **workaround**. Performance improvements are planned to start in the second half of 2026.
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). We understand the way the member states appear in the dropdown selection for RMS/CMS could create concerns, and following discussions with subject member experts and national authorities, we will proceed to either expand the selection with more Member States or further explain the terms and their applicability.
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For **non-CAPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.

Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.6 (Release date 16/02/2026)

Version Goal: Bug fixes

Date: 16/02/2026

Environment: Production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.1.6	This release note is for the version 1.2.1.6 release go-live 16/02/2026

New stories released in this version

ID	Description	Comments
292290	[Bug] Package count – Product selection	A bug related to the update of the count of selected packages in the product selection window was fixed
292428	[Bug] Super-grouping selectable checkbox	A bug related to the manual 2 scenarios where the manual selection of the super-grouping checkbox was fixed
292230	[Bug] UI Product selection	A bug related to the position of the buttons in the Product selection window was fixed

Coming soon/we are currently working on

ID	Short description
N/A	Various improvements in the UX/UI
N/A	Performance improvements

Known Issues, Limitations and business rules

ID	Short description
Known issue	For some large applications (i.e. **large number of selected products** and/or large number of packages), the export of the XML exceeds the current limit of supported lines, and the process of finalisation and export will fail with the following message: "**Data refresh cannot be completed. Aborting the operation. Please retry again**." If encountering this issue, raise a ticket and the team will confirm if the error is generated by the size of the export and will advise in some cases to use the interactive PDF eAF as a **workaround**. Performance improvements are planned to start in the second half of 2026.
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). We understand the way the member states appear in the dropdown selection for RMS/CMS could create concerns, and following discussions with subject member experts and national authorities, we will proceed to either expand the selection with more Member States or further explain the terms and their applicability.
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For **non-CAPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.

xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.5 (Release date 02/02/2026)

Version Goal: Supergrouping rules, Label change, Bug fixes

Date: 02/02/2026



Environment: Production


Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.1.5	This release note is for the version 1.2.1.5 release go-live 02/02/2026

New stories released in this version

ID	Description	Comments
281162	eAF list – retain sorting order and table customisation	The eAF lists (all tabs: Draft, Deactivated, Completed and All) will retain the sorting order and the column visibility until the local cache is deleted. The settings are saved for each separate tab.
259648	Improved messages for adding co-authors	1. When adding co-authors from "My organisation", if the co-author that is being added is already a co-author of that eAF, a correspondent error message will appear.  2. When adding co-authors from "Outside my organisation", if the co-author that is being added doesn't have an IAM account, the following error message will appear (the user has to have an account before being added as co-author):  3. When adding co-authors from "Outside my organisation", if the co-author that is being added is already invited as co-author or is

		a co-author of that eAF, a relevant error message will appear: 

Coming soon/we are currently working on

ID	Short description
N/A	Various improvements in the UX/UI
N/A	Performance improvements

Known Issues, Limitations and business rules

ID	Short description
Known issue	For some large applications (i.e. **large number of selected products** and/or large number of packages), the export of the XML exceeds the current limit of supported lines, and the process of finalisation and export will fail with the following message: "**Data refresh cannot be completed. Aborting the operation. Please retry again**." If encountering this issue, raise a ticket and the team will confirm if the error is generated by the size of the export and will advise in some cases to use the interactive PDF eAF as a **workaround**. Performance improvements are planned to start in the second half of 2026.
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state

	responsible and concerned for the current procedure, not the RMS/CMS of the product(s). We understand the way the member states appear in the dropdown selection for RMS/CMS could create concerns, and following discussions with subject member experts and national authorities, we will proceed to either expand the selection with more Member States or further explain the terms and their applicability.
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For **non-CAPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available

Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.4 (Release date 19/01/2026)

Version Goal: Supergrouping rules, Label change, Bug fixes

Date: 19/01/2026


Environment: Production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.1.4	This release note is for the version 1.2.1.4 release go-live 19/01/2026

New stories released in this version

ID	Description	Comments
281164	Label change	In the Procedural information, the label was from "Reference Member State / Reference Authority for Worksharing" to "Reference Member State / Reference Authority for Worksharing / **Authorising Member State**" 
285556	Supergrouping for NAPs	For the eAFs where there are 1 or more products selected from the same country, and 1 or more scopes of type IA/IAIN, the user can manually select the "Supergrouping" checkbox (to be used in case the health authority previously approved the use of "Supergrouping" for the specific scenario)
290126	Pending national phase	A bug related to the inability to use in eAF the Pending National Phase products (when the Authorisation type is EU Other Approval/Authorisation Procedure) was fixed
288945	Type IA/IAIN note	A bug related to filling in the Note for scopes of Type IA/IAIN was fixed, and the users can now fill-in just the note, and not the implementation date

Coming soon/we are currently working on

ID	Short description
N/A	Various improvements in the UX/UI

Known Issues, Limitations and business rules

ID	Short description
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). We understand the way the member states appear in the dropdown selection for RMS/CMS could create concerns, and following discussions with subject member experts and national authorities, we will proceed to either expand the selection with more Member States or further explain the terms and their applicability.
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For **non-CAPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.

xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.3 (Release date 06/01/2026)

Version Goal: Add scope UX/UI design

Date: 06/01/2026


Environment: Production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.1.3	This release note is for the version 1.2.1.3 release go-live 06/01/2026

New stories released in this version

ID	Description	Comments
269956	Counter in Product selection	In the product selection page, there is a more complete counter which details: products shown, products added, products selected in total For example, if there were 4 products selected and the user adds a new one, the counter will show: **100** products shown,**1** added,**5** selected in total 
280386	Proof of Payment / Member State	The Proof of Payment can be added several times for the same member state (the restriction to have the proof of payment once per member state was removed).

278062	[Bug] Finalisation – Signatory details disappearing	A bug that caused for some browsers the disappearing of the signatory details in the Finalisation sections was fixed.

Coming soon/we are currently working on

ID	Short description
N/A	Various improvements in the UX/UI

Known Issues, Limitations and business rules

ID	Short description
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). We understand the way the member states appear in the dropdown selection for RMS/CMS could create concerns, and following discussions with subject member experts and national authorities, we will proceed to either expand the selection with more Member States or further explain the terms and their applicability.
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For **non-CAPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the

	present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.
~~*Known limitation*~~ **Resolved**	~~*A **single proof of payment per Member state** can be currently added in the PLM Portal eAF. We are analysing the possibility of adding more entries per member state.*~~
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.2 (Release date 11/12/2025)

Version Goal: Add scope UX/UI design

Date: 11/12/2025

Environment: Production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.1.2	This release note is for the version 1.2.1.2 release go-live 11/12/2025

New stories released in this version

ID	Description	Comments
282970	"January 2026" version - Coronavirus checkbox	For the new version "January 2026", the "Variations to changes related to the active substance of a human coronavirus vaccine" checkbox in the Procedural information is now visible for type IB scopes as well (it was visible for type II scopes only).
282283	Add scope – type of procedure automatically opened	After adding a scope, the page where the type of procedure, conditions and documentation need to be specified will be automatically opened.

Coming soon/we are currently working on

ID	Short description
N/A	Various improvements in the UX/UI

Known Issues, Limitations and business rules

ID	Short description
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications

	as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). We understand the way the member states appear in the dropdown selection for RMS/CMS could create concerns, and following discussions with subject member experts and national authorities, we will proceed to either expand the selection with more Member States or further explain the terms and their applicability.
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For **non-CAPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.
Known limitation	A **single proof of payment per Member state** can be currently added in the PLM Portal eAF. We are analysing the possibility of adding more entries per member state.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases.

	Please note: for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.1 (Release date 24/11/2025)

Version Goal: Add scope UX/UI design, Bug fixes

Date: 24/11/2025



Environment: Production




Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.1.1	This release note is for the version 1.2.1.1 release go-live 24/11/2025

New stories released in this version

ID	Description	Comments
244283	[UX/UI] Type of change – design change	Adding a new scope and its type have changed, as the previous design was prone to creating "empty" (orphan) scopes, which further generated issues with that form. See below how to add a new scope and specify the type, and specify the conditions and the documentation:
	Step 1 – Click on "Select scope"	
	Step 2 – Search for a scope and then click on "**Done**"	

	Step 3 – On the line that was just added, click on the "+" (plus) button under actions	
	Step 4 – add the details of the scope in the newly opened window and then click "**Save**"	
	(optional)	If you need to add more identical scopes (e.g. A.1), repeat Step 3
269971	[UX/UI] – Present and proposed organisation	The user interface for the Present/Proposed organisation was updated. The functionality is the same, the layout of the page is optimised. The Present and Proposed are shown at the same level, as opposed to one under the other: 
262692	[Bug] – Clone application	A bug related to failing clone application was fixed
282057	[Bug] – Scope full name for the	The full description of the selected scope appears now in the PDFs generated with version "UAT January 2026"

	new variation classification	

Coming soon/we are currently working on

ID	Short description
N/A	Various improvements in the UX/UI

Known Issues, Limitations and business rules

ID	Short description
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). We understand the way the member states appear in the dropdown selection for RMS/CMS could create concerns, and following discussions with subject member experts and national authorities, we will proceed to either expand the selection with more Member States or further explain the terms and their applicability.
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For **non-CAPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the

	present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.
Known limitation	A **single proof of payment per Member state** can be currently added in the PLM Portal eAF. We are analysing the possibility of adding more entries per member state.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.1.0 (Release date 10/11/2025)

Version Goal: Versioning, Bug fixes

Date: 10/11/2025

Environment: Production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.1.0	This release note is for the version 1.2.1.0 release go-live 10/11/2025

New stories released in this version

ID	Description	Comments
251298	Variation classification (January 2026)	The UAT for the new variation classification is now available by selecting "**UAT January 2026**" from the "Form version" field. This UAT version contains the new human variation classification. DO NOT USE this form for production submissions to authorities, until the final version will be confirmed. Once confirmed, the name of the version will change from "UAT January 2026" to "January 2026". Use this form now just to test and familiarise with the new variation classification. Note: the z-scopes are not visible yet in the new variation classification, they will be added soon.
280074	[PDF] 4.a section	The 4.a section now appears as "Not applicable" or with the new indication – orphan medicinal product information as selected/filled in in the web interface
261334, 270309	Stabilisation	Enabler User Stories for the technical stabilisation of the system
278834	[Bug] Contributor Unable to Add Products in eAF	In some cases the Application Contributors were not able to add products to an application. This bug is now fixed
275819	[Bug] Worksharing not automatically selected	A bug related to "Worksharing" not being automatically ticked in some cases was fixed

277346	[Bug] Validation messages in Procedural information, proposed changes	A bug related to incomplete validation error message in Procedural Information – Proposed changes was fixed
277355	[Bug] Re-add an MRP product	A bug related to re-adding an MRP/DCP product after the MRP procedure number was already added was fixed
277515	[Bug] Grouped regulatory activity	A bug related to the mis-calculation of Grouped regulatory activity when only one scope was selected was fixed

Coming soon/we are currently working on

ID	Short description
N/A	Various improvements in the UX/UI

Known Issues, Limitations and business rules

ID	Short description
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems, please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). We understand the way the member states appear in the dropdown selection for RMS/CMS could create concerns, and following discussions with subject member experts and national authorities, we will proceed to either expand the selection with more Member States or further explain the terms and their applicability.

Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For **non-CAPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.
Known limitation	A **single proof of payment per Member state** can be currently added in the PLM Portal eAF. We are analysing the possibility of adding more entries per member state.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much

	longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.0.16 (Release date 27/10/2025)

Version Goal: Select product enhancements, bug fixes

Date: 27/10/2025


Environment: Production


Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.0.16	This release note is for the version 1.2.0.16 release go-live 27/10/2025

New stories released in this version

ID	Description	Comments
267719	Pending national phase status available	The product selection will now show also the products which are in "Pending national phase" authorisation status
265061	Delete/remove organisation in Present/Proposed	In the present/proposed organisation window a new checkbox was introduced to flag that the change concerns the deletion/removal of an organisation. When checked, the "Proposed" organisation is not mandatory 
267111	Reference MAH taken from OMS	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system, which is used for other applications. This causes the data in the PLM Portal to not always b identical with the OMS information. For this reason, when selecting the Reference MAH, a table which synchronises more often

		with OMS will be used for the name and address of the selected Reference MAH. These OMS details will be used in the exported PDF for the reference MAH name and address. In most of the cases, the information will be identical with the one selected in the previous field. 
227713	UX/UI Medical Device	The medical device page was updated with the latest UX/UI design. There is no change in the functionality.

Coming soon/we are currently working on

ID	Short description
Versioning	The versioning of the PLM Portal eAF will be made available before the new variation classification enters into force

Known Issues, Limitations and business rules

ID	Short description
Known issue/limitation	The **synchronisation between OMS and the PLM Portal** goes through an intermediary EMA system (IRIS Dataverse), which is used for other applications as well (for example inspection, parallel distribution etc.). For this reason, the data in the PLM Portal is not always identical with the OMS information. Please raise a Service Desk request to flag inconsistencies.
Business rule	All the **products**, and their information, are synchronised in the PLM Portal from **PMS**. Should you encounter any inconsistency, please verify the products in xEVMPD and ProductUI/PMS and if the products are correct in these systems,

	please raise a Service Desk ticket with the relevant team (PMS, PLM Portal ProductUI or PLM Portal eAF).
Business rule	When creating a variation for **MRP/DCP** products, the member states which are available in the dropdown menu(s) in Procedural Information (Reference member state and Concerned Member state) will be the member states from the selected products in the variation. The **RMS/CMS** in this case are the member state responsible and concerned for the current procedure, not the RMS/CMS of the product(s). We understand the way the member states appear in the dropdown selection for RMS/CMS could create concerns, and following discussions with subject member experts and national authorities, we will proceed to either expand the selection with more Member States or further explain the terms and their applicability.
Business rule	For the section **4.b** (Paediatric requirements) to appear on the PDF, the Checkbox "Paediatric requirements" needs to be ticket in the "Changes concern(s)" in the Procedural information tab.
Business rule	For **non-CAPs**, **all the packages of the selected medicinal products are considered for a variation**, and they cannot be un-selected in the present/proposed changes. Further discussions with Subject Matter Experts and local authorities are taking place to re-consider this limitation.
Known limitation	A **single proof of payment per Member state** can be currently added in the PLM Portal eAF. We are analysing the possibility of adding more entries per member state.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German

Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.2.0.15 (Release date 13/10/2025)

Version Goal: Select product enhancements, bug fixes

Date: 13/10/2025

Environment: Production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.0.15	This release note is for the version 1.2.0.15 release go-live 13/10/2025

New stories released in this version

ID	Description	Comments
238595	Product selection	The default number of results in the Product selection page is now 100, instead of 10
238595	Product selection	A counter of the selected products is now shown at the bottom of the product selection page
272968	Clone and delete products [Bug]	A bug related cloning and immediately deleting products from the cloned eaf was fixed
253841	UX - Validations and Notifications	The UX design for validations and notifications was updated
273835	Clone [Bug]	A bug related to cloning process which triggers a console response and results in indefinite loading was fixed
273323 273324	Checkbox in Product Selection	The checkbox on selected packages now shows the correct value in the product selection, in both Edit pages and read only pages
273216	Read only form – Product selection	In the read only forms the selected products are now visible

Coming soon/we are currently working on

ID	Short description
Versioning	The versioning of the PLM Portal eAF will be made available before the new variation classification enters into force

Known Issues and Limitations

ID	Short description
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
210325	Present and Proposed section - implementation of the remaining features/functions. Expected deployment: Q3-Q4 2025

Version: 1.2.0.14 (Release date 29/09/2025)

Version Goal: Select product enhancements, bug fixes

Date: 29/09/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.0.14	This release note is for the version 1.2.0.14 release go-live 29/09/2025

New stories released in this version

ID	Description	Comments
261860	UI improvements	Several improvements in the web user interface were deployed (e.g. capitalisation of the menus)
238595	Product selection improvement	The product selection page was upgraded for a better user experience. The page opens directly in the selection mode; after the products are selected and saved, more products can be selected by clicking on "View available products"; the colours of the selected lines will indicate if the products was already saved, if it is removed, or newly added.
267713	Search products by authorisation status [Bug]	A bug related to search of products by authorisation status was fixed
270610	Product selection wrong warning [Bug]	A bug related to the message "Product cannot be selected" appearing in correct selection was fixed
270608	UX/UI "Product cannot be selected" pop-up [Bug]	The design of the pop-up "Product cannot be selected" was fixed so it is fully readable

Coming soon/we are currently working on

ID	Short description
Versioning	The versioning of the PLM Portal eAF will be made available before the new variation classification enters into force
Product selection	The default number of products that are shown in the product selection page will be increased to 100

Known Issues and Limitations

ID	Short description
Known issues	**A small number of products are affected by a synchronisation issue with PMS and the forms where they are used cannot be exported and finalised. Once added the products in the eAF, export the form and should you see the message "**"Data refresh cannot be completed. Aborting the operation. Please retry again.**", please raise a ticket with Service Desk and the team will assess if it can be fixed. In some cases, should that not be possible, you might need to use the interactive PDF instead. The teams are working on fixing this issue and a new message will be published once it is resolved.**
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.

Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example, in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
210325	Present and Proposed section - implementation of the remaining features/functions. Expected deployment: Q3-Q4 2025

Version: 1.2.0.13 (Release date 15/09/2025)

Version Goal: Present/Proposed enhancements, bug fixes

Date: 15/09/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.0.13	This release note is for the version 1.2.0.13 release go-live 15/09/2025

New stories released in this version

ID	Description	Comments
267713	[Bug] Search of products	A bug causing incomplete results when searching by Authorisation status was fixed
268080	[Bug] Associate MRP	A bug in the associate MRP page was fixed

Coming soon/we are currently working on

ID	Short description
Versioning	The versioning of the PLM Portal eAF will be made available before the new variation classification enters into force

Known Issues and Limitations

ID	Short description
Known limitation	The sections in the present/proposed changes can be re-ordered, but the r-ordering is not yet reflected in the PDF; the order in the PDF will be the order of the creation of the sections (the final implementation for the order of the sections is planned for the end of September 2025)
Known issues	**A small number of products are affected by a synchronisation issue with PMS and the forms where they are used cannot be exported and finalised. Once added the products in the eAF, export the form and should you see the message "**"Data

	refresh cannot be completed. Aborting the operation. Please retry again.**", please raise a ticket with Service Desk and the team will assess if it can be fixed. In some cases, should that not be possible, you might need to use the interactive PDF instead. The teams are working on fixing this issue and a new message will be published once it is resolved.**
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.

Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
210325	Present and Proposed section - implementation of the remaining features/functions. Expected deployment: Q3-Q4 2025
Known limitation	If a product has multiple dose authorisation forms, only one appears in eAF.

Version: 1.2.0.12 (Release date 01/09/2025)

Version Goal: Present/Proposed enhancements, bug fixes

Date: 01/09/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.0.12	This release note is for the version 1.2.0.12 release go-live 01/09/2025

New stories released in this version

ID	Description	Comments
259886	Show organisation in PDF even if identical	The organisations in Present/Proposed are displayed in the PDF even if they are identical
255489	Update 'Authorised Dose Form' Column	The "Authorised Dose Form" column in the product selection window now displays all the values of the Dose form, concatenated with the "+" sign
263860	[Bug] Load time in Procedural information	A bug causing a long load time in the Procedural Information section was fixed

Coming soon/we are currently working on

ID	Short description
Versioning	The versioning of the PLM Portal eAF will be made available before the new variation classification enters into force

Known Issues and Limitations

ID	Short description
Known limitation	The sections in the present/proposed changes can be re-ordered, but the r-ordering is not yet reflected in the PDF; the order in the PDF will be the order of

	the creation of the sections (the final implementation for the order of the sections is planned for the end of September 2025)
Known issues	**A small number of products are affected by a synchronisation issue with PMS and the forms where they are used cannot be exported and finalised. Once added the products in the eAF, export the form and should you see the message "**"Data refresh cannot be completed. Aborting the operation. Please retry again.**", please raise a ticket with Service Desk and the team will assess if it can be fixed. In some cases, should that not be possible, you might need to use the interactive PDF instead. The teams are working on fixing this issue and a new message will be published once it is resolved.**
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available

Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
210325	Present and Proposed section - implementation of the remaining features/functions. Expected deployment: Q3-Q4 2025
Known limitation	If a product has multiple dose authorisation forms, only one appears in eAF.

Version: 1.2.0.11 (Release date 19/08/2025)

Version Goal: Present/Proposed enhancements, bug fixes

Date: 19/08/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.0.11	This release note is for the version 1.2.0.11 release go-live 19/08/2025

New stories released in this version

ID	Description	Comments
253408	Remove Checkbox from Selected Packaged Medicinal Products	In the "Select Products" window, the checkboxes at the package level (under each medicinal product) were removed, as they are not selectable
210329	Present/Proposed UI improvements	Several user interface improvements were implemented for the Present/Proposed changes: • The sections can be re-named and cloned • Only present, only proposed, or both present/proposed can be shown in the window • The sections can be re-ordered (**Important**: the re-ordering is not yet reflected in the PDF; the order in the PDF will be the order of the creation of the sections (the final implementation for the order of the sections is planned for the end of September 2025)) • Present/Proposed Organisation: only the present, only the proposed, or both present/proposed organisation can be shown on the window when adding the details
230236	Performance improvement	A performance improvement (disable odatafilter Part 4) was implemented
257448	Remove the chapter 3 Proposed Packages section for non-caps	For non-CAPs, in chapter 3, the Proposed packages are no longer shown (they are detailed already in section 2)

262211	[Bug] Medical Device "Save" button and spinner	A bug related to Medical Device window, where the "Save" and the spinner buttons appeared twice, was fixed

Coming soon/we are currently working on

ID	Short description
Versioning	The versioning of the PLM Portal eAF will be made available before the new variation classification enters into force

Known Issues and Limitations

ID	Short description
Known limitation	The sections in the present/proposed changes can be re-ordered, but the r-ordering is not yet reflected in the PDF; the order in the PDF will be the order of the creation of the sections (the final implementation for the order of the sections is planned for the end of September 2025)
Known issues	**A small number of products are affected by a synchronisation issue with PMS and the forms where they are used cannot be exported and finalised. Once added the products in the eAF, export the form and should you see the message "**"Data refresh cannot be completed. Aborting the operation. Please retry again.**", please raise a ticket with Service Desk and the team will assess if it can be fixed. In some cases, should that not be possible, you might need to use the interactive PDF instead. The teams are working on fixing this issue and a new message will be published once it is resolved.**
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases.

	Please note: for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
210325	Present and Proposed section - implementation of the remaining features/functions. Expected deployment: Q3-Q4 2025
Known limitation	If a product has multiple dose authorisation forms, only one appears in eAF.

Version: 1.2.0.10 (Release date 04/08/2025)

Version Goal: Present/Proposed - OMS proposed organisation, bug fixes

Date: 04/08/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.0.10	This release note is for the version 1.2.0.10 release go-live 04/08/2025

New stories released in this version

ID	Description	Comments
254559	Present/Proposed – OMS	In the present/proposed organisation location, for the Proposed organisation only, the PLM Portal now connects to a new OMS table (database), which contains the most recent OMS updates; in all the other places in the PLM Portal where there is a selection of the organisation, the data is still coming from PMS and the intermediate layer.
227593 259871 239776 260935	Performance and security improvements	Various changes were applied, and bugs were fixed to improve the performance and the security of the portal
255307	'Pharmacotherapeutic Group (ATC)' button	The 'Pharmacotherapeutic Group (ATC)' button was removed from Proposed changes. The ATC changes can be introduced in the Present/Proposed free text fields.

Coming soon/we are currently working on

ID	Short description
Versioning	The versioning of the PLM Portal eAF will be made available before the new variation classification enters into force

Known Issues and Limitations

ID	Short description
262211	In the **Medical Device** window, the "Save" and the spinner buttons appear **twice** in the page
Known issues	**A small number of products are affected by a synchronisation issue with PMS and the forms where they are used cannot be exported and finalised. Once added the products in the eAF, export the form and should you see the message "**"Data refresh cannot be completed. Aborting the operation. Please retry again.**", please raise a ticket with Service Desk and the team will assess if it can be fixed. In some cases, should that not be possible, you might need to use the interactive PDF instead. The teams are working on fixing this issue and a new message will be published once it is resolved.**
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by

	one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
210325	Present and Proposed section - implementation of the remaining features/functions. Expected deployment: Q3-Q4 2025
Known limitation	If a product has multiple dose authorisation forms, only one appears in eAF.

Version: 1.2.0.9 (Release date 21/07/2025)

Version Goal: UX/UI Design, Bug fixes

Date: 21/07/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.0.9	This release note is for the version 1.2.0.9 release go-live 21/07/2025

New stories released in this version

ID	Description	Comments
239772 (248926, 248925, 248924, 248923)	UI Design for Read Only pages	The Read only pages design was updated to match the Edit pages. There is no change in the functionality, just a change of the design
253385	[Bug] Proof of payment for single country	A bug related to impossibility to add proof of payment in a specific scenario (several NAPs from the same country) was fixed
251543	[Bug] Scopes with same identifier	A bug related to a form containing 2 different scopes with the same identifier was fixed
255558	[Bug] UI– Present/Proposed Add/Edit organisation	A bug related to the Info button and inconsistent field alignment in Present/Proposed Add/Edit organisation was fixed
258635	[Bug] Error notification not containing details on the missing fields	A bug related to incomplete error message upon validation in Procedural information was fixed, and the fields needing correction are now highlighted in the page
256637	[Bug] Declaration checkbox	A bug related to the declaration checkbox not being retained and printed on the PDF was fixed
255566	[Bug] UI "Loading" indicator	The Loading indicator in the Present/Proposed Add/Edit Organisation now appears in the correct position
254023	[Bug] Clone with change of MAH	A bug related to cloning an application with changing the MAH was fixed, and the scopes

		and the Precise scope and Background for scope are now cloned.
255301	[Bug] Remove MRP Variation Number for NAPs	A bug was fixed related to removing the MRP Variation number for purely nationally authorised products
23712	[Bug] Organisation details in Read only pages	The Organisation details in the read only pages (Present/Proposed section) are now visible

Coming soon/we are currently working on

ID	Short description
Versioning	The versioning of the PLM Portal eAF will be made available before the new variation classification enters into force

Known Issues and Limitations

ID	Short description
230186	The ATC code added in the Present and Proposed using the ATC code popup is not completely functional, and the display in the PDF is not correct. **Variations for ATC code must be done in the free text fields in Present and Proposed section**
Known issues	**A small number of products are affected by a synchronisation issue with PMS and the forms where they are used cannot be exported and finalised. Once added the products in the eAF, export the form and should you see the message "**"Data refresh cannot be completed. Aborting the operation. Please retry again.**", please raise a ticket with Service Desk and the team will assess if it can be fixed. In some cases, should that not be possible, you might need to use the interactive PDF instead. The teams are working on fixing this issue and a new message will be published once it is resolved.**
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected

Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
Various	Performance improvements e.g. Finalisation section – implementation postponed
210325	Present and Proposed section - implementation of the remaining features/functions. Expected deployment: Q3-Q4 2025
Various	Analysis of the next set of structured changes e.g. ATC code, Medical Device
Known limitation	If a product has multiple dose authorisation forms, only one appears in eAF.

Version: 1.2.0.8 (Release date 07/07/2025)

Version Goal: UX/UI Design, Bug fixes

Date: 07/07/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.0.8	This release note is for the version 1.2.0.8 release go-live 07/07/2025

New stories released in this version

ID	Description	Comments
192588	UI Design implementation - Validation and notifications	The new UI design for notifications and validation messages was deployed. **Important**: After selecting MRP/DCP products, the notification related to the MRP/DCP MRP number is now shown at the bottom of the products list.
244276	UI/UX	General UI design improvements and small changes were deployed
254601	[Bug] Special characters in declaration notes	A bug related to the export of the PDF if the declaration notes contains special characters was fixed
255559	MRP number box	The "Associate MRP number" is now positioned again at the bottom of the list of products
132808	[Bug] Timezone alignment	The timezone appearing in "Last saved/Modified" now matches the timezone in the application list
255558	UI Proposed organisation	The info button and alignment were fixed for the "Add/Edit Organisation" window
254023	[Bug] Clone application	A bug related to the losing of details in proposed changes when cloning of application and changing the MAH was fixed

Coming soon/we are currently working on

ID	Short description
UX/UI	The Design of the read-only pages will be replaced

Versioning	The versioning of the PLM Portal eAF will be made available before the new variation classification enters into force

Known Issues and Limitations

ID	Short description
230186	The ATC code added in the Present and Proposed using the ATC code popup is not completely functional, and the display in the PDF is not correct. **Variations for ATC code must be done in the free text fields in Present and Proposed section**
Known issues	**A small number of products are affected by a synchronisation issue with PMS and the forms where they are used cannot be exported and finalised. Once added the products in the eAF, export the form and should you see the message "**"Data refresh cannot be completed. Aborting the operation. Please retry again.**", please raise a ticket with Service Desk and the team will assess if it can be fixed. In some cases, should that not be possible, you might need to use the interactive PDF instead. The teams are working on fixing this issue and a new message will be published once it is resolved.**
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will

	result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
Various	Performance improvements e.g. Finalisation section – implementation postponed
210325	Present and Proposed section - implementation of the remaining features/functions. Expected deployment: Q3-Q4 2025
Various	Analysis of the next set of structured changes e.g. ATC code, Medical Device
Known limitation	If a product has multiple dose authorisation forms, only one appears in eAF.

Version: 1.2.0.7 (Release date 23/06/2025)

Version Goal: UX/UI Design, Bug fixes

Date: 23/06/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.0.7	This release note is for the version 1.2.0.7 release go-live 23/06/2025


New stories released in this version

ID	Description	Comments
192587	UI Design - Finalisation	The new UI design is implemented in the "Finalisation" section. This is part 1 of the implementation and further changes and improvements to this section will be delivered in a later stage.
251258	[Bug] Finalisation section - Declaration of applicant section	In the finalisation section, declaration of applicant section now is displayed for Type IB unforeseen and Type II Art. 29
242270	Procedural Information Calculation for all Procedure Types	The eAF can be used for all procedure types which are not categorised as CAP, NAP, MRP/DCP (e.g. homeopathic). A bug which prevented these products to be shown in the PDF was fixed.
Known issue	AIFA update	The Italian Medicines Agency (AIFA) applied worked on a limitation which prevented the acceptance of the PLM Portal eAFs. Now the forms can be submitted to AIFA.
Known issue	The section 4a (Orphan) and 4b (paediatric) are not reflected correctly in the exported pdf.	The PLM Portal eAF can now be used for variations using sections 4a and 4b.

Coming soon/we are currently working on

ID	Short description
UX/UI	The Design of the read-only pages will be replaced

Known Issues and Limitations

ID	Short description
230186	The ATC code added in the Present and Proposed using the ATC code popup is not completely functional, and the display in the PDF is not correct. **Variations for ATC code must be done in the free text fields in Present and Proposed section**
Known issues	The "Update" button for the "Associate MRP button" window is temporarily showing at the top right of the page, instead of its correct position (bottom left).  The button will be moved back in a future release.
Known issues	**A small number of products are affected by a synchronisation issue with PMS and the forms where they are used cannot be exported and finalised. Once added the products in the eAF, export the form and should you see the message "**"Data refresh cannot be completed. Aborting the operation. Please retry again.**", please raise a ticket with Service Desk and the team will assess if it can be fixed. In some cases, should that not be possible, you might need to use the interactive PDF instead. The teams are working on fixing this issue and a new message will be published once it is resolved.**
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected

Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
Various	Performance improvements e.g. Finalisation section – implementation postponed
210325	Present and Proposed section - implementation of the remaining features/functions. Expected deployment: Q3-Q4 2025
Various	Analysis of the next set of structured changes e.g. ATC code, Medical Device
Known limitation	If a product has multiple dose authorisation forms, only one appears in eAF.

Version: 1.2.0.6 (Release date 10/06/2025)

Version Goal: Performance improvements, bug fixes

Date: 10/06/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.0.6	This release note is for the version 1.2.0.6 release go-live 10/06/2025

New stories released in this version

ID	Description	Comments
239420	[Performance] Optimise product selection save process	A new feature was introduced that only allows to select 50 products at one time. This will address some of the performance issues for la
227592 230235	[Performance] Optimize PLM Portal	Technical performance improvements (odatafilter)
241946	[Bug] Info relating to orphan market exclusivity	A bug related to Additional information: Info relating to orphan market exclusivity (selection of the designated Orphan medicinal product(s) been granted a marketing authorisation in the EU) was fixed
39391	[Bug] PLM Portal timezone	A bug related to the timezones was fixed (the same timezone is used throughout the portal)
248530	[Bug] Proposed Changes section	A bug related to proposed changes section showing validation error while all products and scopes are associated was fixed
248541	[Bug] Number of selected packages after present/proposed is created	A bug related to the number of selected packages not updating when products are added after present/proposed change creation was fixed

Coming soon/we are currently working on

ID	Short description
UI Design	UI Design implementation to continue for the rest of the application and for the sections that were not finalised

Known Issues and Limitations

ID	Short description
Known issues	**A small number of products are affected by a synchronisation issue with PMS and the forms where they are used cannot be exported and finalised. Once added the products in the eAF, export the form and should you see the message ""**Data refresh cannot be completed. Aborting the operation. Please retry again.**", please raise a ticket with Service Desk and the team will assess if it can be fixed. In some cases, should that not be possible, you might need to use the interactive PDF instead. The teams are working on fixing this issue and a new message will be published once it is resolved.**
Known issue	The Italian Medicines Agency (AIFA) is currently working on a limitation which prevents the acceptance of the PLM Portal eAFs. The estimated date for the fix is end of June. Follow the EMA release notes for further updates.
230186	The ATC code added in the Present and Proposed using the ATC code popup is not completely functional, and the display in the PDF is not correct. Variations for ATC code should be done in the free text fields in Present and Proposed section
Known issue	The section 4a (Orphan) and 4b (paediatric) are not reflected correctly in the exported pdf. In case you need to fill in a form where sections 4a and 4b should be filled in, please use the interactive pdf eAF until the issue has been solved.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish

Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
Various	Performance improvements e.g. Finalisation section – implementation postponed
210325	Present and Proposed section - implementation of the remaining features/functions. Expected deployment: Q3-Q4 2025
Various	Analysis of the next set of structured changes e.g. ATC code, Medical Device

Version: 1.2.0.5 (Release date 26/05/2025)

Version Goal: Alternative (OMS) company name improvement, MRP/DCP Procedure number for NAPs, UX/UI Design (Additional information)

Date: 26/05/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.0.5	This release note is for the version 1.2.0.5 release go-live 26/05/2025

New stories released in this version

ID	Description	Comments
192586	UI Design – Additional info	The new UI design is implemented in the 'Additional information' section where information relating to Orphan medicinal procedures, Paediatrics and Market exclusivity is filled in where relevant. This is part 1 of the implementation and further changes and improvements to this section will be delivered in a later stage.
248131	Alternative Organisation name - OMS	This is an improvement story to enable the user to remove the selected alternative organisation name
245681	MRP number field is now available for purely national products	It is now possible to add the MRP number for purely national products

Coming soon/we are currently working on

ID	Short description
UI Design	UI Design implementation to continue for the rest of the application and for the sections that were not finalised

Known Issues and Limitations

ID	Short description
Known issue	**A small number of products are affected by a synchronisation issue with PMS and the forms where they are used cannot be exported and finalised. Once added the products in the eAF, export the form and should you see the message "**"Data refresh cannot be completed. Aborting the operation. Please retry again.**", please use the interactive PDF instead. The teams are working on fixing this issue and a new message will be published once it is resolved.** If you have already filled in the form and this issue occurs, please raise a ticket and the team might be able unblock the form.
230186	The ATC code added in the Present and Proposed using the ATC code popup is not completely functional, and the display in the PDF is not correct. Variations for ATC code should be done in the free text fields in Present and Proposed section
Known issue	The section 4a (Orphan) and 4b (paediatric) are not reflected correctly in the exported pdf. In case you need to fill in a form where sections 4a and 4b should be filled in, please use the interactive pdf eAF until the issue has been solved.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.

Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
Various	Performance improvements e.g. Finalisation section – implementation postponed
210325	Present and Proposed section - implementation of the remaining features/functions. Expected deployment: Q3-Q4 2025
Various	Analysis of the next set of structured changes e.g. ATC code, Medical Device

Version: 1.2.0.4 (Release date 13/05/2025)

Version Goal: Alternative (OMS) company name, UX/UI Design (Types of changes and Procedural information)

Date: 13/05/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.0.4	This release note is for the version 1.2.0.4 release go-live 13/05/2025

New stories released in this version

ID	Description	Comments
192583	UI Design – Type(s) of change(s)	The new UI design is implemented in the 'Scope and procedure type' selection section. This is part 1 of the implementation and further changes and improvements to this section will be delivered in a later stage.
192584	UI Design – Procedural information section	The new UI design is implemented in the 'Procedural information' section. This is part 1 of the implementation and further changes and improvements to this section will be delivered in a later stage.
185709	Alternative Organisation name	The applicant is now able to select an **alternative organisation name from OMS** (where available) in addition to the 'OMS preferred organisation name'. The list of available Alternative names will be shown in the Procedural information section. **Important**: for the time being, once chosen, the "Alternative Company name" cannot be removed. An improvement will be implemented in future releases.
237371	PDF Paediatric Information section	If the Paediatric Information does not appear in "Additional information" section, then it will not be shown in the PDF either.
(bug) 244898	Signatory twice in the FHIR XML	A bug related to the signatory being shown twice in the FHIR XML was fixed

Coming soon/we are currently working on

ID	Short description
UI Design	UI Design implementation to continue for the rest of the application and for the sections that were not finalised

Known Issues and Limitations

ID	Short description
Known issue	**A small number of products are affected by a synchronisation issue with PMS and the forms where they are used cannot be exported and finalised. Once added the products in the eAF, export the form and should you see the message "**"Data refresh cannot be completed. Aborting the operation. Please retry again.**", please use the interactive PDF instead. The teams are working on fixing this issue and a new message will be published once it is resolved.**
230186	The ATC code added in the Present and Proposed using the ATC code popup is not completely functional, and the display in the PDF is not correct. Variations for ATC code should be done in the free text fields in Present and Proposed section
Known issue	The section 4a (Orphan) and 4b (paediatric) are not reflected correctly in the exported pdf. In case you need to fill in a form where sections 4a and 4b should be filled in, please use the interactive pdf eAF until the issue has been solved.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.

Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
Various	Performance improvements e.g. Finalisation section – implementation postponed
210325	Present and Proposed section - implementation of the remaining features/functions. Expected deployment: Q3-Q4 2025
Various	Analysis of the next set of structured changes e.g. ATC code, Medical Device

Version: 1.2.0.3 (Release date 28/04/2025)

Version Goal: MRP Procedure number

Date: 28/04/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.0.3	This release note is for the version 1.2.0.3 release go-live 28/04/2025

New stories released in this version

ID	Description	Comments
215586	MRP Procedure number	Improvement on the validation rule for the MRP procedure number field: the error message is now triggered right after selecting the MRP/DCP products, and not just on the finalisation of the form

Coming soon/we are currently working on

ID	Short description
192583	Type(s) of change(s) section – UI design implementation. The new UI design will be implemented in the 'Scope and procedure type' selection section. This is part 1 of the implementation and further changes and improvements to this section will be delivered in a later stage.
215586	Improvement to the validation rule for the MRP procedure number field - the error message will be triggered as a section level validation error (currently only as a finalisation error).
192584	Procedural information section – UI design implementation. The new UI design will be implemented in the 'Procedural information' section. This is part 1 of the implementation and further changes and improvements to this section will be delivered in a later stage.

185709	Alternative Organisation name – the applicant will be able to select an alternative organisation name from OMS (where available) in addition to the 'OMS preferred organisation name'

Known Issues and Limitations

ID	Short description
Known issue	**A small number of products are affected by a synchronisation issue with PMS and the forms where they are used cannot be exported and finalised. Once added the products in the eAF, export the form and should you see the message "**"Data refresh cannot be completed. Aborting the operation. Please retry again.**", please use the interactive PDF instead. The teams are working on fixing this issue and a new message will be published once it is resolved.**
230186	The ATC code added in the Present and Proposed using the ATC code popup is not completely functional, and the display in the PDF is not correct. Variations for ATC code should be done in the free text fields in Present and Proposed section
Known issue	The section 4a (Orphan) and 4b (paediatric) are not reflected correctly in the exported pdf. In case you need to fill in a form where sections 4a and 4b should be filled in, please use the interactive pdf eAF until the issue has been solved.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish

Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
Various	Performance improvements e.g. Finalisation section – implementation postponed
210325	Present and Proposed section - implementation of the remaining features/functions. Expected deployment: Q3-Q4 2025
Various	Analysis of the next set of structured changes e.g. ATC code, Medical Device

Version: 1.2.0.2 (Release date 31/03/2025)

Version Goal: Select product UI design

Date: 31/03/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.0.2	This release note is for the version 1.2.0.2 release go-live 31/03/2025

New stories released in this version

ID	Description	Comments
192582	Product selection - UI design implementation	The new UI design has been implemented in the 'Product selection' section. This is part 1 of the implementation containing only visual changes and further functional improvements to this section will be delivered in a later stage.
239877	PDF Document properties	The "Application" property of the exported PDF now contains "PLM Generator", the Author now contains "European Medicines Agency"

Coming soon/we are currently working on

ID	Short description
192583	Type(s) of change(s) section – UI design implementation. The new UI design will be implemented in the 'Scope and procedure type' selection section. This is part 1 of the implementation and further changes and improvements to this section will be delivered in a later stage.
215586	Improvement to the validation rule for the MRP procedure number field - the error message will be triggered as a section level validation error (currently only as a finalisation error).
192584	Procedural information section – UI design implementation. The new UI design will be implemented in the 'Procedural information' section. This is part 1 of the

	implementation and further changes and improvements to this section will be delivered in a later stage.
185709	Alternative Organisation name – the applicant will be able to select an alternative organisation name from OMS (where available) in addition to the 'OMS preferred organisation name'

Known Issues and Limitations

ID	Short description
230186	The ATC code added in the Present and Proposed using the ATC code popup is not completely functional, and the display in the PDF is not correct. Variations for ATC code should be done in the free text fields in Present and Proposed section
Known issue	The section 4a (Orphan) and 4b (paediatric) are not reflected correctly in the exported pdf. In case you need to fill in a form where sections 4a and 4b should be filled in, please use the interactive pdf eAF until the issue has been solved.
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known limitation	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known limitation	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known intermitted issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.

Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
Various	Performance improvements e.g. Finalisation section – implementation postponed
210325	Present and Proposed section - implementation of the remaining features/functions. Expected deployment: Q3-Q4 2025
Various	Analysis of the next set of structured changes e.g. ATC code, Medical Device

Version: 1.2.0.1 (Release date 17/03/2025)

Version Goal: Create new application UI design, Bug fixes

Date: 17/03/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.0.1	This release note is for the version 1.2.0.1 release go-live 17/03/2025

New stories released in this version

ID	Description	Comments
192581	Create new application - UI design implementation	The new UI design has been implemented in the 'Create new application' section. This is part 1 of the implementation and further changes to this section will be delivered in a later stage.
235142	The coordinator list is empty on application	The coordinator list is empty when viewed from the list of applications. The issue has been fixed and the co-authors are now correctly displayed

Coming soon/we are currently working on

ID	Short description
192582	Product selection – UI design implementation. The new UI design will be implemented in the 'Product selection' section. This is part 1 of the implementation and further changes and improvements to this section will be delivered in a later stage.

Known Issues and Limitations

ID	Short description
230186	The ATC code added in the Present and Proposed using the ATC code popup is not completely functional, and the display in the PDF is not correct. Variations

	for ATC code should be done in the free text fields in Present and Proposed section
185709	Allow the selection of an 'Alternative' organisation name in the eAF (displayed on the pdf)
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
xEVMPD data issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where in section 4d option 'EU authorised representative option needs to be selected
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known issue	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known issue	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted – will be resolved with the new present and proposed design
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much

	longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
Various	Performance improvements e.g. Finalisation section – implementation postponed
210325	Present and Proposed section - implementation of the remaining features/functions. Expected deployment: Q3-Q4 2025
Various	Analysis of the next set of structured changes e.g. ATC code, Medical Device

Version: 1.2.0.0 (Release date 06/03/2025)

Version Goal: Integrity Stamp, Proof of payment improvements

Date: 06/03/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.2.0.0	This release note is for the version 1.2.0.0 release go-live 06/03/2025

New stories released in this version

ID	Description	Comments
219351	Integrity Stamp	The integrity stamp was deployed to production. • Upon 'Finalisation', the PLM Portal web based human variation eAF will be locked and moved to the 'Completed' tab (the form can be opened for further editing if necessary) • The form will be locked with a digital 'signature' called eAF integrity warranty (or eAF integrity stamp), containing the date of the signature • After 6th of March the system will include the stamp on all forms that are finalised • Forms that have not been finalised (i.e. do not contain the integrity stamp) will be rejected by the regulators in the future – date to be confirmed! • The applicants will still be able to include additional digital signature(s) into the finalised form (exported pdf) • It will not be possible to include an image of a signature or an 'adobe signature' to the form after the stamp is included

		• There is no integrity stamp in the 'legacy' interactive pdf eAFs
233025 234197	Proof of payment improvements	The experience of the user with the proof of payment section was improved by separating the Yes/No options for the proof of payment and by applying several performance enhancements

Coming soon/we are currently working on

ID	Short description
Various	Performance improvements e.g. Finalisation section – implementation postponed
210325	Present and Proposed section re-design and performance improvements implementation of the remaining features/functions. Expected deployment: Q1 2025
Various	Analysis of the next set of structured changes e.g. ATC code, Medical Device

Known Issues and Limitations

ID	Short description
230186	The ATC code added in the Present and Proposed using the ATC code popup is not completely functional, and the display in the PDF is not correct. Any changes in the ATC code must be done in the standard Present and Proposed boxes
185709	Allow the selection of an 'Alternative' organisation name in the eAF (displayed on the pdf)
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
Known issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where section 4d needs to be filled in

Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known issue	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known issue	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted – will be resolved with the new present and proposed design
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.1.1.4 (Release date 18/02/2025)

Version Goal: Proof of payment improvements, Product selection improvement, Bug fixes

Date: 18/02/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.1.1.4	This release note is for the version 1.1.1.4 release go-live 18/02/2025

New stories released in this version

ID	Description	Comments
226938	Product selection: search product number of rows	In the product selection page, the number of rows can not be changed to 500 entries. Other minor improvements were implemented on this page
226666	Proposed changes	Improvements were implemented for the auto-save of the information added in the present-proposed and a prompt to ask the user if the changes should be saved
233162	Procedural information	The member state in the contact person window is now mandatory
231898	Finalisation	A bug related to the printing twice of the additional signatory was fixed
229986	NCA access – Authorisation status	In the View available products window, the NCA users can now see the authorisation status
229531	Procedural information – Contact person	A bug related to adding maximum one contact person for a form with CAPs only was fixed
234220	Finalisation – Proof of payment	Fixes were made in the Proof of Payment section related to the appearance in various scenarios of the Member states
234062	Bug fix - Additional Information: RO Form shows section failed after submission	A bug related to the "Additional information" section appearing only after finalising the form and marked as "Incomplete" (the form becomes "RO" (Read-Only)) was fixed

Coming soon/we are currently working on

ID	Short description
Various	Performance improvements e.g. Finalisation section – implementation postponed
210325	Present and Proposed section re-design and performance improvements implementation of the remaining features/functions. Expected deployment: Q1 2025
219351 Development finalised – pending production deployment	eAF integrity stamp: Upon Finalising the application form, a digital signature confirming that the form has been exported from the PLM Portal is placed on the pdf export by the system. **Important note:** The integrity stamp is a digital signature which is placed in the pdf export automatically by the system when the application form is **Finalised.** It is planned that once this feature is rolled out, it will become **mandatory** to '**Finalise'** the forms meaning that if an eAF is submitted without the stamp it is likely to lead to rejection of the form and request to resubmit with a 'Finalised' form. Please note that it is possible to include an additional, company specific 'Digital signature' in the exported, Finalised eAF pdf form after the automated system integrity stamp has been added. Other types of signatures, such as image of a signature and adobe signature cannot be included in the form after the integrity stamp has been added by the system. Expected deployment: Q1 2025
Various	Analysis of the next set of structured changes e.g. ATC code, Medical Device

Known Issues and Limitations

ID	Short description
230186	The ATC code added in the Present and Proposed using the ATC code popup is not completely functional, and the display in the PDF is not correct. Any changes in the ATC code must be done in the standard Present and Proposed boxes
185709	Allow the selection of an 'Alternative' organisation name in the eAF (displayed on the pdf)
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
Known issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.

Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where section 4d needs to be filled in
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known issue	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known issue	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted – will be resolved with the new present and proposed design
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.1.1.3 (Release date 03/02/2025)

Version Goal: Proof of payment

Date: 03/02/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.1.1.3	This release note is for the version 1.1.1.3 release go-live 03/02/2025

New stories released in this version

ID	Description	Comments
207009	Proof of Payment section: business rules fixes and non-CAP procedure support It is now possible to indicate different payment details for variations for countries with pre-payment and countries with billing details	For CAP only variations where procedure type is Type I, the proof of payment section is now hidden. For EMA led mixed CAP/MRP/DCP application, it is now possible to indicate payment details for the relevant member states. Please note that the value European Union should not be selected for Type I variations. **Known issues/limitations**: Variations containing products authorised through National authorisation (NP) and with a mix of CAPs and NP products, it is currently not possible to use the form.
228315	Declaration section: Hide the parallel procedures product grid in all possible scenarios	The grid where the details of the product(s) and procedure(s) is no longer required and has been removed for all procedures.
229531	Procedural information: Contact for applications with CAPs	A bug related to the contact person for CAPs was fixed (only one contact person can be added for the EU)
230961	Proposed Changes: Create/Edit modal should display Filter, not a search	In the proposed changes, the filter box now shows “Filter” instead of “Search”

Coming soon/we are currently working on

ID	Short description
Important note to all PLM Portal users	Due to an identified issue with ingredient data on the PLM Portal, **the following medicinal product were removed from the Product Lifecycle Management Portal from 13 to 17 January 2025**: all ingredients and their strengths, Pharmaceutical products and routes of administration, Package Items, Package Item Materials, Package Manufactured Items, ATC codes. From **20 January 2025, the removed data was re-uploaded in phases** and all **Centrally Authorised Products' (CAPs) data and non-CAPs** is now available.
Various	Performance improvements e.g. Finalisation section – implementation postponed
210325	Present and Proposed section re-design and performance improvements implementation of the remaining features/functions. Expected deployment: Q1 2025
219351 Development finalised – pending production deployment	eAF integrity stamp: Upon Finalising the application form, a digital signature confirming that the form has been exported from the PLM Portal is placed on the pdf export by the system. **Important note:** The integrity stamp is a digital signature which is placed in the pdf export automatically by the system when the application form is **Finalised.** It is planned that once this feature is rolled out, it will become **mandatory** to '**Finalise'** the forms meaning that if an eAF is submitted without the stamp it is likely to lead to rejection of the form and request to resubmit with a 'Finalised' form. Please note that it is possible to include an additional, company specific 'Digital signature' in the exported, Finalised eAF pdf form after the automated system integrity stamp has been added. Other types of signatures, such as image of a signature and adobe signature cannot be included in the form after the integrity stamp has been added by the system. Expected deployment: Q1 2025
Various	Analysis of the next set of structured changes e.g. ATC code, Medical Device

Known Issues and Limitations

ID	Short description
230186	The ATC code added in the Present and Proposed using the ATC code popup is not completely functional, and the display in the PDF is not correct. Any changes in the ATC code must be done in the standard Present and Proposed boxes

185709	Allow the selection of an 'Alternative' organisation name in the eAF (displayed on the pdf)
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
Known issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where section 4d needs to be filled in
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known issue	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known issue	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted – will be resolved with the new present and proposed design
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.

Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.1.1.2 (Release date 20/01/2025)

Version Goal: Updated present and proposed section

Date: 20/01/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.1.1.2	This release note is for the version 1.1.1.2 release go-live 20/01/2025

New stories released in this version

ID	Description	Comments
228208 230244 230245 230256 230754	Present and proposed improvements/bug fixes	Improvements and bugs in the Present and Proposed section were deployed: • User not able to Save proposed changes without adding new section • Duplicate packages are appearing for existing records on deleting and re-adding the same product • Duplicate packages are appearing in existing proposed changes record on adding new product • After adding Procedure number the page is not responsive and getting error in console

Coming soon/we are currently working on

ID	Short description
Important note to all PLM Portal users	Due to an identified issue with ingredient data on the PLM Portal, **the following medicinal product data will be removed from the Product Lifecycle Management Portal from 13 to 17 January 2025**: • All ingredients and their strengths • Pharmaceutical products and routes of administration

	• Package Items, Package Item Materials, Package Manufactured Items • ATC codes *This means the above data will be unavailable in Product Management Service Product User Interface and Human Variations electronic Application Form.* *In practice, for **PLM Portal web-based eAF users** this means **that fields containing** this information **will be empty** in the **eAFs generated from the PLM Portal** during this period. The missing data is not expected to impact the users of the eAF for variations for Centrally Authorised Products; and eAFs submitted with **empty fields** where the data is 'missing' due to the data cleansing exercise **will not be rejected**. We kindly request you **not to report** missing data/data issues in the eAF via the EMA Service desk during this period.* *This means that PLM Portal eAF users should be able to continue to use the web-based form during this period unless unexpected issues, that were not found during testing, are found once the data cleansing process starts. However, users should note that the interactive pdf eAF is available for use for all variation procedures and applicants may feel more comfortable using the pdf eAF.* From **20 January 2025, the removed data will be re-uploaded in phases**: • All **Centrally Authorised Products' (CAPs) data** will be available from 20 January 2025; • **Non-CAPs data** will gradually reappear over the following two weeks.
Various	Performance improvements e.g. Finalisation section – implementation postponed
207009	Proof of Payment section: business rules fixes and non-CAP procedure support It is currently not possible to indicate different details for non-CAP WS variations for countries with pre-payment and countries with billing details Expected deployment: Q1 2025
210325	Present and Proposed section re-design and performance improvements implementation of the remaining features/functions. Expected deployment: Q1 2025
219351 Development finalised – pending production deployment	eAF integrity stamp: Upon Finalising the application form, a digital signature confirming that the form has been exported from the PLM Portal is placed on the pdf export by the system. **Important note:** The integrity stamp is a digital signature which is placed in the pdf export automatically by the system when the application form is **Finalised.** It is planned that once this feature is rolled out, it will become **mandatory** to '**Finalise'** the forms meaning that if an eAF is submitted without the stamp it is likely to lead to rejection of the form and request to resubmit with a 'Finalised' form.

	Please note that it is possible to include an additional, company specific 'Digital signature' in the exported, Finalised eAF pdf form after the automated system integrity stamp has been added. Other types of signatures, such as image of a signature and adobe signature cannot be included in the form after the integrity stamp has been added by the system. Expected deployment: Q1 2025
Various	Analysis of the next set of structured changes e.g. ATC code, Medical Device

Known Issues and Limitations

ID	Short description
230186	The ATC code added in the Present and Proposed using the ATC code popup is not completely functional, and the display in the PDF is not correct. Any changes in the ATC code must be done in the standard Present and Proposed boxes
185709	Allow the selection of an 'Alternative' organisation name in the eAF (displayed on the pdf)
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
Known issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where section 4d needs to be filled in
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known issue	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known issue	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known issue where selection of all conditions and documentations using the high level tickbox will result an

	error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted – will be resolved with the new present and proposed design
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.1.1.1 (Release date 07/01/2025)

Version Goal: Updated present and proposed section, further variation regulation updates, multiselect application contact person and bug fixes

Date: 07/01/2025

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.1.1.1	This release note is for the version 1.1.1.1 release go-live 07/01/2025

New stories released in this version

ID	Description	Comments

227233	Export: User cannot export and gets error 'Data refresh cannot be completed'	A bug related to pdf export has been fixed. **Please note** that if you experience issues with 'Export' function, please try to repeat the 'Export'. It is possible that up to 3 or 4 attempts are needed before the export is triggered in some cases.
228697	Procedural Information: User not able to save the 'Application form Contact person' details	A bug related to saving application form contact person has been fixed. It is now possible to add and save the contact person details in the form. **Known issue:** Due to a bug the system allows users to add multiple contact persons for applications containing CAPs however, the validation rule preventing adding multiple contact persons is in place, but not visible. If you are getting a persistent error when 'Finalising' the form and the error points to Procedural Information section, please ensure that you have included only 1 application contact person for applications containing at least 1 Centrally Authorised Product.
Bugs: 227076 225964 226673 223452	Present and Proposed section – Implement new functionality	**Partial implementation** of the improved Present and Proposed section with new User Interface (UX) designs. This is fixing the known issue/bug: • Select product packages for proposed changes sub window: the filtering is limited (227076) • View button on scopes is without functionality: the view button has now been hidden to avoid confusion of non-functioning button (225964) • List of Packaged medicinal products not loading: issue with loading packaged medicinal products in the product packages window was fixed • Packages to take a long time to load (the time it takes to display the packages in the product packages window has been reduced)

226154 (to address bugs implemented in: 210325)		• Medicinal Product PMS ID was missing in the product packages window **Remaining known issues and bugs:** • when filters are used top level selection of medicinal products and/or packaged medicinal products doesn't work • Add Package function is 'hidden' inside the 'Edit' view of package and scope summary view • Section title should be optional field • Adding present and proposed organisation before saving the text changes in the present and proposed fields will lead to losing of the text. **Note:** when adding organisations, **please add the organisation first** or use the declaration button to indicate there are no changes to organisations to allow saving of the present and proposed text fields • Saving closes the present and proposed windows and takes the user back to the Proposed Changes home page • *Previous*, *Next*, *Copy*, *Separate* and *Outline* buttons and the dropdown menu for the selection of the Present/Proposed or Present+Proposed fields are non-functional (do not work) • It is not possible to view multiple sections of the present and proposed fields at the same time • It is not possible to view the scope details in the Package and Scope window
229512	Finalisation: PDF – the text included in the Notes box is not displayed in the exported pdf	The text included in the Notes field in the parallel procedures section is now displayed in the pdf export of the eAF

226690	Finalisation: Parallel variations section label updated	The section header (label) has been updated to reflect the business requirement: Declaration of the application about the submission(s) of the same variation (or group of variations) in other Member States / EMA
224122	Product selection: only 5 product fields are shown in View selected products view	A bug in the table displaying selected products has been fixed and all selected products are now displayed (pagination available where list exceeds number of rows on the page)
205988	Product selection: the product search is not working properly (filter for authorised dose form)	A bug in the product selection with filter 'authorised dose form' has been fixed

Coming soon/we are currently working on

ID	Short description
Important note to all PLM Portal users	Due to an identified issue with ingredient data on the PLM Portal, **the following medicinal product data will be removed from the Product Lifecycle Management Portal from 13 to 17 January 2025**: • All ingredients and their strengths • Pharmaceutical products and routes of administration • Package Items, Package Item Materials, Package Manufactured Items • ATC codes *This means the above data will be unavailable in Product Management Service Product User Interface and Human Variations electronic Application Form.* *In practice, for **PLM Portal web-based eAF users** this means **that fields containing** this information **will be empty** in the **eAFs generated from the PLM Portal** during this period. The missing data is not expected to impact the users of the eAF for variations for Centrally Authorised Products; and eAFs submitted with **empty fields** where the data is 'missing' due to the data cleansing exercise **will not be rejected**. We kindly request you **not to report** missing data/data issues in the eAF via the EMA Service desk during this period.* *This means that PLM Portal eAF users should be able to continue to use the web-based form during this period unless unexpected issues, that were not found during testing, are found once the data cleansing process starts. However, users should note that the interactive pdf eAF is available for use for all variation procedures and applicants may feel more comfortable using the pdf eAF.* From **20 January 2025, the removed data will be re-uploaded in phases**:

	• All **Centrally Authorised Products' (CAPs) data** will be available from 20 January 2025; • **Non-CAPs data** will gradually reappear over the following two weeks.
Various	Performance improvements e.g. Finalisation section – implementation postponed
207009	Proof of Payment section: business rules fixes and non-CAP procedure support It is currently not possible to indicate different details for non-CAP WS variations for countries with pre-payment and countries with billing details Expected deployment: Q1 2025
210325	Present and Proposed section re-design and performance improvements implementation of the remaining features/functions. Expected deployment: Q1 2025
219351 Development finalised – pending production deployment	eAF integrity stamp: Upon Finalising the application form, a digital signature confirming that the form has been exported from the PLM Portal is placed on the pdf export by the system. **Important note:** The integrity stamp is a digital signature which is placed in the pdf export automatically by the system when the application form is **Finalised.** It is planned that once this feature is rolled out, it will become **mandatory** to '**Finalise'** the forms meaning that if an eAF is submitted without the stamp it is likely to lead to rejection of the form and request to resubmit with a 'Finalised' form. Please note that it is possible to include an additional, company specific 'Digital signature' in the exported, Finalised eAF pdf form after the automated system integrity stamp has been added. Other types of signatures, such as image of a signature and adobe signature cannot be included in the form after the integrity stamp has been added by the system. Expected deployment: Q1 2025
Various	Analysis of the next set of structured changes e.g. ATC code, Medical Device

Known Issues and Limitations

ID	Short description
185709	Allow the selection of an 'Alternative' organisation name in the eAF (displayed on the pdf)
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.

Known issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing **Workaround**: use the interactive pdf eAF for variations where section 4d needs to be filled in
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known issue	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known issue	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted – will be resolved with the new present and proposed design
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order

Version: 1.1.1.0 (Release date 09/12/2024)

Version Goal: Updated present and proposed section, further variation regulation updates, multiselect application contact person and bug fixes

Date: 09/12/2024

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.1.1.0	This release note is for the version 1.1.1.0 release go-live 09/12/2024

New stories released in this version

ID	Description	Comments
222840	Procedural information: Change in calculation for type of application (for CAPs)	The business rules related to the calculation of type of application have been updated to correctly reflect single/grouping/workharing/super-grouping
210325	Present and Proposed section – Implement new functionality	**Partial implementation** of the improved Present and Proposed section with new User Interface (UX) designs **Known issues and bugs:** • Select product packages for proposed changes sub window: the filtering is limited and when filters are used top level selection doesn't work • Add Package function is 'hidden' inside the 'Edit' view of package and scope summary view • Section title should be optional field • Adding present and proposed organisation before saving the text changes in the present and proposed fields will lead to losing of the text. **Note:** when adding

		organisations, **please add the organisation first** or use the declaration button to indicate there are no changes to organisations to allow saving of the present and proposed text fields • Saving closes the present and proposed windows and takes the user back to the Proposed Changes home page • *Previous*, *Next*, *Copy*, *Separate* and *Outline* buttons and the dropdown menu for the selection of the Present/Proposed or Present+Proposed fields are non-functional (do not work) • It is not possible to view multiple sections of the present and proposed fields at the same time
173444	Application Contact 'Member State' multi-selection for non-CAPs	For non-CAP variations it is now possible to indicate the same application contact person using new multiselect option for member state
217411	Updates related to 'Parallel Procedures' section/other changes reflecting amended variation regulation (e.g. mandatory worksharing)	The business rules have been updated and the Declaration on parallel variations has been updated. **Note:** • Discrepancy in the text between UI and pdf export will be corrected in a future release) • The updates relate to the amended Variation Regulation entering into force from 1st January 2025 • The new Declaration and the note field relate to the '**Mandatory worksharing**' procedures where the applicant needs to declare the parallel variations of the same scope for other products (justification why the applicant chose not to do a worksharing, but a separate variation). Please note that when the tickbox is selected, the product grid should not appear.

Coming soon/we are currently working on

ID	Short description
Various	Performance improvements e.g. Finalisation section – implementation postponed
207009	Proof of Payment section: business rules fixes and non-CAP procedure support Expected deployment: Q1 2025
210325	Present and Proposed section re-design and performance improvements implementation of the remaining features/functions. Expected deployment: Q1 2025
	eAF integrity stamp: Upon Finalising the application form, a digital signature confirming that the form has been exported from the PLM Portal is placed on the pdf export by the system Expected deployment: Q1 2025
Various	Analysis of the next set of structured changes e.g. ATC code, Medical Device

Known Issues and Limitations

ID	Short description
185709	Allow the selection of an 'Alternative' organisation name in the eAF (displayed on the pdf)
217411	Updates related to 'Parallel Procedures' section/other changes reflecting amended variation regulation (e.g. mandatory worksharing) – Harmonisation section is currently not displayed in the web UI
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
Known issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing

Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known issue	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known issue	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Known issue	In section Type(s) of Change(s) – scope selection: known issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted – will be resolved with the new present and proposed design
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	Proof of Payment section: It is currently not possible to indicate different details for non-CAP WS variations for countries with pre-payment and countries with billing details
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
Product data quality/duplication of data	Product select screen shows 0/0 product presentation – this issue is derived from product duplication error caused by the system/incorrect data entry in xEVMPD leading to data error in PMS

Version: 1.1.0.3 (Release date 25/11/2024)

Version Goal: New variation regulation updates and bug fixes

Date: 25/11/2024

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.1.0.3	This release note is for the version 1.1.0.3 release go-live 25/11/2024

Issues fixed in this version

ID	Description	Comments
207011	New variation regulation e.g. super-grouping rules for non-CAPs	The business rules related to the super-groupings have been updated to reflect the amended variation regulation
137105	Contact person tooltip for CAPs	For CAPs, the instructions on the form on how to use the contact person field for procedures managed in IRIS were updated
218049	Bug – newly added package	A bug related to newly added Packaged Product not showing up in PDF was fixed
211888	Error message updated	The error message shown when there are product data issues with the selected products was updated.

Coming soon/we are currently working on

ID	Short description
173444	Application contact for non-CAPs should be multiselect. It is currently not possible to select the same contact person for more than 1 Member State, in case the same contact person if used for multiple member states the section needs to be repeated.

217411	Updates related to 'Parallel Procedures' section/other changes reflecting amended variation regulation (e.g. mandatory worksharing)
Various	Performance improvements e.g. Finalisation section
207009	Proof of Payment section: business rules fixes and non-CAP procedure support Expected deployment: Q1 2025
Various	Present and Proposed section re-design Expected deployment: Q1 2025
	eAF integrity stamp: Upon Finalising the application form, a digital signature confirming that the form has been exported from the PLM Portal is placed on the pdf export by the system Expected deployment: Q1 2025
Various	Analysis of the next set of structured changes e.g. packages, manufacturers etc

Known Issues and Limitations

ID	Short description
185709	Allow the selection of an 'Alternative' organisation name in the eAF (displayed on the pdf)
Known issue	When exporting the pdf, the export is intermittently not triggered on the first attempt but might require multiple attempts before succeeding.
Known issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known issue	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known issue	In Medical Device section the 'EU authorised representative' option is missing
Known issue	The selections from the Medical Device section 4d. are not correctly reflected in the pdf export in some cases. **Please note:** for variation applications indicating a change in the device in section 4d. please consider using the interactive pdf eAF.
Known issue	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known issue	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German

Known issue	In section Type(s) of Change(s) – scope selection: known issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted – will be resolved with the new present and proposed design
Known limitation	22845 – Deletion of Application Form is not yet available
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	Proof of Payment section: It is currently not possible to indicate different details for non-CAP WS variations for countries with pre-payment and countries with billing details
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
Product data quality/duplication of data	Product select screen shows 0/0 product presentation – this issue is derived from product duplication error caused by the system/incorrect data entry in xEVMPD leading to data error in PMS

Version: 1.1.0.2 (Release date 11/11/2024)

Version Goal: PLM Portal bug fix release

Date: 11/11/2024

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.1.0.2	This release note is for the version 1.1.0.2 release go-live 11/11/2024

Issues fixed in this version

ID	Description	Comments
195239	Application list page (UI design)	The new User interface design has been implemented on the application list page

Coming soon/we are currently working on

ID	Short description
173444	Application contact for non-CAPs should be multiselect. It is currently not possible to select the same contact person for more than 1 Member State, in case the same contact person if used for multiple member states the section needs to be repeated.
Various	Performance improvements e.g. Finalisation section
Various	Present and Proposed section re-design Expected deployment: end of Q4
207011	New variation regulation e.g. super-grouping rules for non-CAPs Expected deployment: before end of Q4
207009	Proof of Payment section: business rules fixes and non-CAP procedure support Expected deployment: end of Q4

	eAF integrity stamp: Upon Finalising the application form, a digital signature confirming that the form has been exported from the PLM Portal is placed on the pdf export by the system
185709	Allow the selection of an 'Alternative' organisation name in the eAF (displayed on the pdf)
Various	Analysis of the next set of structured changes e.g. packages, manufacturers etc

Known Issues

ID	Short description
Known limitation	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known limitation	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known limitation	In Medical Device section the 'EU authorised representative' option is missing.
Known limitation	22845 – Deletion of Application Form is not yet available
Intermitted known issue	25400 - Incorrect calculation of number of selected scopes in the summary page
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known issue	In section Type(s) of Change(s) – scope selection: known issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	Proof of Payment section: It is currently not possible to indicate different details for non-CAP WS variations for countries with pre-payment and countries with billing details

Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
Known issue	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known issue	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Product data quality/duplication of data	Product select screen shows 0/0 product presentation – this issue is derived from product duplication error caused by the system/incorrect data entry in xEVMPD leading to data error in PMS

Version: 1.1.0.1 (Release date 28/10/2024)

Version Goal: PLM Portal bug fix release

Date: 28/10/2024

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.1.0.1	This release note is for the version 1.1.0.1 release go-live 28/10/2024

Issues fixed in this version

ID	Description	Comments
192580 198781	User Interface Design and UI Improvements	Home page User Interface improvements and other general rectifications
197976	Prevent parallel application cloning	Once the cloning of an application starts, another clone cannot be triggered. If the user tries to clone an application that is already in a cloning process, a pop-up message will appear on the screen
206642	Clone application improvements	When an application is cloned with the change of MAH, the products and attributes derived from products are erased.
206987	IRIS link added to PLM Portal	A link to IRIS Portal was added to the top right menu of the PLM Portal, for quicker access to IRIS.
23546	Orphan Drug improvements	In the Orphan Drug section in Additional Information, multiple designations can be added
209832	Nullified products filtered out	The Nullified products do not appear anymore in the selection of products
182808	Bug – Type(s) of changes identifier column	The Identified column in Type(s) of Changes is now shown in the correct position
195016	Bug – Signatory	A bug related to saving the signatory was fixed

205779	Bug (FHIR XML) – Incomplete scopes not added to the XML	A bug related to the presence of Incomplete scopes in the FHIR XML was fixed
211947	Bug – Type of change saving	A bug related to saving after adding a scope was fixed

Coming soon/we are currently working on

ID	Short description
173444	Application contact for non-CAPs should be multiselect. It is currently not possible to select the same contact person for more than 1 Member State, in case the same contact person if used for multiple member states the section needs to be repeated.
Various	Performance improvements e.g. Finalisation section
Various	Present and Proposed section re-design Expected deployment: end of Q4
207011	New variation regulation e.g. super-grouping rules for non-CAPs Expected deployment: before end of Q4
207009	Proof of Payment section: business rules fixes and non-CAP procedure support Expected deployment: end of Q4
	eAF integrity stamp: Upon Finalising the application form, a digital signature confirming that the form has been exported from the PLM Portal is placed on the pdf export by the system
185709	Allow the selection of an 'Alternative' organisation name in the eAF (displayed on the pdf)
Various	Analysis of the next set of structured changes e.g. packages, manufacturers etc

Known Issues

ID	Short description
Known limitation	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.

Known limitation	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known limitation	In Medical Device section the 'EU authorised representative' option is missing.
Known limitation	22845 – Deletion of Application Form is not yet available
Intermitted known issue	25400 - Incorrect calculation of number of selected scopes in the summary page
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known issue	In section Type(s) of Change(s) – scope selection: known issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	Proof of Payment section: It is currently not possible to indicate different details for non-CAP WS variations for countries with pre-payment and countries with billing details
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
Known issue	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish
Known issue	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Product data quality/duplication of data	Product select screen shows 0/0 product presentation – this issue is derived from product duplication error caused by the system/incorrect data entry in xEVMPD leading to data error in PMS

Version: 1.1 (Release date 14/10/2024)

Version Goal: PLM Portal bug fix release

Date: 14/10/2024

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.1	This release note is for the version 1.1 release go-live 14/10/2024

Issues fixed in this version

ID	Description	Comments
	Non-Centrally Authorised Products (non-CAPs) go-live in the web-based eAF	Products authorised through Mutual Recognition Procedure (MRP), Decentralised Procedure (DCP) and National Procedures (NP) are now available in the eAF for familiarisation and training purposes. Please note that it is not yet possible to submit eAFs generated form the PLM Portal to NCAs. The web-based application form **can be used** for **EMA-led worksharing** applications containing CAPs and **non-CAPs**.
175342	RMS/CMS selection of single MRP product	It is now possible to correctly indicate the Reference Member State for products authorised through MRP procedure.
207814	Part 2: Filter out CAPs that do not have authorisation country EU (Norway, Iceland, Liechtenstein) on the parallel procedures and orphan product selection tables.	Ther CAPs are showing only once also in the product selection windows in parallel procedures section and in the Orphan products section. The entries for Norway, Iceland and Lichtenstein are not visible anymore.
198291	Performance – Optimise indexing in tables	The performance has been improved in areas where tables are shown.

23849	Annexed documents section: External links in the help text cannot be selected easily	The external links in the help text can now be selected easily.
202259	Checkbox on 'View selected products' not functional	The checkbox in the selected products view can now be ticked/unticked as needed.
204369	Regression error – error 500 shown in production	Production bug preventing the use of the forms (error Status 500) was fixed in production on the day it occurred.
205988	Product selection not working properly	Partially fixed: please note that while majority of the filters now work as expected, there is still a bug in the authorised dose form filter. You might need to refresh to restart search. We are working to fix this.

Coming soon/we are currently working on

ID	Short description
209832	Filter out nullified products: this user story will remove number of products that appear as duplicates for the end user in product selection. The nullified products in currently causing an incorrect error message to be displayed (error message refers to product/scope combination) and in some cases these nullified products preventing the use of the web-based form. Expected fix deployment date: 28th October 2024
173444	Application contact for non-CAPs should be multiselect. It is currently not possible to select the same contact person for more than 1 Member State, in case the same contact person if used for multiple member states the section needs to be repeated.
Various	Performance improvements e.g. Finalisation section
Various	Present and Proposed section re-design Expected deployment: end of Q4
207011	New variation regulation e.g. super-grouping rules for non-CAPs Expected deployment: before end of Q4
207009	Proof of Payment section: business rules fixes and non-CAP procedure support Expected deployment: end of Q4
	eAF integrity stamp: Upon Finalising the application form, a digital signature confirming that the form has been exported from the PLM Portal is placed on the pdf export by the system

185709	Allow the selection of an 'Alternative' organisation name in the eAF (displayed on the pdf)
Various	Analysis of the next set of structured changes e.g. packages, manufacturers etc

Known Issues

ID	Short description
Known limitation	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known issue	Cyrillic characters showing '?' in the full name field – this is not a data issue but reflecting data from xEVMPD. This needs to be corrected by the respective MAHs with new version of product to be sent to xEVMPD.
Known limitation	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known limitation	In Medical Device section the 'EU authorised representative' option is missing.
Known limitation	22845 – Deletion of Application Form is not yet available
Intermitted known issue	25400 - Incorrect calculation of number of selected scopes in the summary page
Known limitation	23965 - Conditions and documentation are presented in different order from the variation classification guideline
Known issue	In section Type(s) of Change(s) – scope selection: known issue where selection of all conditions and documentations using the high level tickbox will result an error message saying all conditions and documentations should be selected or note should be provided.
Known limitation	Concurrent users – there is currently a limitation in the system where 2 or more users can work at the same time in the same application form, however, the changes cannot be saved at the same time and this could lead into data loss by one of the concurrent users. It is strongly recommended to organise a workflow internally to avoid any data loss.
Known limitation	23545 - Performance issues Number of sections take very long to open or to display the changes/selections made by the user; for example in Finalisation section, most functions take much longer than acceptable e.g. displaying the parallel procedures section can take up to 1 minute etc.
Known limitation	Proof of Payment section: It is currently not possible to indicate different details for non-CAP WS variations for countries with pre-payment and countries with billing details
Known limitation	23963 - Finalisation: Annexed document and Declaration Section are presented in random order
Known issue	Products authorised in Finland: The full name of product is displayed (randomly) either in Finnish or Swedish

Known issue	Products authorised in Belgium: The full name of product is displayed (randomly) either in Flemish, French or German
Product data quality/duplication of data	Product select screen shows 0/0 product presentation – this issue is derived from product duplication error caused by the system/incorrect data entry in xEVMPD leading to data error in PMS

Version: 1.0.1.19 (Release date 18/09/2024)

Version Goal: PLM Portal bug fix release

Date: 18/09/2024

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.19	This release note is for the version 1.0.1.19 release go-live 18/09/2024

Issues fixed in this version

ID	Description	Comments
193714	Performance improvements – Product selection	New search functionality in the product selection window (the table doesn't show any product initially, the user must search the products; each column can be filtered)
163771	Norway, Iceland, Lichtenstein entries filtered	Ther CAPs are showing only once in the product selection window, the entries for Norway, Iceland and Lichtenstein are not visible anymore

Coming soon/we are currently working on

ID	Component	Short description
Various	Human Variations eAF	Performance improvements
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily

Known Issues

ID	Component	Short description

Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known limitation	PLM Portal	22845 – Deletion of Application Form is not yet available
Intermitted known issue	Human Variations eAF	25400 - Incorrect calculation of number of selected scopes in the summary page
Known limitation	PLM Portal	23545 - Performance issues
Known limitation	Human Variations eAF	23963 - Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
Known limitation	Human Variations eAF	23965 - Conditions and documentation in DADI are not in the same order as in the variation classification guideline
Known limitation	Human Variations eAF	23971 - Proposal for Organisation Details – Split Text
Product data quality/duplication of data	Human Variations eAF	Product select screen shows 0/0 product presentation – this issue is derived from product duplication error caused by the system/incorrect data entry in xEVMPD leading to data error in PMS

Version: 1.0.1.18 (Release date 06/09/2024)

Version Goal: PLM Portal bug fix release

Date: 06/09/2024

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.18	This release note is for the version 1.0.1.18 release go-live 06/09/2024

Issues fixed in this version

ID	Description	Comments
200733	Application form ID added to the PDF	The application form ID (for example: VAR/24/1234) is now on the exported PDF, at the bottom of the page
204228	Label "Changes implementation comment" added to the PDF	In the "Declaration of the application" section in PDF, the comment related to the implementation is now labelled with "Changes implementation comment"
200739	Additional signatory and proof of payment – location in PDF	The main and additional signatory and proof of payment sections are now separate in the PDF
192307	Clone application - Block application during cloning	Some functions of the eAF are temporarily blocked when the cloning of an application has started. Maintenance popup messages are visible on the screen while the cloning is being finalised; a maintenance popup message will appear when opening an application that was not cloned properly, guiding the users on the possible actions to be taken
201530	Bug – Proposed changes	The proposed changes text appears now for all applications in the Present/Proposed list
135095	Bug – Medical device	The update of manufacturing and notified body is now reflected correctly in the medical device section

Coming soon/we are currently working on

ID	Component	Short description
Various	Human Variations eAF	Performance improvements
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily

Known Issues

ID	Component	Short description
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known limitation	PLM Portal	22845 – Deletion of Application Form is not yet available
Intermitted known issue	Human Variations eAF	25400 - Incorrect calculation of number of selected scopes in the summary page
Known limitation	PLM Portal	23545 - Performance issues
Known limitation	Human Variations eAF	23963 - Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
Known limitation	Human Variations eAF	23965 - Conditions and documentation in DADI are not in the same order as in the variation classification guideline
Known limitation	Human Variations eAF	23971 - Proposal for Organisation Details – Split Text
Product data quality/duplication of data	Human Variations eAF	Product select screen shows 0/0 product presentation – this issue is derived from product duplication error caused by the system/incorrect data entry in xEVMPD leading to data error in PMS

Version: 1.0.1.17 (Release date 27/08/2024)

Version Goal: PLM Portal bug fix release

Date: 27/08/2024

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.17	This release note is for the version 1.0.1.17 release go-live 27/08/2024

Issues fixed in this version

ID	Description	Comments
183078	Performance improvements – Product selection	Performance improvements were implemented for the Product selection section: after adding a new product several functions (i.e. Add product, Export, Finalise) are **blocked** until all the processes in the background are finalised, and the user will see a popup message "We are currently executing critical maintenance tasks, including data synchronisation and computational adjustments, on your application. To ensure the highest level of data integrity, access to certain functionalities will be temporarily restricted. We appreciate your patience and understanding while these enhancements are underway." The functions will be accessible once the processes are finished.
193717 164815 193709 193727	Performance improvements	Performance improvements were implemented for the following sections of the application: • Procedural information • Left navigation menu • View eAF list • Create new eAF
134341	Bug - Validation error "The field EMA procedure number/Competent Authority is required."	In the additional details, for "Type IB and Type II variations - Paediatric Requirements", the validation error "The field EMA procedure number/Competent Authority is required." does no longer appear upon saving the page.

189849	Bug - Ordering of Products on Product Selection	The display of the products on Product selection section is again based on alphabetical order.
189854	Bug – packages	Packages are now loading faster under Product selection and Present/Proposed section
197043	Bug – View selected products	In the "View selected products", now all selected products are shown
199677	Bug – Signatory date	In the main and additional signatory, the date remains as selected by the user

Coming soon/we are currently working on

ID	Component	Short description
Various	Human Variations eAF	Performance improvements
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily

Known Issues

ID	Component	Short description
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known limitation	PLM Portal	22845 – Deletion of Application Form is not yet available
Intermitted known issue	Human Variations eAF	25400 - Incorrect calculation of number of selected scopes in the summary page
Known limitation	PLM Portal	23545 - Performance issues
Known limitation	Human Variations eAF	23963 - Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
Known limitation	Human Variations eAF	23965 - Conditions and documentation in DADI are not in the same order as in the variation classification guideline

Known limitation	Human Variations eAF	23971 - Proposal for Organisation Details – Split Text
Product data quality/duplication of data	Human Variations eAF	Product select screen shows 0/0 product presentation – this issue is derived from product duplication error caused by the system/incorrect data entry in xEVMPD leading to data error in PMS

Version: 1.0.1.16 (Release date 08/08/2024)

Version Goal: PLM Portal bug fix release

Date: 08/08/2024

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.16	This release note is for the version 1.0.1.16 release go-live 08/08/2024

Issues fixed in this version

ID	Description	Comments
187787	Orphan products – replace column in Additional information	Display the date of the first authorisation in the Orphan Products subsection and Additional Information section replacing the existing field Authorisation status state for all the level of products (Authorisation, Medicinal and Packaged)
26203	Number of selected packages fix	The number of selected packages is now shown correctly in the product selection tab after changing the selection in the Present/Proposed section
197933	PDF Fix	"Information on harmonisation of product information for MRP/DCP/purely nationally authorised products" now is showing correctly in the Signature section

Coming soon/we are currently working on

ID	Component	Short description
Various	Human Variations eAF	Performance improvements

23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily

Known Issues

ID	Component	Short description
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known limitation	PLM Portal	22845 – Deletion of Application Form is not yet available
Intermitted known issue	Human Variations eAF	25400 - Incorrect calculation of number of selected scopes in the summary page
Known limitation	PLM Portal	23545 - Performance issues
Known limitation	Human Variations eAF	23963 - Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
Known limitation	Human Variations eAF	23965 - Conditions and documentation in DADI are not in the same order as in the variation classification guideline
Known limitation	Human Variations eAF	23971 - Proposal for Organisation Details – Split Text
Product data quality/duplication of data	Human Variations eAF	Product select screen shows 0/0 product presentation – this issue is derived from product duplication error caused by the system/incorrect data entry in xEVMPD leading to data error in PMS

Version: 1.0.1.15 (Release date 22/07/2024)

Version Goal: PLM Portal bug fix release

Date: 22/07/2024

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.15	This release note is for the version 1.0.1.15 release go-live 22/07/2024

Issues fixed in this version

ID	Description	Comments
187483	Add package improvements	The lookup in the parent medicinal product opens a new window where the medicinal products selected in the application can be filtered. When a new package is added for a specific product, that product is auto-selected for the scope that is being edited.
195791	Second signatory fix	A bug causing an empty second signatory to be shown in the exported PDF was fixed.
22513	Pending products	The filters applied to the products were changed to include pending products.
194331	Copy application fix	A bug related to the "next" button on the second page in the process of copying an application was fixed.
194960	Finalisation fix	A bug related to the finalisation of a form was fixed.
194350	Note in type of changes fix	A bug related to the notes from types of changes disappearing was fixed.
195926	Proof of payment PDF fix*	Telephone number and email related to proof of payment are now correctly mapped in the PDF

197870	Active substance PDF fix*	Active substance, if identical for several medicinal products, is no longer multiplied in the PDF

**related to the PDF, added in the release notes on the 30th of July*

Coming soon/we are currently working on

ID	Component	Short description
Various	Human Variations eAF	Performance improvements
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily

Known Issues

ID	Component	Short description
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known limitation	PLM Portal	22845 – Deletion of Application Form is not yet available
Intermitted known issue	Human Variations eAF	25400 - Incorrect calculation of number of selected scopes in the summary page
Known limitation	PLM Portal	23545 - Performance issues
Known limitation	Human Variations eAF	23963 - Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
Known limitation	Human Variations eAF	23965 - Conditions and documentation in DADI are not in the same order as in the variation classification guideline
Known limitation	Human Variations eAF	23971 - Proposal for Organisation Details – Split Text
Product data quality/duplication of data	Human Variations eAF	Product select screen shows 0/0 product presentation – this issue is derived from product duplication error caused by the system/incorrect data entry in xEVMPD leading to data error in PMS

Version: 1.0.1.14 (Release date 15/07/2024)

Version Goal: PLM Portal bug fix release

Date: 15/07/2024

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.14	This release note is for the version 1.0.1.14 release go-live 15/07/2024

Issues fixed in this version

ID	Description	Comments
25715	Human Variations eAF	'Add package' to enable the use for variations that add new presentation
184243	Updated validation error message for 'Change(s) Concern(s)'	The validation error message has been updated to clarify the business rule in 'Change(s) Concern(s)' field.
181541	Organisations using 'OMS' status	Organisations used in eAF are now retrieved based on OMS status. This change will also prevent accidental selection of inactive organisations as the correct OMS status is displayed with it's status).

Coming soon/we are currently working on

ID	Component	Short description
Various	Human Variations eAF	Performance improvements
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily

Known Issues

ID	Component	Short description
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
Known limitation	PLM Portal	22845 – Deletion of Application Form is not yet available
Intermitted known issue	Human Variations eAF	25400 - Incorrect calculation of number of selected scopes in the summary page
23545	PLM Portal	Performance issues
Known limitation	Human Variations eAF	23963 - Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
Known limitation	Human Variations eAF	23965 - Conditions and documentation in DADI are not in the same order as in the variation classification guideline
Known limitation	Human Variations eAF	23971 - Proposal for Organisation Details – Split Text
Product data quality/duplication of data	Human Variations eAF	Product select screen shows 0/0 product presentation – this issue is derived from product duplication error caused by the system/incorrect data entry in xEVMPD leading to data error in PMS

Version: 1.0.1.13 (Release date 13/05/2024)

Version Goal: PLM Portal bug fix release

Date: 13/05/2024

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.13	This release note is for the version 1.0.1.13 release go-live 13/05/2024

Issues fixed in this version

ID	Description	Comments
29109	Human Variations eAF	Improve communication – 'news' tile on homepage
164785	Performance improvements for Applications List page	The applications list page has been performance optimised. 50 most recent forms created/edited will be shown on the page, to see other, previously created/edited forms new 'Load more' button has been added. Note: The search only searches within the first 50 entries if the 'load more' has not been clicked.
164785	Human Variations eAF	Form type (variation) auto selected to improve user experience (no need to select a single value from a list.
15504	Human Variations eAF	Deleted product package details are still appearing in Proposed changes section
174539	eAF product deletion from Application	When product has been deleted from the system, it will also be deleted from the FHIR

Coming soon/we are currently working on

ID	Component	Short description
25715	Human Variations eAF	'Add package' to enable the use for variations that add new presentation
29121	Human Variations eAF	Improve communication – guidance and support page

35130	Human Variations eAF	Improve communication – change guidance documentation on login page from IRIS to PLM Portal

Known Issues

ID	Component	Short description
Known limitation	Human Variations eAF	Delay in display of packaged medicinal products in product selection.
Known limitation	Human Variations eAF	Delay in automated calculations in Procedural information section e.g. correct calculation of 'grouping' or display of Additional Information section
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25400	Human Variations eAF	Incorrect calculation of number of selected scopes in the summary page
26203	Human Variations eAF	Number of selected packages are not updated correctly
23910	Human Variations eAF	Inconsistent button behaviour by viewing 'selected packaged medicinal product(s)'
16209	Human Variations eAF	Symbol "?" is displaying in font style drop down
22733	Human Variations eAF	Error for product and scope selection, package check box is disabled
22845	PLM Portal	Deletion of Application Form is not working
23545	PLM Portal	Performance issues
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily

23851	Human Variations eAF	Search on present-proposed disappearing
23915	Human Variations eAF	Organisation information - parent organisation label does not match
23923	Human Variations eAF	Drop down list member state country doesn't open - intermittent
23931	Human Variations eAF	Double-clicking Save button for Change(s) Scope creates duplicates
23961	PLM Portal	Drop-down invisible in Application Forms overview
23963	Human Variations eAF	Changes Implementation Date issue
23963	Human Variations eAF	Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
23965	Human Variations eAF	Conditions and documentation in DADI are not in the same order as in the variation classification guideline
23967	Human Variations eAF	Finalisation section - Proof of payment - able to select either Yes or NO
23968	Human Variations eAF	Hyphenations are incorrect in tab type of changes, in the view scope and description and in the view conditions and documentation section
23971	Human Variations eAF	Proposal for Organisation Details – Split Text
23974	Human Variations eAF	Suggestion - Scope section - Information is not displayed in a user-friendly manner.
24006	PLM Portal	Refresh button producing error on Application list view
24907	Human Variations eAF	Select all checkbox does not "Select All" in "Proposed Changes" section
25269	Human Variations eAF	Product select screen shows 0/0 product presentation

Version: 1.0.1.13 (Release date 05/02/2024)

Version Goal: PLM Portal bug fix release

Date: 05/02/2024

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.13	This release note is for the version 1.0.1.13 release go-live 05/02/2024

Issues fixed in this version

ID	Description	Comments
11086	Clone application (copy application)	Applicants can now clone (copy) an existing application form to reduce administrative work. It is possible to fully clone the application or copy certain application details and change the MAH. We are aware of a rare cases where the clone is not copying all fields/sections for example for medical devices or GMO. Also, please note that it can take up to 2 minutes to create the clone. If the copy function has not worked, you will get an error message and depending on the issue, you can try again or raise a service desk ticket with details of the incident. If you experience issues, kindly write a support ticket with the variation ID.
132950	Packages are not showing up	Intermitted issue where packages are not displayed in the present and proposed section has been solved in relation to upcoming feature 'add package'.

Coming soon/we are currently working on

ID	Component	Short description

6770 (246)	Human Variations eAF	Rename application
25715	Human Variations eAF	'Add package' to enable the use for variations that add new presentation
29121	Human Variations eAF	Improve communication – guidance and support page

Known Issues

ID	Component	Short description
Known limitation	Human Variations eAF	Delay in display of packaged medicinal products in product selection.
Known limitation	Human Variations eAF	Delay in automated calculations in Procedural information section e.g. correct calculation of 'grouping' or display of Additional Information section
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25400	Human Variations eAF	Incorrect calculation of number of selected scopes in the summary page
15504	Human Variations eAF	Deleted product package details are still appearing in Proposed changes section
26203	Human Variations eAF	Number of selected packages are not updated correctly
23910	Human Variations eAF	Inconsistent button behaviour by viewing 'selected packaged medicinal product(s)'
16209	Human Variations eAF	Symbol "?" is displaying in font style drop down
22733	Human Variations eAF	Error for product and scope selection, package check box is disabled
22845	PLM Portal	Deletion of Application Form is not working
23545	PLM Portal	Performance issues
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily
23851	Human Variations eAF	Search on present-proposed disappearing

23915	Human Variations eAF	Organisation information - parent organisation label does not match
23923	Human Variations eAF	Drop down list member state country doesn't open - intermittent
23931	Human Variations eAF	Double-clicking Save button for Change(s) Scope creates duplicates
23961	PLM Portal	Drop-down invisible in Application Forms overview
23963	Human Variations eAF	Changes Implementation Date issue
23963	Human Variations eAF	Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
23965	Human Variations eAF	Conditions and documentation in DADI are not in the same order as in the variation classification guideline
23967	Human Variations eAF	Finalisation section - Proof of payment - able to select either Yes or NO
23968	Human Variations eAF	Hyphenations are incorrect in tab type of changes, in the view scope and description and in the view conditions and documentation section
23971	Human Variations eAF	Proposal for Organisation Details – Split Text
23974	Human Variations eAF	Suggestion - Scope section - Information is not displayed in a user-friendly manner.
24006	PLM Portal	Refresh button producing error on Application list view
24907	Human Variations eAF	Select all checkbox does not "Select All" in "Proposed Changes" section
25269	Human Variations eAF	Product select screen shows 0/0 product presentation

Version: 1.0.1.12 (Release date 27/11/2023)

Version Goal: PLM Portal bug fix release

Date: 27/11/2023

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.12	This release note is for the version 1.0.1.12 release go-live 27/11/2023

Issues fixed in this version

ID	Description	Comments
37644	Clone variation scope	Applicants can now clone an existing scope to reduce administrative work, if an application should contain the same scope multiple times. We are aware of a very rare case where the clone is not showing up right away and requires a page refresh. If you experience this issue, kindly write a support ticket with the variation ID and the version of the browser you are using.
n/a	Version number correction	The version number of the eAF was updated to 1.0.1.12

Coming soon/we are currently working on

ID	Component	Short description
11086	PLM Portal	Copy application feature not available yet
246	Human Variations eAF	It is not possible to change the 'Friendly name'
25715	Human Variations eAF	Form cannot be used for variations that add new presentation

29109	Human Variations eAF	Improve communication – 'news' tile on homepage
29121	Human Variations eAF	Improve communication – guidance and support page
35130	Human Variations eAF	Improve communication – change guidance documentation on login page from IRIS to PLM Portal

Known Issues

ID	Component	Short description
133199	Human Variations eAF	Cloned scopes do not appear immediately, only after a page refresh
Known limitation	Human Variations eAF	Delay in display of packaged medicinal products in product selection.
Known limitation	Human Variations eAF	Delay in automated calculations in Procedural information section e.g. correct calculation of 'grouping' or display of Additional Information section
38300	FHIR xml	Commercially Confidential Data not related to the application content/variation present in the FHIR XML
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25400	Human Variations eAF	Incorrect calculation of number of selected scopes in the summary page
15504	Human Variations eAF	Deleted product package details are still appearing in Proposed changes section
26157	Human Variations eAF	Packages missing in UAT which are in Production

26203	Human Variations eAF	Number of selected packages are not updated correctly
23910	Human Variations eAF	Inconsistent button behaviour by viewing 'selected packaged medicinal product(s)'
16209	Human Variations eAF	Symbol "?" is displaying in font style drop down
22733	Human Variations eAF	Error for product and scope selection, package check box is disabled
22845	PLM Portal	Deletion of Application Form is not working
23545	PLM Portal	Performance issues
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily
23851	Human Variations eAF	Search on present-proposed disappearing
23915	Human Variations eAF	Organisation information - parent organisation label does not match
23923	Human Variations eAF	Drop down list member state country doesn't open - intermittent
23931	Human Variations eAF	Double-clicking Save button for Change(s) Scope creates duplicates
23961	PLM Portal	Drop-down invisible in Application Forms overview
23963	Human Variations eAF	Changes Implementation Date issue
23963	Human Variations eAF	Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
23965	Human Variations eAF	Conditions and documentation in DADI are not in the same order as in the variation classification guideline
23967	Human Variations eAF	Finalisation section - Proof of payment - able to select either Yes or NO
23968	Human Variations eAF	Hyphenations are incorrect in tab type of changes, in the view scope and description and in the view conditions and documentation section
23971	Human Variations eAF	Proposal for Organisation Details – Split Text

23974	Human Variations eAF	Suggestion - Scope section - Information is not displayed in a user-friendly manner.
24006	PLM Portal	Refresh button producing error on Application list view
24907	Human Variations eAF	Select all checkbox does not "Select All" in "Proposed Changes" section
25269	Human Variations eAF	Product select screen shows 0/0 product presentation
25301	Human Variations eAF	Precise scope and background for information section not saved
24731	Human Variations eAF	The Proposed Package Item Content is not linked to Application Form

Version: 1.0.1.11 (Release date 07/08/2023)

Version Goal: PLM Portal bug fix release

Date: 07/08/2023

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.11	This release note is for the BUGFIX version 1.0.1.11 release go-live 07/08/2023

Issues fixed in this version

ID	Description	Comments
101118	View coordinators on co-authors	Users can see in the "Co-authors" page of an application the coordinators with implicit access to that form

Coming soon/we are currently working on

ID	Component	Short description
11086	PLM Portal	Copy application feature not available yet
246	Human Variations eAF	It is not possible to change the 'Friendly name'
25715	Human Variations eAF	Form cannot be used for variations that add new presentation
37644	Human Variations eAF	Cannot clone variation scopes added in the form (convenience feature when adding multiple times the same scope)
29109	Human Variations eAF	Improve communication – 'news' tile on homepage
29121	Human Variations eAF	Improve communication – guidance and support page

35130	Human Variations eAF	Improve communication – change guidance documentation on login page from IRIS to PLM Portal

Known Issues

ID	Component	Short description
Known limitation	Human Variations eAF	Delay in display of packaged medicinal products in product selection.
Known limitation	Human Variations eAF	Delay in automated calculations in Procedural information section e.g. correct calculation of 'grouping' or display of Additional Information section
38300	FHIR xml	Commercially Confidential Data not related to the application content/variation present in the FHIR XML
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25400	Human Variations eAF	Incorrect calculation of number of selected scopes in the summary page
15504	Human Variations eAF	Deleted product package details are still appearing in Proposed changes section
26157	Human Variations eAF	Packages missing in UAT which are in Production
26203	Human Variations eAF	Number of selected packages are not updated correctly
23910	Human Variations eAF	Inconsistent button behaviour by viewing 'selected packaged medicinal product(s)'
16209	Human Variations eAF	Symbol "?" is displaying in font style drop down

22733	Human Variations eAF	Error for product and scope selection, package check box is disabled
22845	PLM Portal	Deletion of Application Form is not working
23545	PLM Portal	Performance issues
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily
23851	Human Variations eAF	Search on present-proposed disappearing
23915	Human Variations eAF	Organisation information - parent organisation label does not match
23923	Human Variations eAF	Drop down list member state country doesn't open - intermittent
23931	Human Variations eAF	Double-clicking Save button for Change(s) Scope creates duplicates
23961	PLM Portal	Drop-down invisible in Application Forms overview
23963	Human Variations eAF	Changes Implementation Date issue
23963	Human Variations eAF	Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
23965	Human Variations eAF	Conditions and documentation in DADI are not in the same order as in the variation classification guideline
23967	Human Variations eAF	Finalisation section - Proof of payment - able to select either Yes or NO
23968	Human Variations eAF	Hyphenations are incorrect in tab type of changes, in the view scope and description and in the view conditions and documentation section
23971	Human Variations eAF	Proposal for Organisation Details – Split Text
23974	Human Variations eAF	Suggestion - Scope section - Information is not displayed in a user-friendly manner.
24006	PLM Portal	Refresh button producing error on Application list view
24907	Human Variations eAF	Select all checkbox does not "Select All" in "Proposed Changes" section

25269	Human Variations eAF	Product select screen shows 0/0 product presentation
25301	Human Variations eAF	Precise scope and background for information section not saved
24731	Human Variations eAF	The Proposed Package Item Content is not linked to Application Form

Version: 1.0.1.10 (Release date 26/07/2023)

Version Goal: PLM Portal bug fix release

Date: 26/07/2023

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.10	This release note is for the BUGFIX version 1.0.1.10 release go-live 26/07/2023

Issues fixed in this version

ID	Description	Comments
109812	Finalising of the form not possible for certain roles	The regression bug was fixed, and the finalisation of the forms is possible also for Applicant Manager/Coordinator/Admin/Competent Authority roles
22039	Impossible to identify from the product selection window which MA number is being selected for some products	The MA number is visible in the product selection window
23531	MRP/CP Number column empty in Selected Packaged Medicinal Product(s) view	Users are able to see the MRP/CP number on packages, based on their parent medicinal product.
104314	MAH phone number and email missing in the exported pdf	The regression bug was fixed, and the MAH phone number and email are visible in the exported PDF

Coming soon/we are currently working on

ID	Component	Short description
11086	PLM Portal	Copy application feature not available yet

246	Human Variations eAF	It is not possible to change the 'Friendly name'
25715	Human Variations eAF	Form cannot be used for variations that add new presentation
37644	Human Variations eAF	Cannot clone variation scopes added in the form (convenience feature when adding multiple times the same scope)
29109	Human Variations eAF	Improve communication – 'news' tile on homepage
29121	Human Variations eAF	Improve communication – guidance and support page
35130	Human Variations eAF	Improve communication – change guidance documentation on login page from IRIS to PLM Portal

Known Issues

ID	Component	Short description
Known limitation	Human Variations eAF	Delay in display of packaged medicinal products in product selection.
Known limitation	Human Variations eAF	Delay in automated calculations in Procedural information section e.g. correct calculation of 'grouping' or display of Additional Information section
38300	FHIR xml	Commercially Confidential Data not related to the application content/variation present in the FHIR XML
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25400	Human Variations eAF	Incorrect calculation of number of selected scopes in the summary page

15504	Human Variations eAF	Deleted product package details are still appearing in Proposed changes section
26157	Human Variations eAF	Packages missing in UAT which are in Production
26203	Human Variations eAF	Number of selected packages are not updated correctly
23910	Human Variations eAF	Inconsistent button behaviour by viewing 'selected packaged medicinal product(s)'
16209	Human Variations eAF	Symbol "?" is displaying in font style drop down
22733	Human Variations eAF	Error for product and scope selection, package check box is disabled
22845	PLM Portal	Deletion of Application Form is not working
23545	PLM Portal	Performance issues
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily
23851	Human Variations eAF	Search on present-proposed disappearing
23915	Human Variations eAF	Organisation information - parent organisation label does not match
23923	Human Variations eAF	Drop down list member state country doesn't open - intermittent
23931	Human Variations eAF	Double-clicking Save button for Change(s) Scope creates duplicates
23961	PLM Portal	Drop-down invisible in Application Forms overview
23963	Human Variations eAF	Changes Implementation Date issue
23963	Human Variations eAF	Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
23965	Human Variations eAF	Conditions and documentation in DADI are not in the same order as in the variation classification guideline
23967	Human Variations eAF	Finalisation section - Proof of payment - able to select either Yes or NO

23968	Human Variations eAF	Hyphenations are incorrect in tab type of changes, in the view scope and description and in the view conditions and documentation section
23971	Human Variations eAF	Proposal for Organisation Details – Split Text
23974	Human Variations eAF	Suggestion - Scope section - Information is not displayed in a user-friendly manner.
24006	PLM Portal	Refresh button producing error on Application list view
24907	Human Variations eAF	Select all checkbox does not "Select All" in "Proposed Changes" section
25269	Human Variations eAF	Product select screen shows 0/0 product presentation
25301	Human Variations eAF	Precise scope and background for information section not saved
24731	Human Variations eAF	The Proposed Package Item Content is not linked to Application Form

Version: 1.0.1.9 (Release date 13/06/2023)

Version Goal: PLM Portal bug fix release

Date: 13/06/2023

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.9	This release note is for the BUGFIX version 1.0.1.9 release go-live 13/06/2023

Issues fixed in this version

ID	Description	Comments
16208	Select All button must select all the available records in Available Products table and Packaged Products table	Also products that are not displayed on the page (in case of pagination) are selected when select all button is used. **NOTE:** only packages that have been loaded already will be selected. It is very important to check that all packages needed have been loaded and selected prior to finalising the form.
23547	Procedural information: Some mandatory fields are not mandatory in the form	The following fields are now mandatory: • MAH contact details (telephone and email address). • MAH contact person (contact details and the organisation) • Procedure number (where relevant)
23896	Error after wrong date format for Implementation date	When the implementation date format is entered incorrectly (in Type(s) of Change(s) Type IA/Type IAIN only, the correct validation message is now displayed.
25396	Packaged medicinal products are not shown when	An issue related to display of packaged medicinal products in some applications has now been fixed and all packaged medicinal products for the selected

	combining scopes and medicinal products	medicinal products should now be visible in the Proposed changes section. **NOTE:** This is a partial fix to the issue as only those product/packages that have been loaded by the system are **visible**. There is a **delay** in loading the packages in Present and Proposed table. The delay issue will be addressed in a future release.
76861	Select All in combination with pagination will delete the previous selection	An issue related to applications containing more than 50 packaged medicinal products has been fixed. It is now possible to select all packages for all selected medicinal products **NOTE:** There is a known issue affecting this section and only approx. 200 packages can be selected at one time.
77891	Update the Validation Status of Procedural Information Section	Any field validation change should update the validation status. **NOTE:** This is a partial fix to the issue. The section level validation will remain valid (green) and will only reflect the 'not completed' status only if the 'validate button is repressed. Field level validation errors are shown correctly.
86890	Packages may not be loaded in when present/proposed is opened	The packages table on the proposed changes screen will now have a loading circle (spinner) to indicate that it is waiting on backend processes to finish creating the relevant records. Once the backend processes finish, the spinner will disappear, and the table will be loaded. There is no need to refresh the page as the table will load on its own.
93686	Friendly name validates at 100 chars but fails at 80 chars already	A technical issue (bug) detected on the background preventing finalisation of the eAF with a Friendly name exceeding 80 characters has been fixed.
94280	MAH phone number should validate without save	The validation error is no longer displayed when the 'validate' button is pressed after including the MAH phone number.
95272	Procedural Information - Reference Member State field error	Only relevant to WS procedures that do not contain any CAPs (fixed in preparation for NAPs release): • The error message on RMS now has its own line

		• There is a red border around the RMS field if no country has been selected as the RMS.

Coming soon/we are currently working on

ID	Component	Short description
11086	PLM Portal	Copy application feature not available yet
246	Human Variations eAF	It is not possible to change the 'Friendly name'
25715	Human Variations eAF	Form cannot be used for variations that add new presentation
37644	Human Variations eAF	Cannot clone variation scopes added in the form (convenience feature when adding multiple times the same scope)
29109	Human Variations eAF	Improve communication – 'news' tile on homepage
29121	Human Variations eAF	Improve communication – guidance and support page
35130	Human Variations eAF	Improve communication – change guidance documentation on login page from IRIS to PLM Portal

Known Issues

ID	Component	Short description
Known limitation	Human Variations eAF	Delay in display of packaged medicinal products in product selection.
Known limitation	Human Variations eAF	Delay in automated calculations in Procedural information section e.g. correct calculation of 'grouping' or display of Additional Information section
38300	FHIR xml	Commercially Confidential Data not related to the application content/variation present in the FHIR XML
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures

		available for some products. **Workaround**: use the +Add to manually add other ongoing applications
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25400	Human Variations eAF	Incorrect calculation of number of selected scopes in the summary page
15504	Human Variations eAF	Deleted product package details are still appearing in Proposed changes section
26157	Human Variations eAF	Packages missing in UAT which are in Production
26203	Human Variations eAF	Number of selected packages are not updated correctly
23910	Human Variations eAF	Inconsistent button behaviour by viewing 'selected packaged medicinal product(s)'
16209	Human Variations eAF	Symbol "?" is displaying in font style drop down
22733	Human Variations eAF	Error for product and scope selection, package check box is disabled
22845	PLM Portal	Deletion of Application Form is not working
23545	PLM Portal	Performance issues
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily
23851	Human Variations eAF	Search on present-proposed disappearing
23915	Human Variations eAF	Organisation information - parent organisation label does not match
23923	Human Variations eAF	Drop down list member state country doesn't open - intermittent
23931	Human Variations eAF	Double-clicking Save button for Change(s) Scope creates duplicates
23961	PLM Portal	Drop-down invisible in Application Forms overview
23963	Human Variations eAF	Changes Implementation Date issue

23963	Human Variations eAF	Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
23965	Human Variations eAF	Conditions and documentation in DADI are not in the same order as in the variation classification guideline
23967	Human Variations eAF	Finalisation section - Proof of payment - able to select either Yes or NO
23968	Human Variations eAF	Hyphenations are incorrect in tab type of changes, in the view scope and description and in the view conditions and documentation section
23971	Human Variations eAF	Proposal for Organisation Details – Split Text
23974	Human Variations eAF	Suggestion - Scope section - Information is not displayed in a user-friendly manner.
24006	PLM Portal	Refresh button producing error on Application list view
24907	Human Variations eAF	Select all checkbox does not "Select All" in "Proposed Changes" section
25269	Human Variations eAF	Product select screen shows 0/0 product presentation
25301	Human Variations eAF	Precise scope and background for information section not saved
24731	Human Variations eAF	The Proposed Package Item Content is not linked to Application Form

Version: 1.0.1.8 (Release date 16/05/2023)

Version Goal: PLM Portal bug fix release

Date: 16/05/2023

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.8	This release note is for the BUGFIX version 1.0.1.8 release go-live 16/05/2023
Update of the human readable pdf export	PDF version 2.0.5.1	This release note is for the BUGFIX version 2.0.5.1 release go-live 20/02/2023
Implementation of the FHIR xml	FHIR XML 1.1.2.0	

Issues fixed in this version

ID	Description	Comments
25396	Packaged medicinal products are not shown when combining scopes and medicinal products	An issue related to display of packaged medicinal products in some applications has now been fixed and all packaged medicinal products for the selected medicinal products should now be visible in the Proposed changes section. **NOTE:** This is a partial fix to the issue as only those product/packages that have been loaded by the system are **visible**. There is a **delay** in loading the packages in Present and Proposed table. The delay issue will be addressed in a future release.
76861	Select All in combination with pagination will delete the previous selection	An issue related to applications containing more than 50 packaged medicinal products has been fixed. It is now possible to select all packages for all selected medicinal products
93686	Friendly name validates at 100 chars but fails at 80 chars already	A technical issue (bug) detected on the background preventing finalisation of the eAF with a Friendly name exceeding 8 characters has been fixed.

Known Issues

ID	Component	Short description
16208	Human Variations eAF	Select All button must select all the available records in Available Products table and Packaged Products table
11086	PLM Portal	Copy application feature not available yet

246	Human Variations eAF	It is not possible to change the 'Friendly name'
25715	Human Variations eAF	Form cannot be used for variations that add new presentation
Known limitation	Human Variations eAF	Delay in display of packaged medicinal products in product selection.
Known limitation	Human Variations eAF	Delay in automated calculations in Procedural information section e.g. correct calculation of 'grouping' or display of Additional Information section
37644	Human Variations eAF	Cannot clone variation scopes added in the form (convenience feature when adding multiple times the same scope)
38300	FHIR xml	Commercially Confidential Data not related to the application content/variation present in the FHIR XML
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
23547	Human Variations eAF	Procedural information: Some mandatory fields are not mandatory in the form
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25400	Human Variations eAF	Incorrect calculation of number of selected scopes in the summary page
15504	Human Variations eAF	Deleted product package details are still appearing in Proposed changes section
29109	Human Variations eAF	Improve communication – 'news' tile on homepage
29121	Human Variations eAF	Improve communication – guidance and support page
35130	Human Variations eAF	Improve communication – change guidance documentation on login page from IRIS to PLM Portal

26157	Human Variations eAF	Packages missing in UAT which are in Production
26203	Human Variations eAF	Number of selected packages are not updated correctly
23910	Human Variations eAF	Inconsistent button behaviour by viewing 'selected packaged medicinal product(s)'
16209	Human Variations eAF	Symbol "?" is displaying in font style drop down
22733	Human Variations eAF	Error for product and scope selection, package check box is disabled
22845	PLM Portal	Deletion of Application Form is not working
23545	PLM Portal	Performance issues
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily
23851	Human Variations eAF	Search on present-proposed disappearing
23896	Human Variations eAF	Error after wrong date format for Implementation date
23915	Human Variations eAF	Organisation information - parent organisation label does not match
23923	Human Variations eAF	Drop down list member state country doesn't open - intermittent
23931	Human Variations eAF	Double-clicking Save button for Change(s) Scope creates duplicates
23961	PLM Portal	Drop-down invisible in Application Forms overview
23963	Human Variations eAF	Changes Implementation Date issue
23963	Human Variations eAF	Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
23965	Human Variations eAF	Conditions and documentation in DADI are not in the same order as in the variation classification guideline
23967	Human Variations eAF	Finalisation section - Proof of payment - able to select either Yes or NO

23968	Human Variations eAF	Hyphenations are incorrect in tab type of changes, in the view scope and description and in the view conditions and documentation section
23971	Human Variations eAF	Proposal for Organisation Details – Split Text
23974	Human Variations eAF	Suggestion - Scope section - Information is not displayed in a user-friendly manner.
24006	PLM Portal	Refresh button producing error on Application list view
24907	Human Variations eAF	Select all checkbox does not "Select All" in "Proposed Changes" section
25269	Human Variations eAF	Product select screen shows 0/0 product presentation
25301	Human Variations eAF	Precise scope and background for information section not saved
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
~~25396~~	~~Human Variations eAF~~	~~Packaged medicinal products are not shown when combining scopes and medicinal products~~
24731	Human Variations eAF	The Proposed Package Item Content is not linked to Application Form

Version: 1.0.1.7 (Release date 17/04/2023)

Version Goal: PLM Portal bug fix release

Date: 17/04/2023

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description

Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.7	This release note is for the BUGFIX version 1.0.1.7 release go-live 17/04/2023
Update of the human readable pdf export	PDF version 2.0.5.1	This release note is for the BUGFIX version 2.0.5.1 release go-live 20/02/2023
Implementation of the FHIR xml	FHIR XML 1.1.2.0	

Issues fixed in this version

ID	Description	Comments
37806	Enable search of EU Orphan designations using the EU Orphan Designation number(s)	It is now easier to add the EU Orphan designation numbers into the section 4a on Information relating to orphan market exclusivity
42683	The ATC code should also display the ATC code group in the PDF	The pdf output now also displays the ATC code group in addition to the ATC code.
59912	Regression: too many options visible in the dropdown for applicant contributor	The number of features/functions available for Contributor is now limited in the list of applications dropdown menu (no functional change)

Known Issues

ID	Component	Short description
11086	PLM Portal	Copy application feature not available yet
246	Human Variations eAF	It is not possible to change the 'Friendly name'
25715	Human Variations eAF	Form cannot be used for variations that add new presentation
Known limitation	Human Variations eAF	Delay in display of packaged medicinal products in product selection.
Known limitation	Human Variations eAF	Delay in automated calculations in Procedural information section e.g. correct calculation of 'grouping' or display of Additional Information section

37644	Human Variations eAF	Cannot clone variation scopes added in the form (convenience feature when adding multiple times the same scope)
38300	FHIR xml	Commercially Confidential Data not related to the application content/variation present in the FHIR XML
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
23547	Human Variations eAF	Procedural information: Some mandatory fields are not mandatory in the form
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25400	Human Variations eAF	Incorrect calculation of number of selected scopes in the summary page
~~23910~~	~~Human Variations eAF~~	~~eAF allows only two signatories~~
15504	Human Variations eAF	Deleted product package details are still appearing in Proposed changes section
29109	Human Variations eAF	Improve communication – 'news' tile on homepage
29121	Human Variations eAF	Improve communication – guidance and support page
35130	Human Variations eAF	Improve communication – change guidance documentation on login page from IRIS to PLM Portal
26157	Human Variations eAF	Packages missing in UAT which are in Production
26203	Human Variations eAF	Number of selected packages are not updated correctly
23910	Human Variations eAF	Inconsistent button behaviour by viewing 'selected packaged medicinal product(s)'

16209	Human Variations eAF	Symbol "?" is displaying in font style drop down
22733	Human Variations eAF	Error for product and scope selection, package check box is disabled
22845	PLM Portal	Deletion of Application Form is not working
23545	PLM Portal	Performance issues
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily
23851	Human Variations eAF	Search on present-proposed disappearing
23896	Human Variations eAF	Error after wrong date format for Implementation date
23915	Human Variations eAF	Organisation information - parent organisation label does not match
23923	Human Variations eAF	Drop down list member state country doesn't open - intermittent
23931	Human Variations eAF	Double-clicking Save button for Change(s) Scope creates duplicates
23961	PLM Portal	Drop-down invisible in Application Forms overview
23963	Human Variations eAF	Changes Implementation Date issue
23963	Human Variations eAF	Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
23965	Human Variations eAF	Conditions and documentation in DADI are not in the same order as in the variation classification guideline
23967	Human Variations eAF	Finalisation section - Proof of payment - able to select either Yes or NO
23968	Human Variations eAF	Hyphenations are incorrect in tab type of changes, in the view scope and description and in the view conditions and documentation section
23971	Human Variations eAF	Proposal for Organisation Details – Split Text
23974	Human Variations eAF	Suggestion - Scope section - Information is not displayed in a user-friendly manner.

24006	PLM Portal	Refresh button producing error on Application list view
24907	Human Variations eAF	Select all checkbox does not "Select All" in "Proposed Changes" section
25269	Human Variations eAF	Product select screen shows 0/0 product presentation
25301	Human Variations eAF	Precise scope and background for information section not saved
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25396	Human Variations eAF	Packaged medicinal products are not shown when combining scopes and medicinal products
24731	Human Variations eAF	The Proposed Package Item Content is not linked to Application Form

Version: 1.0.1.6 (Release date 21/02/2023)

Version Goal: PLM Portal bug fix release

Date: 21/02/2023

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.6	This release note is for the BUGFIX version 1.0.1.6 release go-live 21/02/2023
Update of the human readable pdf export	PDF version 2.0.5.1	This release note is for the BUGFIX version 2.0.5.1 release go-live 20/02/2023

Update of the human readable pdf export	PDF Version 2.0.2.2* *Please note that the newly introduced 4th number refers to technical changes in the pdfgen. These do not refer to change in the pdf output form used by business users.	This release note is for the BUGFIX version 2.0.2 release go-live 06/02/2023
Implementation of the FHIR xml	FHIR XML 1.1.2.0	**Release go-live 10/02/2023:** • ASMF/DUNS/Telephone/Email mapping***** (**36110**) • Limit width of free text fields***** (**24565**) • Ingredient/Ingredient Strength/Ingredient Documentation FHIR refactoring (**30382**/**30383**/**30387**) • Attach every DeviceDefinition to a Medicinal Product (**38537**) • Add the Source ID to the ATC while keeping the ATC name as well (**38779**) • Minor fixes to the Device variation as new edge-cases were tested (**37124**/**38274**)

Issues fixed in this version

ID	Description	Comments
22398	Present and Proposed section: • ASMF number and DUNS number fields missing from the Web UI. • Telephone number and email address fields added for organisations entered/selected for changes in present and proposed	Input fields for the ASMF number and DUNS number have been added to the web UI of eAF. When added in the form, the ASMF numbers will be presented as a part of the present and proposed table, not as a separate field below all present and proposed fields like in the interactive pdf. The DUNS number field will only be displayed in the pdf if value is added to that field in the web eAF. The DUNS number is displayed as a part of the organisational information and not as a separate field below all present and proposed fields like in the interactive pdf.

38757	Application Forms view – Label change to the drop down options	In the application forms list view, the menu options on the right hand side dropdown selection now indicate 'Coming soon' for those features that are not yet available (for example Copy Application).
40214	Image resize issue	The images are now displayed in a legible format in the present and proposed fields. The fields in present and proposed can be now used as per normal.
27729	Clicking 'validate' immediately after clicking 'save' throws an error (RPI cannot be blank for CAP products).	The error message is no longer displayed when the RPI is present and even if the 'validate' button is clicked before the packages are loaded.
25396	Human Variations eAF	Packaged medicinal products are not shown when combining scopes and medicinal products
42871	3 new tick boxes related to personal data are missing from the Declaration section when SPC, PI or labelling is ticked in Annexed documents section.	The mandatory tick boxes are now available in Declaration section when expected and no validation error is displayed.
37507	Correct typos – present and proposed section: Pharmacovigilance'	Typo has been corrected in the dropdown list of proposed changes

Known Issues

ID	Component	Short description
Known limitation	PLM Portal	Copy application feature not available yet
Known limitation	Human Variations eAF	It is not possible to change the 'Friendly name'
Known limitation	Human Variations eAF	Form cannot be used for variations that add new presentation
Known limitation	Human Variations eAF	Delay in display of packaged medicinal products in product selection.
Known limitation	Human Variations eAF	Delay in automated calculations in Procedural information section e.g. correct calculation of 'grouping' or display of Additional Information section

37644	Human Variations eAF	Cannot clone variation scopes added in the form (convenience feature when adding multiple times the same scope)
38300	FHIR xml	Commercially Confidential Data not related to the application content/variation present in the FHIR XML
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
37806	Human Variations eAF	Enable search of EU Orphan designations using the EU Orphan Designation number(s)
23547	Human Variations eAF	Procedural information: Some mandatory fields are not mandatory in the form
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25396	Human Variations eAF	Packaged medicinal products are not shown when combining scopes and medicinal products
25400	Human Variations eAF	Incorrect calculation of number of selected scopes in the summary page
23910	Human Variations eAF	eAF allows only two signatories
15504	Human Variations eAF	Deleted product package details are still appearing in Proposed changes section
29109	Human Variations eAF	Improve communication – 'news' tile on homepage
29121	Human Variations eAF	Improve communication – guidance and support page
35130	Human Variations eAF	Improve communication – change guidance documentation on login page from IRIS to PLM Portal
26157	Human Variations eAF	Packages missing in UAT which are in Production
26203	Human Variations eAF	Number of selected packages are not updated correctly

23910	Human Variations eAF	Inconsistent button behaviour by viewing 'selected packaged medicinal product(s)'
16209	Human Variations eAF	Symbol "?" is displaying in font style drop down
22733	Human Variations eAF	Error for product and scope selection, package check box is disabled
22845	PLM Portal	Deletion of Application Form is not working
23545	PLM Portal	Performance issues
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily
23851	Human Variations eAF	Search on present-proposed disappearing
23896	Human Variations eAF	Error after wrong date format for Implementation date
23915	Human Variations eAF	Organisation information - parent organisation label does not match
23923	Human Variations eAF	Drop down list member state country doesn't open - intermittent
23931	Human Variations eAF	Double-clicking Save button for Change(s) Scope creates duplicates
23961	PLM Portal	Drop-down invisible in Application Forms overview
23963	Human Variations eAF	Changes Implementation Date issue
23963	Human Variations eAF	Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
23965	Human Variations eAF	Conditions and documentation in DADI are not in the same order as in the variation classification guideline
23967	Human Variations eAF	Finalisation section - Proof of payment - able to select either Yes or NO
23968	Human Variations eAF	Hyphenations are incorrect in tab type of changes, in the view scope and description and in the view conditions and documentation section
23969	Human Variations eAF	Cannot select more than one organisation in Proposed Organisation field

23971	Human Variations eAF	Proposal for Organisation Details – Split Text
23974	Human Variations eAF	Suggestion - Scope section - Information is not displayed in a user-friendly manner.
24006	PLM Portal	Refresh button producing error on Application list view
24905	PDF	Country name shown is long version in PDF
24907	Human Variations eAF	Select all checkbox does not "Select All" in "Proposed Changes" section
25269	Human Variations eAF	Product select screen shows 0/0 product presentation
25301	Human Variations eAF	Precise scope and background for information section not saved
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25396	Human Variations eAF	Packaged medicinal products are not shown when combining scopes and medicinal products
24731	Human Variations eAF	The Proposed Package Item Content is not linked to Application Form

Version: 1.0.1.4 (Release date 23/01/2023)

Version Goal: PLM Portal bug fix release

Date: 23/01/2023

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.4	This release note is for the BUGFIX version 1.0.1.4 release go-live 23/01/2023

Update of the human readable pdf export	PDF Version 2.0.2.2* *Please note that the newly introduced 4th number refers to technical changes in the pdfgen. These do not refer to change in the pdf output form used by business users.	This release note is for the BUGFIX version 2.0.2 release go-live 23/01/2023

Issues fixed in this version

ID	Description	Comments
24184 – web eAF	Add a link to the Guidance for applicants on precise scope	The Guidance for applicants for the preparation of the 'precise scope' section of the variation application form is now available via a link in the Precise Scope section (via 'info' button)
35219 – web eAF	Proposed Changes Section: Upload Image Error in Rich Text Box Field	It is now possible to include images in the Present and Proposed fields (the production issue has been fixed).
24565 – web eAF	Limit width of free text fields	The images are now displayed in more legible format in the present and proposed fields.
25713 – web eAF	Info text for commercially confidential data is incorrect	The information text explaining the details related to access management in relation to CCI have been clarified and corrected.

Known Issues

ID	Component	Short description
Known limitation	PLM Portal	Copy application feature not available yet
Known limitation	Human Variations eAF	It is not possible to change the 'Friendly name'
Known limitation	Human Variations eAF	Form cannot be used for variations that add new presentation
Known limitation	Human Variations eAF	Delay in display of packaged medicinal products in product selection.

Known limitation	Human Variations eAF	Delay in automated calculations in Procedural information section e.g. correct calculation of 'grouping' or display of Additional Information section
Known limitation	Human Variations eAF	Cannot clone variation scopes added in the form (convenience feature when adding multiple times the same scope)
Known limitation	FHIR xml	Commercially Confidential Data not related to the application content/variation present in the FHIR XML
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
27729	Human Variations eAF	Clicking 'validate' immediately after clicking 'save' throws an error (RPI cannot be blank for CAP products). This error message is incorrect and doesn't at all have anything to do with RPI.
23547	Human Variations eAF	Procedural information: Some mandatory fields are not mandatory in the form
22398	Human Variations eAF	Present and Proposed section: ASMF number and DUNS number fields missing from the Web UI. **Workaround**: If these need to be provided, please use Precise Scope section or the interactive pdf eAF.
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25396	Human Variations eAF	Packaged medicinal products are not shown when combining scopes and medicinal products
25400	Human Variations eAF	Incorrect calculation of number of selected scopes in the summary page
23910	Human Variations eAF	eAF allows only two signatories
15504	Human Variations eAF	Deleted product package details are still appearing in Proposed changes section
29109	Human Variations eAF	Improve communication – 'news' tile on homepage

29121	Human Variations eAF	Improve communication – guidance and support page
35130	Human Variations eAF	Improve communication – change guidance documentation on login page from IRIS to PLM Portal
26157	Human Variations eAF	Packages missing in UAT which are in Production
26203	Human Variations eAF	Number of selected packages are not updated correctly
23910	Human Variations eAF	Inconsistent button behaviour by viewing 'selected packaged medicinal product(s)'
24816	Human Variations eAF	Validation error in product selection is incorrectly showing up if 'Validation' is pressed immediately after Saving
16209	Human Variations eAF	Symbol "?" is displaying in font style drop down
22733	Human Variations eAF	Error for product and scope selection, package check box is disabled
22845	PLM Portal	Deletion of Application Form is not working
23545	PLM Portal	Performance issues
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily
23851	Human Variations eAF	Search on present-proposed disappearing
23896	Human Variations eAF	Error after wrong date format for Implementation date
23912	Human Variations eAF	Menu handling checkbox - Additional information does not disappear where it should have
23913	Human Variations eAF	Precise Scope & Background Info Pop-Up
23915	Human Variations eAF	Organisation information - parent organisation label does not match
23923	Human Variations eAF	Drop down list member state country doesn't open - intermittent
23931	Human Variations eAF	Double-clicking Save button for Change(s) Scope creates duplicates

23961	PLM Portal	Drop-down invisible in Application Forms overview
23963	Human Variations eAF	Changes Implementation Date issue
23963	Human Variations eAF	Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
23965	Human Variations eAF	Conditions and documentation in DADI are not in the same order as in the variation classification guideline
23966	Human Variations eAF	Not possible to paste an image to the Present and Proposed fields in the Present and Proposed Value(s) tab
23967	Human Variations eAF	Finalisation section - Proof of payment - able to select either Yes or NO
23968	Human Variations eAF	Hyphenations are incorrect in tab type of changes, in the view scope and description and in the view conditions and documentation section
23969	Human Variations eAF	Cannot select more than one organisation in Proposed Organisation field
23971	Human Variations eAF	Proposal for Organisation Details – Split Text
23974	Human Variations eAF	Suggestion - Scope section - Information is not displayed in a user-friendly manner.
24006	PLM Portal	Refresh button producing error on Application list view
24905	PDF	Country name shown is long version in PDF
24907	Human Variations eAF	Select all checkbox does not "Select All" in "Proposed Changes" section
25269	Human Variations eAF	Product select screen shows 0/0 product presentation
25301	Human Variations eAF	Precise scope and background for information section not saved
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25396	Human Variations eAF	Packaged medicinal products are not shown when combining scopes and medicinal products
24731	Human Variations eAF	The Proposed Package Item Content is not linked to Application Form

Version: 1.0.1.3 (Release date 12/12/2022)

Version Goal: Go-Live PLM Portal

Date: 12/12/2022

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.3	This release note is for the BUGFIX version 1.0.1.3 release go-live 12/12/2022

Issues fixed in this version

ID	Description	Comments
23987 – web eAF	Grouped variations including line extension	It is now possible to indicate that the variation contains a line extension also for those variations where only a single scope is selected.
27565 – web eAF	3 new tick boxes related to personal data are missing from the Declaration section when SPC, PI or labelling is ticked in Annexed documents section.	The mandatory tick boxes are now available in Declaration section when expected and no validation error is displayed.
22013 – web eAF	Updated text for the 'no address change' in the declaration in present and proposed section	The text in the web eAF has been aligned to correspond with the updated text as per pdf eAF release on 14th October 2022. The text now reads 'I declare this variation does NOT result in any changes in manufacturers (i.e. name/address change, addition or replacement of manufacturing site) or the Marketing Authorisation Holder. This update was done to ensure the correct use of the section – for any change that concerns an organisation e.g. change of a manufacturing site, the site must be selected from OMS. For further details on the use of this section please see: European Medicines Agency practical guidance on

		the application form for centralised type IA and IB variations page 13
22571 – web eAF	Medical Device: Manufacture of the device and Notified Body should be optional	The Manufacturer and the Notified body fields are now optional.
24810 – web eAF	Email template populate incorrectly after sending notification to co-author from different organisation	The correct notification template is now sent by the system when sent by the user.
25511	Fix typos on homepage	Typos of the PLM Portal homepage have been fixed
24533 – web eAF	Update Chatbot content and Look & Feel	The chatbot reflects the latest guidance content.
25435 – web eAF	Change internal chatbot div, css and js code	The chatbot is no longer obscuring text on the form/PLM portal.

Known Issues

ID	Component	Short description
Known limitation	PLM Portal	Copy application feature not available yet
Known limitation	Human Variations eAF	It is not possible to change the 'Friendly name'
Known limitation	Human Variations eAF	Form cannot be used for variations that add new presentation
Known limitation	Human Variations eAF	Delay in display of packaged medicinal products in product selection.
Known limitation	Human Variations eAF	Delay in automated calculations in Procedural information section e.g. correct calculation of 'grouping' or display of Additional Information section
Known limitation	Human Variations eAF	Cannot clone variation scopes added in the form (convenience feature when adding multiple times the same scope)
Known limitation	FHIR xml	Commercially Confidential Data not related to the application content/variation present in the FHIR XML
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted

Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection/has only limited procedures available for some products. **Workaround**: use the +Add to manually add other ongoing applications
22398	Human Variations eAF	Present and Proposed section: ASMF number and DUNS number fields missing from the Web UI. **Workaround**: If these need to be provided, please use Precise Scope section or the interactive pdf eAF.
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25396	Human Variations eAF	Packaged medicinal products are not shown when combining scopes and medicinal products
25400	Human Variations eAF	Incorrect calculation of number of selected scopes in the summary page
23910	Human Variations eAF	eAF allows only two signatories
23910	Human Variations eAF	Inconsistent button behaviour by viewing 'selected packaged medicinal product(s)'
24816	Human Variations eAF	Validation error in product selection is incorrectly showing up if 'Validation' is pressed immediately after Saving
16209	Human Variations eAF	Symbol "?" is displaying in font style drop down
22733	Human Variations eAF	Error for product and scope selection, package check box is disabled
22845	PLM Portal	Deletion of Application Form is not working
23545	PLM Portal	Performance issues
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily
23851	Human Variations eAF	Search on present-proposed disappearing
23896	Human Variations eAF	Error after wrong date format for Implementation date
23912	Human Variations eAF	Menu handling checkbox - Additional information does not disappear where it should have

23913	Human Variations eAF	Precise Scope & Background Info Pop-Up
23915	Human Variations eAF	Organisation information - parent organisation label does not match
23923	Human Variations eAF	Drop down list member state country doesn't open - intermittent
23931	Human Variations eAF	Double-clicking Save button for Change(s) Scope creates duplicates
23961	PLM Portal	Drop-down invisible in Application Forms overview
23963	Human Variations eAF	Changes Implementation Date issue
23963	Human Variations eAF	Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
23965	Human Variations eAF	Conditions and documentation in DADI are not in the same order as in the variation classification guideline
23966	Human Variations eAF	Not possible to paste an image to the Present and Proposed fields in the Present and Proposed Value(s) tab
23967	Human Variations eAF	Finalisation section - Proof of payment - able to select either Yes or NO
23968	Human Variations eAF	Hyphenations are incorrect in tab type of changes, in the view scope and description and in the view conditions and documentation section
23969	Human Variations eAF	Cannot select more than one organisation in Proposed Organisation field
23971	Human Variations eAF	Proposal for Organisation Details – Split Text
23974	Human Variations eAF	Suggestion - Scope section - Information is not displayed in a user-friendly manner.
24006	PLM Portal	Refresh button producing error on Application list view
24905	PDF	Country name shown is long version in PDF
24907	Human Variations eAF	Select all checkbox does not "Select All" in "Proposed Changes" section
25269	Human Variations eAF	Product select screen shows 0/0 product presentation

25301	Human Variations eAF	Precise scope and background for information section not saved
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25396	Human Variations eAF	Packaged medicinal products are not shown when combining scopes and medicinal products
24731	Human Variations eAF	The Proposed Package Item Content is not linked to Application Form

Version: 1.0.1.2 (Release date 28/11/2022)

Version Goal: Go-Live PLM Portal

Date: 28/11/2022

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.2	This release note is for the BUGFIX version 1.0.1.2 release go-live 28/11/2022
Implementation of the human readable pdf export	PDF Version 2.0.2	This release note is for the BUGFIX version 2.0.2 release go-live 28/11/2022

Issues fixed in this version

ID	Description	Comments
27878 – FHIR XML	Dissonance between the packaged products selected on the DADI form and the ones in the FHIR Message (XML)	Although the selected Medicinal Products were taken into account in the PDF, the packaged products weren't listed correctly. This fix is visible in the PDF version 2.0.2. There is no change to FHIR version.
23407 – web eAF	Text is cut into two halves and displaying below	In the procedural information section the text 'annual variation for human influenza vaccines' was cut in the middle of the word influenza.

Known Issues

ID	Component	Short description
27565	Human Variations eAF	3 new tick boxes related to personal data are missing from the Declaration section when SPC, PI or labelling is ticked in Annexed documents section. This causes a validation error at time of finalisation of the form.

		Note: This does not result in business validation error as this is a known bug in the form.
Known limitation	PLM Portal	Copy application feature not available yet
Known limitation	Human Variations eAF	Cannot select 'includes line extension' when single scope added
Known limitation	Human Variations eAF	It is not possible to change the 'Friendly name'
Known limitation	Human Variations eAF	Form cannot be used for variations that add new presentation
Known limitation	Human Variations eAF	Delay in display of packaged medicinal products in product selection.
Known limitation	Human Variations eAF	Delay in automated calculations in Procedural information section e.g. correct calculation of 'grouping' or display of Additional Information section
Known limitation	Human Variations eAF	Cannot clone variation scopes added in the form (convenience feature when adding multiple times the same scope)
Known limitation	FHIR xml	Commercially Confidential Data not related to the application content/variation present in the FHIR XML
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection. Workaround: use the +Add to manually add other ongoing applications
Known limitation	Human Variations eAF	Present and Proposed section: ASMF number and DUNS number fields missing from the Web UI. If these need to be provided, please use Precise Scope section or the interactive pdf eAF.
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25396	Human Variations eAF	Packaged medicinal products are not shown when combining scopes and medicinal products
25400	Human Variations eAF	Incorrect calculation of number of selected scopes in the summary page
23910	Human Variations eAF	eAF allows only two signatories

23910	Human Variations eAF	Inconsistent button behavior by viewing 'selected packaged medicinal product(s)'
24816	Human Variations eAF	Validation error in product selection is incorrectly showing up if ‘Validation’ is pressed immediately after Saving
16209	Human Variations eAF	Symbol "?" is displaying in font style drop down
22733	Human Variations eAF	Error for product and scope selection, package check box is disabled
22845	PLM Portal	Deletion of Application Form is not working
23545	PLM Portal	Performance issues
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily
23851	Human Variations eAF	Search on present-proposed disappearing
23896	Human Variations eAF	Error after wrong date format for Implementation date
23912	Human Variations eAF	Menu handling checkbox - Additional information does not disappear where it should have
23913	Human Variations eAF	Precise Scope & Background Info Pop-Up
23915	Human Variations eAF	Organisation information - parent organisation label does not match
23923	Human Variations eAF	Drop down list member state country doesn't open - intermittent
23931	Human Variations eAF	Double-clicking Save button for Change(s) Scope creates duplicates
23961	PLM Portal	Drop-down invisible in Application Forms overview
23963	Human Variations eAF	Changes Implementation Date issue
23963	Human Variations eAF	Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
23965	Human Variations eAF	Conditions and documentation in DADI are not in the same order as in the variation classification guideline

23966	Human Variations eAF	Not possible to paste an image to the Present and Proposed fields in the Present and Proposed Value(s) tab
23967	Human Variations eAF	Finalisation section - Proof of payment - able to select either Yes or NO
23968	Human Variations eAF	Hyphenations are incorrect in tab type of changes, in the view scope and description and in the view conditions and documentation section
23969	Human Variations eAF	Cannot select more than one organisation in Proposed Organisation field
23971	Human Variations eAF	Proposal for Organisation Details – Split Text
23974	Human Variations eAF	Suggestion - Scope section - Information is not displayed in a user-friendly manner.
24006	PLM Portal	Refresh button producing error on Application list view
24810	PLM Portal	Email template populate incorrectly after sending "Notify" email to co-author
24905	PDF	Country name shown is long version in PDF
24907	Human Variations eAF	Select all checkbox does not "Select All" in "Proposed Changes" section
25269	Human Variations eAF	Product select screen shows 0/0 product presentation
25301	Human Variations eAF	Precise scope and background for information section not saved
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25396	Human Variations eAF	Packaged medicinal products are not shown when combining scopes and medicinal products
25400	Human Variations eAF	Incorrect calculation of number of selected scopes in the summary page
24731	Human Variations eAF	The Proposed Package Item Content is not linked to Application Form

Version: 1.0.1.1 (Release date 14/11/2022)

Version Goal: Go-Live PLM Portal

Date: Variation eAF 14/11/2022, PDF 17/11/2022, FHIR XML 16/11/2022

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.1.1	This release note is for the BUGFIX version 1.0.1.1 release go-live 14/11/2022
Implementation of the human readable pdf export	PDF Version 2.0.1	This release note is for the BUGFIX version 2.0.1 release go-live 17/11/2022
Implementation of the FHIR xml	FHIR XML 1.0.2.0	This release note is for the BUGFIX version 1.0.2.0 release go-live 16/11/2022

Issues fixed in this version

ID	Description	Comments
24816 – web eAF	RPI cannot be blank validation message is displaying always when CAP product is selected	Remaining known issue: Validation error in product selection is incorrectly showing up if 'Validation' is pressed immediately after Saving. This issue has been partly fixed; the incorrect list was linked to the products resulting RPI validation issue for every product. This part of the issue has been addressed.
24731 – web eAF	The Proposed Package Item Content is not linked to Application Form	The Proposed Package Item Content created when Present Package Item Content doesn't exist and has no link to Application Form and Application Form Type. Hence these records are not available for FHIR XML creation and doesn't reach PDF.
24728 – web eAF	Update Chatbot look and feel	

24649 – web eAF	Additional information section is displaying as completed without validate/export	Additional information section was automatically changed to 'completed' status when it was not filled in/validated by the user. After the bugfix the additional information section remains in 'not completed' state until the user manually validates the section
24819 – web eAF	PDF export is taking long time and loading is displaying for long time	This issue was affecting forms where there were more than 10 medicinal products selected.
24991 – web eAF	Medical device is displaying proposed changes without click on save	Medical device section was displayed even when the user clicked 'cancel' button and no changes were made and no save button was pressed.
24703 – web eAF	Incorrect date sorting for Export window	The list of pdf exports was displayed in random order.
24805 – web eAF	Prompt message on 'Delete device'	Issue relating to 'Delete device' button has been fixed.
24924 – web eAF	Validation button is not working in all sections	Validate button was not working correctly in all sections.
24990 – web eAF	Validation error message is displayed in proposed changes section after combining scopes and packaged medicinal products	Scrambled validation error message is not be shown when scope and product combinations are updated.
26295 – FHIR XML	The HTML Change Provenance (unstructured provenance) doesn't contain the HTML changes when the proposed value and the present value are the same	This issue resulted a missing present and proposed section in the FHIR XML and in the pdf export when same value was presented in both 'present' and 'proposed' fields e.g. if user had added 'see details on separate annex' in both fields, the present and proposed sections were not available in the xml and were hidden in the pdf.
26247 – FHIR XML	Impossible to use the same image twice in the text areas in a form	
22013 - pdf	Updated text for the 'no address change' in the declaration in present and proposed section	The text has been aligned to correspond with the updated text as per pdf eAF release on 14th October 2022. The text now reads 'I declare this variation does NOT result in any changes in manufacturers (i.e. name/address change, addition or replacement of manufacturing site) or the Marketing Authorisation Holder. This update was done to ensure the correct use of the section

		– for any change that concerns an organisation e.g. change of a manufacturing site, the site must be selected from OMS. For further details on the use of this section please see: European Medicines Agency practical guidance on the application form for centralised type IA and IB variations page 13
24738 – pdf	• Removed APPENDIX section • Structured changes are shown in section 3 • Text in HTML fields is same size as all the PDF	The appendix part of pdf was deleted as non-relevant. The changes are now reflected in the present and proposed section where relevant e.g. ATC code. The text size in Precise scope and Background sections and the Present and Proposed fields is now same size as in all other fields in the pdf making the form content easier to read.

Known Issues

ID	Component	Short description
27565	Human Variations eAF	3 new tick boxes related to personal data are missing from the Declaration section when SPC, PI or labelling is ticked in Annexed documents section. This causes a validation error at time of finalisation of the form. **Note:** This does not result in business validation error as this is a known bug in the form.
Known limitation	PLM Portal	Copy application feature not available yet
Known limitation	Human Variations eAF	Cannot select 'includes line extension' when single scope added
Known limitation	Human Variations eAF	It is not possible to change the 'Friendly name'
Known limitation	Human Variations eAF	Form cannot be used for variations that add new presentation
Known limitation	Human Variations eAF	Delay in display of packaged medicinal products in product selection.
Known limitation	Human Variations eAF	Delay in automated calculations in Procedural information section e.g. correct calculation of 'grouping' or display of Additional Information section
Known limitation	Human Variations eAF	Cannot clone variation scopes added in the form (convenience feature when adding multiple times the same scope)

Known limitation	FHIR xml	Commercially Confidential Data not related to the application content/variation present in the FHIR XML
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection. Workaround: use the +Add to manually add other ongoing applications
Known limitation	Human Variations eAF	Present and Proposed section: ASMF number and DUNS number fields missing from the Web UI. If these need to be provided, please use Precise Scope section or the interactive pdf eAF.
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25396	Human Variations eAF	Packaged medicinal products are not shown when combining scopes and medicinal products
25400	Human Variations eAF	Incorrect calculation of number of selected scopes in the summary page
23910	Human Variations eAF	eAF allows only two signatories
23910	Human Variations eAF	Inconsistent button behavior by viewing 'selected packaged medicinal product(s)'
16209	Human Variations eAF	Symbol "?" is displaying in font style drop down
22733	Human Variations eAF	Error for product and scope selection, package check box is disabled
22845	PLM Portal	Deletion of Application Form is not working – Using 'delete application form' in the deactivated folder results the deactivated form being moved back to 'Drafts'
23545	PLM Portal	Performance issues
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily
23851	Human Variations eAF	Search on present-proposed disappearing
23896	Human Variations eAF	Error after wrong date format for Implementation date

23912	Human Variations eAF	Menu handling checkbox - Additional information does not disappear where it should have
23913	Human Variations eAF	Precise Scope & Background Info Pop-Up
23915	Human Variations eAF	Organisation information - parent organisation label does not match
23923	Human Variations eAF	Drop down list member state country doesn't open - intermittent
23931	Human Variations eAF	Double-clicking Save button for Change(s) Scope creates duplicates
23961	PLM Portal	Drop-down invisible in Application Forms overview
23963	Human Variations eAF	Changes Implementation Date issue
23963	Human Variations eAF	Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
23965	Human Variations eAF	Conditions and documentation in DADI are not in the same order as in the variation classification guideline
23966	Human Variations eAF	Not possible to paste an image to the Present and Proposed fields in the Present and Proposed Value(s) tab
23967	Human Variations eAF	Finalisation section - Proof of payment - able to select either Yes or NO
23968	Human Variations eAF	Hyphenations are incorrect in tab type of changes, in the view scope and description and in the view conditions and documentation section
23969	Human Variations eAF	Cannot select more than one organisation in Proposed Organisation field
23971	Human Variations eAF	Proposal for Organisation Details – Split Text
23974	Human Variations eAF	Suggestion - Scope section - Information is not displayed in a user-friendly manner.
24006	PLM Portal	Refresh button producing error on Application list view
24810	PLM Portal	Email template populate incorrectly after sending "Notify" email to co-author
24905	PDF	Country name shown is long version in PDF

24907	Human Variations eAF	Select all checkbox does not "Select All" in "Proposed Changes" section
25269	Human Variations eAF	Product select screen shows 0/0 product presentation
25301	Human Variations eAF	Precise scope and background for information section not saved
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25396	Human Variations eAF	Packaged medicinal products are not shown when combining scopes and medicinal products
25400	Human Variations eAF	Incorrect calculation of number of selected scopes in the summary page

Version: 1.0.0.0 (Release date 04/11/2022)

Version Goal: Go-Live PLM Portal

Date: 04/11/2022

Environment: production

Version content (testable functionalities/use cases)

Version content

Functionality/use case	Component	Short description
Implementation of the Product Lifecycle Management Portal	PLM Portal	This implementation is the first version of the portal
Implementation of the web based human variation application form	Human Variations eAF Version 1.0.0	This implementation is the first version of the web-based form for human variations based on the NTA APPLICATION FOR VARIATION TO A MARKETING AUTHORISATION, September 2021
Implementation of the human readable pdf export	PDF Version 2.0.0	This implementation is the first version of the pdf rendition export
Implementation of the FHIR xml	FHIR XML 1.0.0	This implementation is the first version of the FHIR xml export

Known Issues

ID	Component	Short description
Known limitation	PLM Portal	Copy application feature not available yet
Known limitation	Human Variations eAF	Cannot select 'includes line extension' when single scope added
Known limitation	Human Variations eAF	It is not possible to change the 'Friendly name'
Known limitation	Human Variations eAF	Form cannot be used for variations that add new presentation

Known limitation	Human Variations eAF	Delay in display of packaged medicinal products in product selection.
Known limitation	Human Variations eAF	Delay in automated calculations in Procedural information section e.g. correct calculation of 'grouping' or display of Additional Information section
Known limitation	Human Variations eAF	Cannot clone variation scopes added in the form (convenience feature when adding multiple times the same scope)
Known limitation	FHIR xml	Commercially Confidential Data not related to the application content/variation present in the FHIR XML
Known limitation	Human Variations eAF	The system creates an empty row in summary of Present and Proposed when 'save' is pressed after filling in certain sections. The empty row should be edited to contain the changes or deleted
Known limitation	Human Variations eAF	Other Applications – Select EMA Procedure has no related procedures available for selection. Workaround: use the +Add to manually add other ongoing applications
Known limitation	Human Variations eAF	Present and Proposed section: ASMF number and DUNS number fields missing from the Web UI. If these need to be provided, please use Precise Scope section or the interactive pdf eAF.
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25396	Human Variations eAF	Packaged medicinal products are not shown when combining scopes and medicinal products
25400	Human Variations eAF	Incorrect calculation of number of selected scopes in the summary page
23910	Human Variations eAF	eAF allows only two signatories
23910	Human Variations eAF	Inconsistent button behavior by viewing 'selected packaged medicinal product(s)'
24816	Human Variations eAF	Validation error in product selection is incorrectly showing up if 'Validation' is pressed immediately after Saving
16209	Human Variations eAF	Symbol "?" is displaying in font style drop down
22733	Human Variations eAF	Error for product and scope selection, package check box is disabled
22845	PLM Portal	Deletion of Application Form is not working

23545	PLM Portal	Performance issues
23849	Human Variations eAF	Annexed Documents Section: External links in the help text referring to notice to applicant cannot be selected easily
23851	Human Variations eAF	Search on present-proposed disappearing
23896	Human Variations eAF	Error after wrong date format for Implementation date
23912	Human Variations eAF	Menu handling checkbox - Additional information does not disappear where it should have
23913	Human Variations eAF	Precise Scope & Background Info Pop-Up
23915	Human Variations eAF	Organisation information - parent organisation label does not match
23923	Human Variations eAF	Drop down list member state country doesn't open - intermittent
23931	Human Variations eAF	Double-clicking Save button for Change(s) Scope creates duplicates
23961	PLM Portal	Drop-down invisible in Application Forms overview
23963	Human Variations eAF	Changes Implementation Date issue
23963	Human Variations eAF	Finalisation: Statement in Annexed document and Declaration Section in random order in DADI
23965	Human Variations eAF	Conditions and documentation in DADI are not in the same order as in the variation classification guideline
23966	Human Variations eAF	Not possible to paste an image to the Present and Proposed fields in the Present and Proposed Value(s) tab
23967	Human Variations eAF	Finalisation section - Proof of payment - able to select either Yes or NO
23968	Human Variations eAF	Hyphenations are incorrect in tab type of changes, in the view scope and description and in the view conditions and documentation section
23969	Human Variations eAF	Cannot select more than one organisation in Proposed Organisation field
23971	Human Variations eAF	Proposal for Organisation Details – Split Text

23974	Human Variations eAF	Suggestion - Scope section - Information is not displayed in a user-friendly manner.
24006	PLM Portal	Refresh button producing error on Application list view
24810	PLM Portal	Email template populate incorrectly after sending "Notify" email to co-author
24905	PDF	Country name shown is long version in PDF
24907	Human Variations eAF	Select all checkbox does not "Select All" in "Proposed Changes" section
25269	Human Variations eAF	Product select screen shows 0/0 product presentation
25301	Human Variations eAF	Precise scope and background for information section not saved
25395	Human Variations eAF	Some inactive organisations from OMS available in Contact Person organisation section
25396	Human Variations eAF	Packaged medicinal products are not shown when combining scopes and medicinal products
25400	Human Variations eAF	Incorrect calculation of number of selected scopes in the summary page
24731	Human Variations eAF	The Proposed Package Item Content is not linked to Application Form