build

Column	Туре	Null	Default	Comments
id	int(10)	No		
name	varchar(20)	No		Devrait renseigner le nom, la version, l'OS et l'architecture si besoin.
path	varchar(255)	No		Le chemin absolu du fichier.
size	int(10)	No	0	La taille en octets.
project_id	int(10)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
UNIQUE	BTREE	Yes	No	name	0	A	No	
project_id_FOREIGN	BTREE	No	No	project_id	0	A	No	

e2e_test

Column	Туре	Null	Default	Comments
id	int(10)	No		
path	varchar(255)	No		Le chemin absolu du fichier.

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

project

Column	Туре	Null	Default	Comments
id	int(10)	No		
name	varchar(20)	No		
git_url	varchar(255)	No		
description	varchar(2000)	Yes	NULL	
creator_id	int(10)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
UNIQUE	BTREE	Yes	No	name	0	A	No	
creator_id_FOREIGN	BTREE	No	No	creator_id	0	A	No	

sprint

Column	Type	Null	Default	Comments
id	int(10)	No		
start_time	datetime	No		
end_time	datetime	No		
project_id	int(10)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
project_id_FOREIGN	BTREE	No	No	project_id	0	A	No	

task

Column	Туре	Null	Default	Comments
id	int(10)	No		
description	varchar(500)	Yes	NULL	
status	enum('done', 'todo', 'work_in_progress')	No	todo	
developer_id	int(10)	No		
sprint_id	int(10)	No		

Indexes

Keyname	Type	Unique	Packed Column C		Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
UNIQUE	BTREE	Yes	No	developer_id	0	A	No	
ONIQUE				sprint_id	0	A	No	
sprint_id_FOREIGN	BTREE	No	No	sprint_id	0	A	No	
user_id_FOREIGN	BTREE	No	No	developer_id	0	A	No	

user

Column	Type	Null	Default	Comments
id	int(10)	No		
name	varchar(20)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
UNIQUE	BTREE	Yes	No	name	0	A	No	

user_has_project

Column	Туре	Null	Default	Comments
id	int(10)	No		
user_id	int(10)	No		
user_role	enum('developer', 'product_owner')	No	developer	
project_id	int(10)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
				user_id	0	A	No	
UNIQUE	BTREE	Yes	No	user_role	0	A	No	
				project_id	0	A	No	
user_id_FOREIGN	BTREE	No	No	user_id	0	A	No	
project_id_FOREIGN	BTREE	No	No	project_id	0	A	No	

user_story

Column	Туре	Null	Default	Comments
id	int(10)	No		
description	varchar(500)	Yes	NULL	
priority	enum('high', 'low', 'medium')	No	medium	
points	int(10)	No	0	
status	enum('done', 'todo', 'work_in_progress')	No	todo	
project_id	int(10)	No		
e2e_test_id	int(10)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
e2e_test_id_FOREIGN	BTREE	Yes	No	e2e_test_id	0	A	No	
project_id_FOREIGN	BTREE	No	No	project_id	0	A	No	

user_story_has_build

Column	Туре	Null	Default	Comments
id	int(10)	No		
user_story_id	int(10)	No		

build_id int(10) No

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
UNIQUE	BTREE	Yes	No	user_story_id	0	A	No	
UNIQUE				build_id	0	A	No	
build_id_FOREIGN	BTREE	No	No	build_id	0	A	No	
user_story_id_FOREIGN	BTREE	No	No	user_story_id	0	A	No	