


CSD Medical Laboratory +38(080)033-00-75



РЕЗУЛЬТАТИ ДОСЛІДЖЕНЬ

Пацієнт: Pidenko Dmytro Дата народження: 24-12-1996

Стать: Чоловіча

Замовлення: CS5709512

Дата забору: 28-11-2021 10:26 Дата виконання: 28-11-2021 15:10 **Забірний пункт:** Київ, вул.

Вишгородська 33

ПОКАЗНИК	РЕЗУЛЬТАТ	од.	РЕФЕРЕНТНІ ЗНАЧЕННЯ
Хроматографічний імуноферментний аналіз для якісного			
виявлення антигенів SARS-CoV-2, наявних у носоглотці людини (SARS-CoV-2 Rapid Antigen Test)	не виявлено		не виявлено
	28-11-2021 15:10		
Заключення:Антиген коронавірусу SARS-CoV-2	не виявлено (тест негативний)		не виявлено (тест негативний)
	28-11-2021 15:10		
*При проведенні експрес-тесту (імунохроматографічний метод, якісн системи, які розроблені та затверджені відповідно до Директиви 98/7 сертифіковані на відповідність Європейським стандартам EN ISO 900:	79/ЕС для in vitro діагностики і	ь тест)-

Виконавці:

Шаболтас Вікторія Олексіївна




^{*} Товариство з обмеженою відповідальністю «СІ ЕС ДІ ЛАБ» ЄДРПОУ 42519264 Ліцензія МОЗ України Наказ № 811 від 11.04.2019

^{*}Результати досліджень не є клінічним діагнозом і потребують консультації лікаря.



CSD Medical Laboratory +38(080)033-00-75



Test Results

Patient: **Pidenko Dmytro**Date of Birth: **24-12-1996**

Sex: Male

Order: **CS5709512**

Collection date: 28-11-2021 10:26 Report date: 28-11-2021 15:10 Sampling point: Kiev, st. Vishgorodska 33

TEST	RESULT	UNITS	REFERENCE INTERVAL
Chromatographic enzyme analysis for the detection of SARS-CoV-2 antigens detected in the nasopharyngeal population (SARS-CoV-2 Rapid Antigen Test)	not detected		not detected
	28-11-2021 15:10		
Conclusion Ag SARS-CoV-2	not detected (negative)		not detected (negative)
	28-11-2021 15:10		

^{*} For conducting of a rapid test (immunochromatographic method) the test-systems that were designed and approved in line with Directive 98/79/EC for in vitro diagnostics, and certified in accordance with European Standards EN ISO 9001 and ISO 13485 was used.

Test was conducted by:

SHABOLTAS VIKTORIIA



^{*}CSD LAB Limited Liability Company License of the Ministry of Health of Ukraine Order № 811 dated 11.04.2019

^{*}The test results are not a clinical diagnosis and require the doctor's consultation.