

CSD Medical Laboratory +38(080)033-00-75



РЕЗУЛЬТАТИ ДОСЛІДЖЕНЬ

Пацієнт: **Pidenko Dmytro** Дата народження: **24-12-1996**

Стать: Чоловіча

3амовлення: **CS5709512**

Дата забору: 10-11-2021 12:32 **Д**ата виконання: 11-11-2021 10:40

Забірний пункт: Київ, вул. Вишгородська 33

ПОКАЗНИК	РЕЗУЛЬТАТ	од.	РЕФЕРЕНТНІ ЗНАЧЕННЯ
Хроматографічний імуноферментний аналіз для якісного			
виявлення антигенів SARS-CoV-2, наявних у носоглотці людини	не виявлено		не виявлено

(SARS-CoV-2 Rapid Antigen Test)

11-11-2021 10:40

Заключення:Антиген коронавірусу SARS-CoV-2

не виявлено (тест негативний) 11-11-2021 10:40 не виявлено (тест негативний)

*При проведенні експрес-тесту (імунохроматографічний метод, якісне дослідження) використовують тестсистеми, які розроблені та затверджені відповідно до Директиви 98/79/ЕС для іп vitro діагностики і сертифіковані на відповідність Європейським стандартам EN ISO 9001 та ISO 13485

Виконавці:

Шаболтас Вікторія Олексіївна



^{*} Товариство з обмеженою відповідальністю «СІ ЕС ДІ ЛАБ» ЄДРПОУ 42519264 Ліцензія МОЗ України Наказ № 811 від 11.04.2019

^{*}Результати досліджень не є клінічним діагнозом і потребують консультації лікаря.



CSD Medical Laboratory +38(080)033-00-75



Test Results

Patient: **Pidenko Dmytro**Date of Birth: **24-12-1996**

Sex: Male

Order: **CS5709512**

Collection date: 10-11-2021 12:32 **Report date:** 11-11-2021 10:40 **Sampling point:** Kiev, st.

Vishgorodska 33

теѕт	RESULT	UNITS	REFERENCE INTERVAL
Chromatographic enzyme analysis for the detection of SARS-CoV-2 antigens detected in the nasopharyngeal population (SARS-CoV-2 Rapid Antigen Test)	not detected		not detected
	11-11-2021 10:40		
Conclusion Ag SARS-CoV-2	not detected (negative) 11-11-2021 10:40		not detected (negative)

^{*} For conducting of a rapid test (immunochromatographic method) the test-systems that were designed and approved in line with Directive 98/79/EC for in vitro diagnostics, and certified in accordance with European Standards EN ISO 9001 and ISO 13485 was used.

Test was conducted by:

SHABOLTAS VIKTORIIA



^{*}CSD LAB Limited Liability Company License of the Ministry of Health of Ukraine Order № 811 dated 11.04.2019

^{*}The test results are not a clinical diagnosis and require the doctor's consultation.