# Débloquez le potentiel de votre IDE

IntelliJ Community Edition

Tip of the day

Disponible pour

- IntelliJ Community Edition
- IntelliJ Ultimate Edition

Tip of the Day

When you need to cast an expression value to the required type, use Type-Matching completion. For example, type

String s = (

and press ^⇧Space to see what happens.

Don't show tips   Close   Previous Tip   Next Tip

Rename

Sélectionner une zone de code

```java
        Customer customer = new Customer( bob: "Bob");
        customer.aRental(new Rental(new Movie( name: "Jaws", Price.REGULAR),  quanti
        customer.aRental(new Rental(new Movie( name: "Golden Eye", Price.REGULAR),
        customer.aRental(new Rental(new Movie( name: "Short New", Price.NEW_RELEASE
        customer.aRental(new Rental(new Movie( name: "Long New", Price.NEW_RELEASE
        customer.aRental(new Rental(new Movie( name: "Bambi", Price.CHILDRENS),  qu
        customer.aRental(new Rental(new Movie( name: "Toy Story", Price.CHILDRENS),
    }


    2 usages
    record Customer(String bob) {
        6 usages
        public void aRental(Rental jaws) {
```

Extraire méthode

```java
        custom ⚙ ();


    }


    private static void custom() {
        Customer customer = new Customer("Bob");
        customer.aRental(new Rental(new Movie("Jaws", Price.REGULAR), 2));
        customer.aRental(new Rental(new Movie("Golden Eye", Price.REGULAR), 3));
        customer.aRental(new Rental(new Movie("Short New", Price.NEW_RELEASE), 1))
        customer.aRental(new Rental(new Movie("Long New", Price.NEW_RELEASE), 2));
        customer.aRental(new Rental(new Movie("Bambi", Price.CHILDRENS), 3));
        customer.aRental(new Rental(new Movie("Toy Story", Price.CHILDRENS), 4));
    }
```

Valider : Enter

```java
        customerWithRentals();

    }


    1 usage
    private static void customerWithRentals() {
        Customer customer = new Customer( bob: "Bob");
        customer.aRental(new Rental(new Movie( name: "Jaws", Price.REGULAR),  quanti
        customer.aRental(new Rental(new Movie( name: "Golden Eye", Price.REGULAR),
        customer.aRental(new Rental(new Movie( name: "Short New", Price.NEW_RELEASE
        customer.aRental(new Rental(new Movie( name: "Long New", Price.NEW_RELEASE)
        customer.aRental(new Rental(new Movie( name: "Bambi", Price.CHILDRENS),  qu
        customer.aRental(new Rental(new Movie( name: "Toy Story", Price.CHILDRENS),
    }
```

IntelliJ Ultimate Edition

Tip of the day

Disponible pour

- IntelliJ Community Edition
- IntelliJ Ultimate Edition

```
3    = test
4
5    = test
```

Tip of the Day

When you need to cast an expression value to the required type, use Type-Matching completion. For example, type

String s = (

and press ⌃⇧Space to see what happens.

☐ Don't show tips   Close   Previous Tip   Next Tip

Rename

Windows	Shift + F6	
MacOs	Shift + F6	

Sélectionner une zone de code

```java
        Customer customer = new Customer( bob: "Bob");
        customer.aRental(new Rental(new Movie( name: "Jaws", Price.REGULAR), quanti
        customer.aRental(new Rental(new Movie( name: "Golden Eye", Price.REGULAR),
        customer.aRental(new Rental(new Movie( name: "Short New", Price.NEW_RELEASE
        customer.aRental(new Rental(new Movie( name: "Long New", Price.NEW_RELEASE
        customer.aRental(new Rental(new Movie( name: "Bambi", Price.CHILDRENS), qu
        customer.aRental(new Rental(new Movie( name: "Toy Story", Price.CHILDRENS),

    }


    2 usages
    record Customer(String bob) {
        6 usages
        public void aRental(Rental jaws) {
```

Extraire méthode

```java
        custom ⚙ ();


    }


    private static void custom() {
        Customer customer = new Customer("Bob");
        customer.aRental(new Rental(new Movie("Jaws", Price.REGULAR), 2));
        customer.aRental(new Rental(new Movie("Golden Eye", Price.REGULAR), 3));
        customer.aRental(new Rental(new Movie("Short New", Price.NEW_RELEASE), 1)
        customer.aRental(new Rental(new Movie("Long New", Price.NEW_RELEASE), 2));
        customer.aRental(new Rental(new Movie("Bambi", Price.CHILDRENS), 3));
        customer.aRental(new Rental(new Movie("Toy Story", Price.CHILDRENS), 4));
    }
```

Valider : Enter

```java
        customerWithRentals();


    }


    1 usage
    private static void customerWithRentals() {
        Customer customer = new Customer( bob: "Bob");
        customer.aRental(new Rental(new Movie( name: "Jaws", Price.REGULAR),  quanti
        customer.aRental(new Rental(new Movie( name: "Golden Eye", Price.REGULAR),
        customer.aRental(new Rental(new Movie( name: "Short New", Price.NEW_RELEASE
        customer.aRental(new Rental(new Movie( name: "Long New", Price.NEW_RELEASE)
        customer.aRental(new Rental(new Movie( name: "Bambi", Price.CHILDRENS),  qu
        customer.aRental(new Rental(new Movie( name: "Toy Story", Price.CHILDRENS),
    }
```

Eclipse Jakarta EE Edition

Tip of the day

```
1  package movierental;
2
3  import
6
7  publ
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32 }
```

Tip of the Day

Extract class refactoring (Alt+Shift+T)

The 'Extract class...' refactoring (from Alt+Shift+T) extracts a group of fields into a separate class and replaces all occurrences to fit the new structure.

```
AutoPart.java

1  package p2;
2
3  public class AutoPart {
4
5      AutoPartData data = new AutoPartData();
6      String id;
7
8      public void foo() {
9          data.setAge(4);
10         data.setName("Gear box");
11         id = "XT3990";
12     }
13
14  }
```

Startup Options ▾   ☐ Unread only   Previous Tip   Next Tip   Close

Markers   Properties   Servers   Data Source Explorer   Snippets   Terminal   JUnit ✕

Finished after 0.033 seconds

Runs: 1/1   ⊠ Errors: 0   ⊠ Failures: 0

8

Cheat Sheets

Cheat Sheet Selection

Select the cheat sheet to open:

◉ Select a cheat sheet from the list:

> 📁 Java Development
> 📁 JAX-WS Development
> 📁 JPA Development
> 📁 JSF Development
> 📁 Team/Git

☐ Show all

○ Select a cheat sheet from a file:

[⌄] [Browse...]

○ Enter the URL of a cheat sheet:

[⌄]

(?)   [Cancel]   [OK]

new Customer
ew Rental(ne
ew Rental(ne
ew Rental(ne
ew Rental(ne
ew Rental(ne
ew Rental(ne

+

ntal Record
:Jaws\t2.0\r
:Golden Eye\
:Short New\t
:Long New\t6
:Bambi\t1.5\
:Toy Story\t
nount owed i
ou earned 7

d, customer.

Data Source Ex

Rename

Windows `Alt` + `Shift` + `R`

MacOs `Command` + `Option` + `R`

Extraire méthode

Windows   `Alt` + `Shift` + `M`

MacOs   `Command` + `Option` + `M`