



# Windows® Phone

## EAFIT 2012

**Hernán David Guzmán Rendón**

Microsoft Community Specialist - Silver

**Microsoft**  
CERTIFIED  
*Professional*

**Microsoft**  
CERTIFIED  
*Technology  
Specialist*

**Microsoft**  
CERTIFIED  
*Professional  
Developer*



@hernandgr

AVANET





# Navegación y parámetros



# HyperlinkButton

```
<HyperlinkButton Content="Page 2"  
  Name="hlPage2" NavigateUri="/Page2.xaml" />
```



Page 2

# NavigationService

```
string uri = "/Page3.xaml";
```

```
NavigationService.Navigate(new Uri(uri, UriKind.Relative));
```

# Paso de parámetros

```
string uri = "/Page3.xaml?nombre=hernan";  
  
NavigationService.Navigate(new Uri(uri, UriKind.Relative));
```

# Uri Mapper

```
RootFrame.UriMapper = Resources["UriMapper"] as UriMapper;
```

```
<!--Application Resources-->
<Application.Resources>
    <nav:UriMapper x:Key="UriMapper">
        <nav:UriMapping Uri="/MainPage" MappedUri="/MainPage.xaml" />
        <nav:UriMapping Uri="/P2" MappedUri="/Page2.xaml" />
        <nav:UriMapping Uri="/P3/{nombre}" MappedUri="/Page3.xaml?nombre={nombre}" />
    </nav:UriMapper>
</Application.Resources>
```

# Uri Mapper

```
string uri = "/Page3.xaml?nombre=hernan";
```

```
NavigationService.Navigate(new Uri(uri, UriKind.Relative));
```



```
string uri = "/P3/Hernan";
```

```
NavigationService.Navigate(new Uri(uri, UriKind.Relative));
```

# Recuperar Parámetros

```
protected override void OnNavigatedTo(System.Windows.Navigation.NavigationEventArgs e)
{
    base.OnNavigatedTo(e);

    if (NavigationContext != null)
    {
        txtNombre.Text = NavigationContext.QueryString["nombre"];
    }
}
```



# ¿Preguntas?

twitter  @hernandgr

<http://www.avanet.org>