

Windows Phone

EAFIT 2012

Hernán David Guzmán Rendón Microsoft Community Specialist - Silver

Microsoft[®] CERTIFIED Professional

Microsoft Microsoft

Technology Specialist

Professional Developer

twitter @hernandgr

AVANET







Windows Phone

Modelo de Ejecución y Navegación




"Multitasking"





Navegación

Modelo de Ejecución




Evento Launching


Application Launching Event



Page OnNavigatedTo Method



Estado Running



Método OnNavigatedFrom




Page OnNavigatedFrom Method

> Application Deactivated Event




Evento Deactivated

Estado Dormant







Estado Tombstoned





Estado Activated





¿Dormant o Tombstoned?

```
private void Application Activated(object sender, ActivatedEventArgs e)
    if (e.IsApplicationInstancePreserved)
       // Estado Dormant.
   else
        // Estado Tombstone
       // Recuperar información de estado
private void Application Deactivated(object sender, DeactivatedEventArgs e)
    // Persistir información de estado
```

Windows Phone. Microsoft

Evento OnNavigatedTo







Evento Closing



¿Preguntas?




Windows Phone

Controles Contenedores



Canvas





Stack Panel

Grid



Control Panorama



Windows Phone. Microsoft

Control Pivot



¿Preguntas?

twitter @hernandgr

http://www.avanet.org