

# ESD PRODUCT CATALOGUE



## INTRODUCTION

Canares Automation Pvt Ltd., is part of Canares group. Canares Automation is now India's one of the leading and emerging aluminium extrusion company with a legacy spanning over 25 years. Canares Automation is specializing in manufacturing aluminium profiles and components using a process called extrusion. Our major core business is aluminum extrusion and ESD Consumables.

ESD (Electro Static Discharge) is caused by electric charges that are generated by friction on various materials or by the influence of electric fields. Voltages of up to 10,000V can be generated.

ESD-safe constructions from Canares Automation

- Overall system protection: Through the suitable choice of materials and connection technology, it is possible to select electrostatically conductive or static-dissipative components, thus ensuring the overall system is protected.
- Protection against product or component damage of ESD-sensitive components, thus saving costs.
- Canares Automation ESD components meet the requirements for the protection of ESD

## STATIC DISSIPATIVE RUBBER MAT GREEN

SD-RM

| PART NO      | DESCRIPTION                         | SPECIFICATION                                                    |
|--------------|-------------------------------------|------------------------------------------------------------------|
| SD-RM2L2T-GC | Static Dissipative Rubber Mat Green | 2Layer, 2mm thick<br>Surface Resistivity<br>$10^7$ to $10^9$ ohm |
| SD-RM3L2T-GC | Static Dissipative Rubber Mat Green | 3Layer, 2mm thick<br>Surface Resistivity<br>$10^7$ to $10^9$ ohm |



## STATIC DISSIPATIVE PVC MAT GREEN

SD-PM

| PART NO      | DESCRIPTION                      | SPECIFICATION                                                    |
|--------------|----------------------------------|------------------------------------------------------------------|
| SD-PM2L2T-GC | Static Dissipative PVC Mat Green | 2Layer, 2mm thick<br>Surface Resistivity<br>$10^7$ to $10^9$ ohm |
| SD-PM3L2T-GC | Static Dissipative PVC Mat Green | 3Layer, 2mm thick<br>Surface Resistivity<br>$10^7$ to $10^9$ ohm |



## STATIC DISSIPATIVE PVC MAT GREY

SD-PM3L2T-GYC

| PART NO       | DESCRIPTION                     | SPECIFICATION                                                    |
|---------------|---------------------------------|------------------------------------------------------------------|
| SD-PM3L2T-GYC | Static Dissipative PVC Mat Grey | 3Layer, 2mm thick<br>Surface Resistivity $10^7$<br>to $10^9$ ohm |



## STATIC DISSIPATIVE PVC MAT BLUE

SD-PM3L2T-BC

| PART NO      | DESCRIPTION                     | SPECIFICATION                                                    |
|--------------|---------------------------------|------------------------------------------------------------------|
| SD-PM3L2T-BC | Static Dissipative PVC Mat Blue | 3Layer, 2mm thick<br>Surface Resistivity<br>$10^7$ to $10^9$ ohm |



## ESD CHAIRS

SD-CH-001

| PART NO            | SD-CH-001                                                            |
|--------------------|----------------------------------------------------------------------|
| SEAT SIZE          | 500x400 mm                                                           |
| BACK SIZE          | 500x400 mm                                                           |
| ADJUSTABLE HEIGHT  | 480~620 mm                                                           |
| SURFACE RESISTANCE | $10^6 \sim 10^8$ Ohm                                                 |
| OTHERS             | Chrome/Aluminium Base, With Conductive Casters, Conductive Case Bush |



## ESD PCB TRAY, I TYPE

PCB-ITT-001

| PART NO            | PCB-ITT-001      |
|--------------------|------------------|
| SIZE               | 485x140x35 mm    |
| MAX PCB STORAGE    | 25 pcs           |
| SURFACE RESISTANCE | BELOW $10^6$ Ohm |



## ESD PCB TRAY FLAT TYPE

PCB-FTT-001

| PART NO            | PCB-FTT-001      |
|--------------------|------------------|
| SIZE               | 485x175x50 mm    |
| MAX PCB STORAGE    | 25 pcs           |
| SURFACE RESISTANCE | BELOW $10^6$ Ohm |



## ESD PCB TRAY L TYPE

PCB-LTT-001

| PART NO            | PCB-LTT-001                 |
|--------------------|-----------------------------|
| SIZE               | 480x140x35mm & 260x205x95mm |
| MAX PCB STORAGE    | 25 pcs                      |
| SURFACE RESISTANCE | BELOW $10^6$ Ohm            |





## STATIC DISSIPATIVE CRATES

## SD-CR

|                             |                       |
|-----------------------------|-----------------------|
| <b>MATERIAL</b>             | <b>PLASTIC</b>        |
| <b>COLOR</b>                | <b>BLACK</b>          |
| <b>SHAPE</b>                | <b>RECTANGULAR</b>    |
| <b>LAYER OF STORAGE BIN</b> | <b>SINGLE MOLDING</b> |



| PART NO         | SIZE        |
|-----------------|-------------|
| SD-CR-615430320 | 615*430*320 |
| SD-CR-615430250 | 615*430*250 |
| SD-CR-615430200 | 615*430*200 |
| SD-CR-615430150 | 615*430*150 |
| SD-CR-545420380 | 545*420*380 |
| SD-CR-545420305 | 545*420*305 |
| SD-CR-545420240 | 545*420*240 |
| SD-CR-545420150 | 545*420*150 |
| SD-CR-600500400 | 600*500*400 |
| SD-CR-600500355 | 600*500*355 |
| SD-CR-600500305 | 600*500*305 |
| SD-CR-600500255 | 600*500*255 |
| SD-CR-600500160 | 600*500*160 |
| SD-CR-600400340 | 600*400*340 |
| SD-CR-600400280 | 600*400*280 |
| SD-CR-600400230 | 600*400*230 |
| SD-CR-600400170 | 600*400*170 |
| SD-CR-600400148 | 600*400*148 |
| SD-CR-600400120 | 600*400*120 |

| PART NO         | SIZE        |
|-----------------|-------------|
| SD-CR-400300280 | 400*300*280 |
| SD-CR-400300230 | 400*300*230 |
| SD-CR-400300170 | 400*300*170 |
| SD-CR-400300148 | 400*300*148 |
| SD-CR-400300120 | 400*300*120 |
| SD-CR-530380280 | 530*380*280 |
| SD-CR-545420240 | 545*420*240 |
| SD-CR-530380225 | 530*380*225 |
| SD-CR-530380165 | 530*380*165 |
| SD-CR-530380125 | 530*380*125 |
| SD-CR-690485410 | 690*485*410 |
| SD-CR-700450180 | 700*450*180 |
| SD-CR-650440350 | 650*440*350 |
| SD-CR-660400165 | 660*400*165 |
| SD-CR-480350175 | 480*350*175 |
| SD-CR-420310150 | 420*310*150 |
| SD-CR-360270135 | 360*270*135 |
| SD-CR-540415260 | 540*415*260 |
| SD-CR-500310300 | 500*310*300 |

| PART NO          | SIZE         |
|------------------|--------------|
| SD-CR-31523045   | 315*230*45   |
| SD-CR-37525065   | 375*250*65   |
| SD-CR-44029050   | 440*290*50   |
| SD-CR-45030060   | 450*300*60   |
| SD-CR-44035350   | 440*353*50   |
| SD-CR-300200120  | 300*200*120  |
| SD-CR-300200148  | 300*200*148  |
| SD-CR-800400340  | 800*400*340  |
| SD-CR-800600340  | 800*600*340  |
| SD-CR-900400330  | 900*400*330  |
| SD-CR-1000400280 | 1000*400*280 |
| SD-CR-1200500380 | 1200*500*380 |
| SD-CR-1200400230 | 1200*400*230 |
| SD-CR-1200400120 | 1200*400*120 |

## STATIC DISSIPATIVE COMPONENT BINS

SD-COB

| PART NO    | DESCRIPTION               |
|------------|---------------------------|
| SD-COB-SB1 | Component Bin 125*100*60  |
| SD-COB-SB2 | Component Bin 170*100*85  |
| SD-COB-SB3 | Component Bin 220*130*125 |
| SD-COB-SB4 | Component Bin 290*178*143 |
| SD-COB-SB5 | Component Bin 290*363*145 |
| SD-COB-SB6 | Component Bin 440*180*145 |
| SD-COB-SB7 | Component Bin 435*425*215 |



## STATIC DISSIPATIVE PALLETS

SD-PA

| PART NO  | DESCRIPTION          |
|----------|----------------------|
| SD-PA-P1 | PALLETS1200*1000*145 |
| SD-PA-P2 | PALLETS1200*1000*125 |
| SD-PA-P3 | PALLETS1100*1100*150 |
| SD-PA-P4 | PALLETS1200*1000*150 |
| SD-PA-P5 | PALLETS1200*800*135  |
| SD-PA-P6 | PALLETS1100*1100*125 |



## ANTIFATIGUE MATT

ATM -01

| PART NO     | ATM-01                                                       |
|-------------|--------------------------------------------------------------|
| Material    | Rubber and plastic rubber +EVA   EPDM   RESINE   Rubber Foam |
| Colour      | Black and yellow edge                                        |
| Size        | 600*900*22                                                   |
| MOQ         | 4 pcs                                                        |
| Application | Can be used on both wet and dry flooring                     |



## PCB MAGAZINE RACK

## PCB-MGR

| PART NO           | EXTERNAL SIZE | PCB SIZE | PCB STORAGE |
|-------------------|---------------|----------|-------------|
| PCB-MGR-400320563 | 400*320*563   | 400      | 50 pcs      |
| PCB-MGR-355320563 | 355*320*563   | 355      | 50 pcs      |
| PCB-MGR-355320563 | 355*320*563   | 355      | 50 pcs      |
| PCB-MGR-460400563 | 460*400*563   | 460      | 50 pcs      |
| PCB-MGR-460320563 | 460*320*563   | 460      | 50 pcs      |
| PCB-MGR-460400563 | 460*400*563   | 460      | 50 pcs      |
| PCB-MGR-535460570 | 535*460*570   | 535      | 50 pcs      |
| PCB-MGR-535460570 | 535*460*570   | 535      | 50 pcs      |
| PCB-MGR-535570530 | 535*570*530   | 535      | 50 pcs      |
| PCB-MGR-355320363 | 355*320*363   | 355      | 50 pcs      |
| PCB-MGR-535460570 | 535*460*570   | 535      | 50 pcs      |



## ESD APRONS

## ESD-AP

| PART NO    | DESCRIPTION              | SIZES        |
|------------|--------------------------|--------------|
| ESD-AP-BC  | ESD Aprons Blue colour   | S,M,L,XL,XXL |
| ESD-AP-GC  | ESD Aprons Grey colour   | S,M,L,XL,XXL |
| ESD-AP-GRC | ESD Aprons Green colour  | S,M,L,XL,XXL |
| ESD-AP-YC  | ESD Aprons Yellow colour | S,M,L,XL,XXL |
| ESD-AP-PC  | ESD Aprons Pink colour   | S,M,L,XL,XXL |
| ESD-AP-WC  | ESD Aprons White colour  | S,M,L,XL,XXL |

|             |                                    |
|-------------|------------------------------------|
| COMPOSITION | 98% Polyester 2% Conductive Fibers |
| STRIPE SIZE | 5 mm                               |
| GRID SIZE   | 5 mm                               |
| ANTISTATIC  | Yes                                |
| WASHABLE    | Yes                                |
| FABRIC      | 110-113 GSM                        |
| WEIGHT      | 180~220 g                          |



## ESD WRIST STRAP

ESD-WS-01

| PART NO           | ESD-WS-01 |
|-------------------|-----------|
| Safety Resistance | 1M Ohm    |
| Cord Length       | 6 ft      |



## ESD WRIST STRAP METAL

ESD-MWS-01

| PART NO           | ESD-MWS-01 |
|-------------------|------------|
| Safety Resistance | 1M Ohm     |
| Cord Length       | 6 ft       |



## ESD GROUNDING CORD BLACK

GC-B-01

| PART NO        | GC-B-01 |
|----------------|---------|
| Cable Diameter | 1.8mm   |
| Cable Length   | 1.8mtr  |



## ESD GROUNDING CORD GREEN

GC-G-01

| PART NO        | GC-G-01 |
|----------------|---------|
| Cable Diameter | 1.8mm   |
| Cable Length   | 1.8mtr  |



## ESD COMMON GROUND POINT 2P

CGP-2P

| PART NO             | CGP-2P          |
|---------------------|-----------------|
| Dimension           | 40 x 35 x 28 mm |
| Number of Pin Point | 2               |
| Cable Dia & Length  | 1.8mm & 1.8mtr  |



## ESD COMMON GROUND POINT 4P

CGP-4P

| PART NO             | CGP-4P          |
|---------------------|-----------------|
| Dimension           | 40 x 35 x 28 mm |
| Number of Pin Point | 4               |
| Cable Dia & Length  | 1.8mm & 1.8mtr  |



## ESD CAPS

ESD-CAP-01

| PART NO  | ESD-CAP-01                 |
|----------|----------------------------|
| Color    | Blue/White/Pink/Grey/White |
| Material | Antistatic Fabric Grid     |



## ESD SHOE COVER

ESD-SC-01

| PART NO                   | ESD-SC-01            |
|---------------------------|----------------------|
| Material                  | Non-woven PE and PP  |
| Ribbon Surface Resistance | $10^3 \sim 10^5$ Ohm |



## ESD BUTTONS

ESDB



## ESD SHOES

ESD-SH-01



| PART NO             | E24ES                             |
|---------------------|-----------------------------------|
| Sizes               | 23.5, 24.5, 25, 25.5, 26.5, 27 cm |
| Surface Resistivity | $10^6 \sim 10^7$ Ohm              |



## ESD SLIPPERS

## ESD-SL-BC

| PART NO      | DESCRIPTIONS  | SIZE | PART NO      | DESCRIPTIONS   | SIZE |
|--------------|---------------|------|--------------|----------------|------|
| ESD-SL-BC-36 | Slippers Blue | 36   | ESD-SL-BL-36 | Slippers Black | 36   |
| ESD-SL-BC-38 | Slippers Blue | 38   | ESD-SL-BL-38 | Slippers Black | 38   |
| ESD-SL-BC-40 | Slippers Blue | 40   | ESD-SL-BL-40 | Slippers Black | 40   |
| ESD-SL-BC-42 | Slippers Blue | 42   | ESD-SL-BL-42 | Slippers Black | 42   |
| ESD-SL-BC-44 | Slippers Blue | 44   | ESD-SL-BL-44 | Slippers Black | 44   |
| ESD-SL-BC-46 | Slippers Blue | 46   | ESD-SL-BL-46 | Slippers Black | 46   |



## ESD PALM FIT GLOVES

## PU-PFG-01

| PART NO  | PU-PFG-01            |
|----------|----------------------|
| MATERIAL | PU Coated            |
| SIZES    | Small, Medium, Large |
| TYPE     | Palm fit             |



## ESD TOP FIT GLOVES

## PU-TFG-01

| PART NO  | PU-TFG-01            |
|----------|----------------------|
| MATERIAL | PU Coated            |
| SIZES    | Small, Medium, Large |
| TYPE     | Top fit              |



## ESD DOTTED GLOVES

## ESD-DG-01

| PART NO             | ESD-DG-01            |
|---------------------|----------------------|
| MATERIAL            | 100% Polyester       |
| SIZES               | Small, Medium, Large |
| Surface Resistivity | 10 <sup>6</sup> Ohms |





## ESD FINGER COT

## ESD-FC

| PART NO       | DESCRIPTION                      |
|---------------|----------------------------------|
| ESD-FC-BKC-01 | Finger Cot Black Colour 1000pcs  |
| ESD-FC-YC-02  | Finger Cot Yellow Colour 1000pcs |
| ESD-FC-PC-03  | Finger Cot Pink Colour 1000pcs   |
| ESD-FC-WC-04  | Finger Cot White Colour 1000pcs  |



## ESD BRUSHES

## ESD-BR

| PART NO    | DESCRIPTION   |
|------------|---------------|
| ESD-BR-211 | ESD Brush - 1 |
| ESD-BR-212 | ESD Brush - 2 |
| ESD-BR-213 | ESD Brush - 3 |
| ESD-BR-214 | ESD Brush - 4 |
| ESD-BR-215 | ESD Brush - 5 |
| ESD-BR-216 | ESD Brush - 6 |
| ESD-BR-217 | ESD Brush - 7 |
| ESD-BR-218 | ESD Brush - 8 |



## ESD TWEEZER

## ESD-TW

| PART NO   | DESCRIPTION     |
|-----------|-----------------|
| ESD-TW-10 | ESD TWEEZER- 10 |
| ESD-TW-11 | ESD TWEEZER- 11 |
| ESD-TW-12 | ESD TWEEZER- 12 |
| ESD-TW-13 | ESD TWEEZER- 13 |
| ESD-TW-14 | ESD TWEEZER- 14 |
| ESD-TW-15 | ESD TWEEZER- 15 |



## SURFACE RESISTIVITY METER

ESRM-01

| PART NO              | ESRM-01                    |
|----------------------|----------------------------|
| MEASUREMENT RANGE    | $10^3$ to $10^{13}$ Ohm    |
| MEASUREMENT ACCURACY | Half Decade                |
| RESOLUTION           | One Decade                 |
| POWER SUPPLY         | 9V Battery                 |
| DIMENSIONS           | 135 x 70 x 30mm            |
| WEIGHT               | 160gms (With Battery)      |
| CALIBRATION          | Recommended every 12months |
| WARRANTY             | 12months                   |



## DIGITAL WRIST STRAP AND FOOT WEAR TESTER

DWS-FT-01

| PART NO                | DWS-FT-01         |
|------------------------|-------------------|
| POWER SUPPLY           | 9V                |
| WEIGHT                 | 5 Kg              |
| WRIST STRAP PASS RANGE | 0.75 to 10 M Ohm  |
| FOOT WEARS PASS RANGE  | 0.75 to 100 M Ohm |
| BATTERY VOLTAGE        | 9V                |
| INSTRUMENT DIMENSION   | 160 x 95 x 40mm   |
| FOOT PLATE DIMENSION   | 470 x 360 mm      |
| HEIGHT                 | 1000 mm           |



## DIGITAL SURFACE RESISTIVITY METER WITH PROBE

DSR-01

| PART NO              | DSR-01                     |
|----------------------|----------------------------|
| MEASUREMENT RANGE    | $10^3$ to $10^{13}$ Ohm    |
| MEASUREMENT ACCURACY | Half Decade                |
| RESOLUTION           | One Decade                 |
| CALIBRATION          | Recommended every 12months |



## SS SMT REEL STORAGE RACK

ESS-SMT-SR-01

| PART NO        | ESS-SMT-SR-01        |
|----------------|----------------------|
| MATERIAL       | STAINLESS STEEL      |
| SIZE/DIMENSION | L1200 x W460 x H1500 |
| COLOR          | SILVER               |
| NO OF WHEELS   | 4                    |
| FINISH         | MESH                 |



## PCB TROLLEY

PCB-TR-01

| PART NO            | PCB-TR-01                              |
|--------------------|----------------------------------------|
| MATERIAL           | Steel & ESD Plastic                    |
| SIZE/DIMENSION     | L850 x W550 x H1390mm                  |
| STORAGE CAPACITY   | 300 pcs                                |
| WHEEL TYPE         | ESD                                    |
| NO OF COLUMNS      | 3                                      |
| SURAFCE RESISTANCE | 10 <sup>6</sup> to 10 <sup>9</sup> Ohm |



## STENCIL STORAGE RACK

SSR-01

| PART NO  | SSR-01                                                                  |
|----------|-------------------------------------------------------------------------|
| MATERIAL | STAINLESS STEEL                                                         |
| PURPOSE  | STORE PCB STENCILS                                                      |
| SIZE     | 610 x 1066 x 1895 mm                                                    |
| FOOT     | Floor Levellers / Stem Casters                                          |
| SHELVES  | Shelves may be relocated on 1" increments for desired height clearances |



## ESD OVER HEAD IONIZERS

EOHI

| PART NO | SIZES                 |
|---------|-----------------------|
| EOHI-2F | L660 x W150 x H65 mm  |
| EOHI-3F | L880 x W150 x H63 mm  |
| EOHI-4F | L1200 x W150 x H63 mm |
| EOHI-5F | L1500 x W150 x H63 mm |



## ESD ENTRY CONTROLLED TRIPOD AND FLAP BARRIER ESD-EC-TFB

| PART NO           | ESD-EC-TFB                    |
|-------------------|-------------------------------|
| BARRIER TYPE      | Flap                          |
| GATE OPENING TIME | 2-5 sec                       |
| PURPOSE           | Entry to ESD Safe Shop floors |
| TYPE              | 1P/2P Entry                   |



## DUST CONTROL STICKY MAT

DC-SM-01

| PART NO   | DC-SM-01        |
|-----------|-----------------|
| COLOR     | BLUE            |
| WIDTH     | 24"/26"         |
| LENGTH    | 36"/45"         |
| LAYERS    | 30 Layers       |
| THICKNESS | 30 µm           |
| PACKAGE   | 10 pcs per pack |



## ESD TILES FLOORING

ESD-TF-01

| ESD-TF-01          | ESD-TF-01                              |
|--------------------|----------------------------------------|
| TILE SIZE          | 610 x 610 mm                           |
| THICKNESS          | 2 mm                                   |
| WEIGHT             | 3.24 Kg/m <sup>2</sup>                 |
| SURFACE RESISTANCE | 10 <sup>6</sup> to 10 <sup>8</sup> Ohm |



## ESD MAT FLOORING

ESD-MF-01

| PART NO            | ESD-MF-01                              |
|--------------------|----------------------------------------|
| COLOR              | Blue/Green/Grey                        |
| THICKNESS          | 2 mm                                   |
| MATERIAL           | PVC Blended with Antistatic agent      |
| SURFACE RESISTANCE | 10 <sup>6</sup> to 10 <sup>9</sup> Ohm |
| DIMENSION          | 10x1.2 mtr , 15x2mtr                   |
| STATIC VOLTAGE     | 200 V                                  |







**Quickframe™** maintains a policy of ongoing product improvement. This may result in modification of features and/or specifications without notice

South : +91 9449840505  
North : +91 9720004525  
West : +91 9449840523

**Canares Automation Pvt. Ltd.**

Address: Plot No.85/0-A, Industrial Suburb, Industrial Layout,  
Yeshwanthpur, Bengaluru - 560 022.

Phone : 080 2357 8010 / 2357 8012 / 2357 8014 / 2357 8016

Toll Free No: 1800 4258014

Email: [sales@canares.com](mailto:sales@canares.com)

Website: [www.quickair.in](http://www.quickair.in) / [www.canares.com](http://www.canares.com)