




A Irrigation Trenches




D Pop-up Spray Head




F Pressure Reducing Valve w/ Strainer



E Double Check Valve & Master Valve




B Gate Valve



C Quick Coupler

- NOTES:
1. SKYLINE: NEMA 3R RAINPROOF ENCLOSURE.
 2. 12 GA PRE-GALVANIZED STEEL WELDED SEAM CONSTRUCTION.
 3. TWO SCREENED, GASKETED LOUVERED VENTS
 4. REMOVABLE EQUIPMENT MOUNTING PANEL.
 5. VANDALPROOF LOCKABLE SLIDE BAR ACROSS FRONT DOOR(S).
 6. PADMOUNT DESIGN WITH 2" INSIDE FLANGE ON BOTTOM.
 7. DOOR:
 - 3 POINT LATCH, CONCEALED HINGE, LIFT-OFF TYPE (UPON OPENING) CLOSED CELL NEOPRENE GASKET.
 8. PAINT:
 - OVEN BAKED ENAMEL, DARK GREEN OUTSIDE, WHITE INSIDE
 - PREGALVANIZED METAL TREATED WITH COPPER SULFATE PRIOR TO PAINTING.
 9. ACTUAL CABINET DIMENSIONS ARE PROJECT SPECIFIC AND WILL BE SPECIFIED ON THE PLANS AND/OR SPECS.



G Controller Enclosure

CAUTION
CALL BEFORE YOU DIG!

NOT LESS THAN TWO OR MORE THAN TEN BUSINESS DAYS
PRIOR TO COMMENCING EXCAVATION OR DEMOLITION,
SECURE THE SERVICES OF A COMMERCIAL UNDERGROUND
UTILITIES LOCATOR SERVICE TO IDENTIFY BELOW-GROUND
IMPROVEMENTS THAT MAY NOT BE INDICATED ON THE
DRAWINGS. FOR IRRIGATION SYSTEMS, CALL SEATTLE
PARKS PLUMBING SHOP (206 684 7070)

>>800 424 5555<<


Parks Department Inspection Hotline
Allow 24 Hours Notice
206-684-7034

BID DOCUMENTS

3		
2		
1		
NO.	REVISION — AS BUILT	DATE

REVIEWED: PARK ENGINEER DATE

All work done in accordance with the City of Seattle Standard
Plans and Specifications in effect on the date shown above, and
supplemented by Special Provisions.



JOHN FORREST BARKER
CERTIFICATE NO. 486



BARKER
LANDSCAPE
ARCHITECTS
1514 NW 52nd St
Seattle, WA 98107
tel 206.783.2870
fax 206.783.3212



BALLARD CORNERS
PARK

IRRIGATION DETAILS

DESIGNED	DATE 2-01-08
DRAWN	SHEET 15 OF 15
CHECKED	
ORDINANCE NO. 121947	L-14
CONTRACT NO.	PARK'S FILE NUMBER FOR PARK USE ONLY
SCALE	