

## Online Claim Submission

Code: A&M  
Employer: The Texas A&M University System  
EmplID: 822004745  
EmpName: Hall-White, Jernika  
Submitted: January 17, 2023  
Batch: 29908317  
Claim Total: \$60.00  
Attachments: 2

Line	Service Date(s)	Type	Cost	Notes
1	11/5/2022	RX	\$60.00	Provider: Kroger. For whom: Jernika Hall-Whie. Reimbursement for my EPINEPHrine prescription from Kroger that Allergy & ENT assoc. prescribe for my allergy reaction .

PICK-UP: 11/05 04:26PM

NEW DOB: 12/11/1977  
Rx # 6243804

EPINEPHrine 0.3 MG AUTO-INJECT 2-PK  
Patient Pay Amount: \$60.00  
Day Supply: 2  
Quantity: 2

Hal, J  
HALL,  
JERNIKA

**Directions:**  
INJECT INTO THE MIDDLE  
OF THE OUTER THIGH  
AND HOLD FOR 3  
SECONDS AS NEEDED  
FOR SEVERE ALLERGIC  
REACTION THEN CALL 911  
IF USED.

**Allergies:**  
NO KNOWN ALLERGIES

**Loyalty:**  
Not On File  
**Prescriber:**  
ZAHIRUDDIN, ADIL  
11/02/2022 (MEDCO HEALTH)  
Patient Pay Amount: \$60.00  
Prescription qualifies for points. Check  
register receipt for point balance.


OPT: 0179 637 016 8650380

INPO: 0179 49502010202

88133

THANK YOU  
for visiting one of the Kroger Family of Pharmacies.

The Kroger Family of Pharmacies



To stop receiving sponsored info at this pharmacy, call 888-336-5744 or visit remove-me.net Use code:0179637 016 8650380

JERNIKA HALL	
Rx# 6243804	*New Rx*
Safety Caps	11/02/2022
Signature not required by Insurance	
MEDCO HEALTH	\$60.00

Patient Pay: \$60.00  
1 of 1 Items in Order

POS #

Action Items:  
No Action Needed

Auto Refill:  
Not Asked

Auto Notify:  
Email: Not Enrolled  
Text: Not Enrolled  
Voice: Enrolled

Precautions:  
MAY CAUSE DIZZINESS

THIS DRUG MAY IMPAIR THE  
ABILITY TO OPERATE A VEHICLE,  
VESSEL (E.G., BOAT), OR  
MACHINERY. USE CARE UNTIL  
YOU BECOME FAMILIAR WITH ITS  
EFFECTS.

PROTECT FROM LIGHT

DO NOT REFRIGERATE.

KROGER PHARMACY 03400179  
20355 CYPRESSWOOD DR CYPRESS, TX 77433  
PHONE: (832) 952-3180 STORE: 03400179  
JERNIKA HALL

DATE: 11/02/2022  
NCPDP: 5915876  
12/11/77 NEW

KROGER PHARMACY 03400179  
20355 CYPRESSWOOD DR  
CYPRESS TX 77433  
PH:(832)952-3180 NCPDP:5915876  
DATE:11/02/2022

RX# 6243804 TX: 0000554702 DAW: 0  
EPINEPHrine 0.3 MG AUTO-INJECT 2-PK  
SUBSTITUTED FOR:EPIPEN 2-PAK 0.3 MG  
NDC: 49502-0102-02 QTY: 2 DAYS: 2  
MEDCO HEALTH AUTH # : 380574893760347

NO REFILLS REMAINING

PRICE: \$60.00

YOUR INSURANCE BENEFIT SAVED YOU: \$299.99

503 WEST RD # 89  
HOUSTON, TX 77038  
PHONE: (504) 495-2133  
PRESCRIBER:  
A ZAHIRUDDIN  
NPI: 1982048328

RPH: WO  
D.E. : TN

JERNIKA HALL  
EPINEPHrine 0.3 MG AUTO-INJECT  
SUBSTITUTED FOR:EPIPEN 2-PAK 0.3 MG  
NDC: 49502-0102-02 QTY: 2  
RX# 6243804 TX: 0000554702  
PRESCRIBER: A ZAHIRUDDIN

PRICE: \$60.00

NEW

### PRODUCT INFORMATION:

DRUG: EPINEPHrine 0.3 MG AUTO-INJECT 2-PK  
GENERIC NAME: EPINEPHRINE - INJECTION - (EP-i-NEF-rin)  
49502-0102-02

Color: colorless

**USES:** This medication is used in emergencies to treat very serious allergic reactions to insect stings/bites, foods, drugs, or other substances. Epinephrine works quickly to improve breathing, stimulate the heart, raise a dropping blood pressure, reverse hives, and reduce swelling of the face, lips, and throat.

**HOW TO USE:** Read the Patient Information Leaflet and Instructions for Use provided by your pharmacist before you need to use epinephrine and each time you get a refill. If you have any questions, ask your doctor or pharmacist. Keep this product near you at all times. When you receive it and before you need to use it, check that the product comes out of its carrying case easily. If it does not, consult your pharmacist. The solution in this product should be clear. From time to time, check this product visually for particles or discoloration. If it has turned cloudy or pink/brown in color, do not use the product. Discard and replace it. Different brands of this medication have different directions for preparing and using this medication. Learn ahead of time how to properly inject this medication so you will be ready if you need to use it. Also, make sure a family member, caregiver, or other responsible person knows where you keep this medication and how to use it in case you cannot inject the medication yourself. The dosage is based on your medical condition, weight, and response to treatment. Inject this medication into the thigh as directed by your doctor and the manufacturer. This medication can be injected through clothing if needed. This medication acts quickly but does not last long. After injecting epinephrine, get medical help right away. Tell the health care professional that you have given yourself an injection of epinephrine. You may need another dose of epinephrine if your symptoms do not get better, or if they return after one dose. Avoid injecting this medication into the hands, feet, buttocks, or areas of your body other than the thigh. If this accidentally happens, get medical help right away. For infants and young children, be sure to hold their leg firmly in place before and during the injection to prevent injury. Discard the injector properly after use.

**SIDE EFFECTS:** Fast/pounding heartbeat, nervousness, sweating, nausea, vomiting, trouble breathing, headache, dizziness, anxiety, shakiness, or pale skin may occur. If any of these effects last or get worse, tell your doctor or pharmacist promptly. Remember that this medication has been prescribed because your doctor has judged that the benefit to you is greater than the risk of side effects. Many people using this medication do not have serious side effects. Tell your doctor right away if you have any serious side effects, including: irregular heartbeat, signs of infection at the injection site (such as redness that doesn't go away, warmth, swelling, or pain). Get medical help right away if you have any very serious side effects, including: chest pain, fainting, vision changes, seizures, confusion. This is not a complete list of possible side effects. If you notice other effects not listed above, contact your doctor or pharmacist.

**MISSED DOSE:** Not applicable.

**Do not flush unused medications or pour down a sink or drain.**

**IMPORTANT: HOW TO USE THIS INFORMATION:** This is a summary and does NOT have all possible information about this product. This information does not assure that this product is safe, effective, or appropriate for you. This information is not individual medical advice and does not substitute for the advice of your health care professional. Always ask your health care professional for complete information about this product and your specific health needs.

PICK-UP: 11/05 04:26PM

NEW DOB: 12/11/1977  
Rx # 6243804

EPINEPHrine 0.3 MG AUTO-INJECT 2-PK  
Patient Pay Amount: \$60.00  
Day Supply: 2  
Quantity: 2

Hal, J  
HALL,  
JERNIKA

**Directions:**  
INJECT INTO THE MIDDLE  
OF THE OUTER THIGH  
AND HOLD FOR 3  
SECONDS AS NEEDED  
FOR SEVERE ALLERGIC  
REACTION THEN CALL 911  
IF USED.

**Allergies:**  
NO KNOWN ALLERGIES

**Loyalty:**  
Not On File  
**Prescriber:**  
ZAHIRUDDIN, ADIL  
11/02/2022 (MEDCO HEALTH)  
Patient Pay Amount: \$60.00  
Prescription qualifies for points. Check  
register receipt for point balance.


OPT: 0179 637 016 8650380

INPO: 0179 49502010202

88133

THANK YOU  
for visiting one of the Kroger Family of Pharmacies.

The Kroger Family of Pharmacies



To stop receiving sponsored info at this pharmacy, call 888-336-5744 or visit remove-me.net Use code:0179637 016 8650380

JERNIKA HALL	
Rx# 6243804	*New Rx*
Safety Caps	11/02/2022
Signature not required by Insurance	
MEDCO HEALTH	\$60.00

Patient Pay: \$60.00  
1 of 1 Items in Order

POS #

Action Items:  
No Action Needed

Auto Refill:  
Not Asked

Auto Notify:  
Email: Not Enrolled  
Text: Not Enrolled  
Voice: Enrolled

Precautions:  
MAY CAUSE DIZZINESS

THIS DRUG MAY IMPAIR THE  
ABILITY TO OPERATE A VEHICLE,  
VESSEL (E.G., BOAT), OR  
MACHINERY. USE CARE UNTIL  
YOU BECOME FAMILIAR WITH ITS  
EFFECTS.

PROTECT FROM LIGHT

DO NOT REFRIGERATE.

KROGER PHARMACY 03400179  
20355 CYPRESSWOOD DR CYPRESS, TX 77433  
PHONE: (832) 952-3180 STORE: 03400179  
JERNIKA HALL

DATE: 11/02/2022  
NCPDP: 5915876  
12/11/77 NEW

KROGER PHARMACY 03400179  
20355 CYPRESSWOOD DR  
CYPRESS TX 77433  
PH:(832)952-3180 NCPDP:5915876  
DATE:11/02/2022

RX# 6243804 TX: 0000554702 DAW: 0  
EPINEPHrine 0.3 MG AUTO-INJECT 2-PK  
SUBSTITUTED FOR:EPIPEN 2-PAK 0.3 MG  
NDC: 49502-0102-02 QTY: 2 DAYS: 2  
MEDCO HEALTH AUTH # : 380574893760347

NO REFILLS REMAINING

PRICE: \$60.00

YOUR INSURANCE BENEFIT SAVED YOU: \$299.99

503 WEST RD # 89  
HOUSTON, TX 77038  
PHONE: (504) 495-2133  
PRESCRIBER:  
A ZAHIRUDDIN  
NPI: 1982048328

RPH: WO  
D.E. : TN

JERNIKA HALL  
EPINEPHrine 0.3 MG AUTO-INJECT  
SUBSTITUTED FOR:EPIPEN 2-PAK 0.3 MG  
NDC: 49502-0102-02 QTY: 2  
RX# 6243804 TX: 0000554702  
PRESCRIBER: A ZAHIRUDDIN

PRICE: \$60.00

NEW

### PRODUCT INFORMATION:

DRUG: EPINEPHrine 0.3 MG AUTO-INJECT 2-PK  
GENERIC NAME: EPINEPHRINE - INJECTION - (EP-i-NEF-rin)  
49502-0102-02

Color: colorless

**USES:** This medication is used in emergencies to treat very serious allergic reactions to insect stings/bites, foods, drugs, or other substances. Epinephrine works quickly to improve breathing, stimulate the heart, raise a dropping blood pressure, reverse hives, and reduce swelling of the face, lips, and throat.

**HOW TO USE:** Read the Patient Information Leaflet and Instructions for Use provided by your pharmacist before you need to use epinephrine and each time you get a refill. If you have any questions, ask your doctor or pharmacist. Keep this product near you at all times. When you receive it and before you need to use it, check that the product comes out of its carrying case easily. If it does not, consult your pharmacist. The solution in this product should be clear. From time to time, check this product visually for particles or discoloration. If it has turned cloudy or pink/brown in color, do not use the product. Discard and replace it. Different brands of this medication have different directions for preparing and using this medication. Learn ahead of time how to properly inject this medication so you will be ready if you need to use it. Also, make sure a family member, caregiver, or other responsible person knows where you keep this medication and how to use it in case you cannot inject the medication yourself. The dosage is based on your medical condition, weight, and response to treatment. Inject this medication into the thigh as directed by your doctor and the manufacturer. This medication can be injected through clothing if needed. This medication acts quickly but does not last long. After injecting epinephrine, get medical help right away. Tell the health care professional that you have given yourself an injection of epinephrine. You may need another dose of epinephrine if your symptoms do not get better, or if they return after one dose. Avoid injecting this medication into the hands, feet, buttocks, or areas of your body other than the thigh. If this accidentally happens, get medical help right away. For infants and young children, be sure to hold their leg firmly in place before and during the injection to prevent injury. Discard the injector properly after use.

**SIDE EFFECTS:** Fast/pounding heartbeat, nervousness, sweating, nausea, vomiting, trouble breathing, headache, dizziness, anxiety, shakiness, or pale skin may occur. If any of these effects last or get worse, tell your doctor or pharmacist promptly. Remember that this medication has been prescribed because your doctor has judged that the benefit to you is greater than the risk of side effects. Many people using this medication do not have serious side effects. Tell your doctor right away if you have any serious side effects, including: irregular heartbeat, signs of infection at the injection site (such as redness that doesn't go away, warmth, swelling, or pain). Get medical help right away if you have any very serious side effects, including: chest pain, fainting, vision changes, seizures, confusion. This is not a complete list of possible side effects. If you notice other effects not listed above, contact your doctor or pharmacist.

**MISSED DOSE:** Not applicable.

**Do not flush unused medications or pour down a sink or drain.**

**IMPORTANT: HOW TO USE THIS INFORMATION:** This is a summary and does NOT have all possible information about this product. This information does not assure that this product is safe, effective, or appropriate for you. This information is not individual medical advice and does not substitute for the advice of your health care professional. Always ask your health care professional for complete information about this product and your specific health needs.