

Download Chandan Logics APP Contact: 96 76 57 8793 94 94 55 8793

Aspire to Inspire

CIRCLE - 1

1.In two circles arcs of the same length subtend angles 60° and 75° at the centre then find the ratio of their radii?

B) 3:4

C) 5:4

D) 6:5

2. Find the area of sector if length of arc is 10cm and radius is equal to 25cm


A) 100 cm^2

B) 125 cm^2 c) 150 cm^2

 $D1 250 \text{ cm}^2$

3. In the given figure, O is the centre of the circle

and $\angle QOR = 50^{\circ}$, then what is the value of $\angle RPQ$ (in degree)?



CHANDAN LOGICS 9676578793.9494558793

A) 15°

B) 25°

C) 20°

D) 30°

4. ABCD is a quadrilateral whose side AB is the diameter of a circle through A, B, C and D.


If $\angle ADC = 130^{\circ}$, the measure of $\angle BAC$ is

A) 40°

B) 45°

C) 35°

5. In the given figure, PQ is the diameter of the circle. What is the measure of $\angle QSR$?




A) 51°

B) 37°

C) 47°

D) 43°

6. In the given figure, Find the $\angle POQ$?



A) 55°

B) 65°

C) 70°

D) 60°

7.In a circle with center O, AB is the diameter and CD is chord such that ABCD is a trapezium. If $\angle BAC = 23^{\circ}$, then $\angle CAD$ is equal to

Follow Chandan Logics on











Download Chandan Logics APP Contact: 96 76 57 8793 / 94 94 55 8793 One STOP For ALL Competitive EXAMS

CHANDAN LOGICS

9676578793,9494558793





Chandan Logics Download Chandan Log Contact: 96 76 57 8793

Download Chandan Logics APP 94 94 55 8793

Aspire to Inspire

A) 52°


8.0 and C are respectively orthocenter and circumcenter of an acute angle triangle PQR the point P and O are joined and produced to meet the side QR at S, if

$$\angle QCR = 128^{\circ}, \angle PQS = 54^{\circ} \text{ then } \angle RPS = ?$$

A) 28°

9.In the given figure O is center of circle If ED | | AC,

$$\angle CBE = 65^{\circ}$$
 then find $\angle DEC = ?$



CHANDAN LOGICS 9676578793.9494558793

A) 29°

AB is the diameter of circle AB = 14 cm and point 'P' is on the circumference of the circle such that PB = 12, $PN \perp AB$ then BN =?

$$_{A)} 10\frac{2}{7} cm$$


$$_{\rm B)}11\frac{2}{7}~{\rm cm}$$

A)
$$10\frac{2}{7}$$
 cm B) $11\frac{2}{7}$ cm C) $110\frac{5}{6}$ cm D) $10\frac{3}{7}$ cm

$$_{\rm D)} 10\frac{3}{7} {\rm cm}$$

11. In the given figure 'O' is the centre of the circle and

$$\theta = 50^{\circ}$$
, $\alpha = 80^{\circ}$ then $\beta = ?$



CHANDAN LOGICS 9676578793,9494558793

A) 100°

B) 120°

C) 110°

D) 130°

12. In the figure two circles intersect at two points B and C.

Through B two line segment ABD and PBQ are drawn to intersect the circles at A, D and P, Q respectively.

If $\angle ACP = 50^{\circ}$ what is the value of $\angle QCD = ?$

Follow Chandan Logics on














Aspire to Inspire


Download Chandan Logics APP Contact: 96 76 57 8793 94 94 55 8793






CHANDAN LOGICS 9676578793,9494558793

- A) 65°
- B) 70°
- C) 50°
- D) 40°
- 13.Two chords AB and CD intersect each other at E, 'O' is the center of circle
- $\angle AOC = 40^{\circ}$ and $\angle BOD = 50^{\circ}$ then $\angle AEC = ?$
- A) 45°
- B) 30°
- C) 60°
- 14. If $\angle AXP = 56^{\circ}$ then find $\angle AOB = ?$



CHANDAN LOGICS 9676578793,9494558793

- A) 79°
- B) 62°
- C) 56°
- D) 68°
- 15. In a quadrilateral ABCD, AB is the diameter of circle, $\angle ABC = 65^{\circ}$ and
- $\angle CAD = 45^{\circ}$ then find $\angle ACD = ?$
- A) 15°
- B) 20°
- C) 25°
- 16. The chord of a circle is $\sqrt{3}$ times its radius. The angle subtended by this chord at the minor arc is k times the angle subtended at the major arc. What is the value of k?
- A) 2
- B) 5/2
- D) 3/2
- 17.If $\angle ACX = 35^{\circ}$ find $\angle CAB = ?$



CHANDAN LOGICS 9676578793,9494558793

- A) 55°
- B) 45°
- C) 35°
- D) 65°
- 18. In the given figure $\angle BAC = 20^{\circ}$, $\angle BCA = 30^{\circ}$ then $\angle AOC = ?$

Follow Chandan Logics on




















Chandan Logics Download Chandan Logic Contact: 96 76 57 8793

Download Chandan Logics APP

94 94 55 8793



Aspire to Inspire




CHANDAN LOGICS 9676578793,9494558793

A) 50°

B) 130°

C) 60° D) 100°

19.In the given figure, If $\angle AOC = 80^{\circ}$ then find $\angle BCX$?



A) 50°


B) 40°

C) 45°

D) 55°

20.In the given figure, If $\angle CAD = 38^{\circ}$

And $\angle CDA = 49^{\circ}$ then find central angle made by chord BC = ?



CHANDAN LOGICS 9676578793,9494558793


A) 116°

B) 110°

C) 130°

D) 100°

21. In the given figure. O is the center of circle, Find θ ?



B) 15°

C) 20°

D) 8°

22. PAT is a tangent to a circle at point A on it, and AB is a chord such that

Follow Chandan Logics on













Download Chandan Logics APP Contact: 96 76 57 8793 94 94 55 8793

Aspire to Inspire


 $\angle BAT = 72^{\circ}$. If C is a point on the circle such that $\angle CBA = 58^{\circ}$, then what is the measure of **CAB?**

B) 62°

C) 48°

23.PAB and PCD are two secants of a circle BC is the diameter of circle with center O if

 $\angle PBC = 42^{\circ}$ and $\angle BPD = 26^{\circ}$ then find the measure of $\angle CAD$?



CHANDAN LOGICS 9676578793.9494558793


A) 22°

B) 16°

C) 34°

24. In the given figure, P is the centre of the circle. If

QS = PR, then what is the ratio of \angle RSP to the \angle TPR?



CHANDAN LOGICS 9676578793,9494558793

A) 1:4

B) 2:5

C) 1:3

D) 1:2

25.A rectangle ABCD is inscribed in a circle with center O. Its diagonals CA is produced to a point E, outside the circle. ED is a tangent to the circle at D. If AC = 2BC, then what is the measure of **DEC?**

B) 60°

C) 15°

D) 45°

26.In the given figure O is the centre of the circle. Line UTV is tangent to circle at T.

 $\angle VTR = 52^{\,\circ}$ and ΔPTR is an isosceles triangle such that TP = TR. What is the value of $\angle \mathbf{x} + \angle \mathbf{y} + \angle \mathbf{z} = ?$

> CHANDAN LOGICS 9676578793,9494558793

Follow Chandan Logics on














Download Chandan Logics APP Contact: 96 76 57 8793 94 94 55 8793



Aspire to Inspire



CHANDAN LOGICS 9676578793,9494558793

A) 175°


B) 208°

C) 218°

D) 250°

27.In the given figure,

AD = CB, find
$$\frac{x-y}{z}$$
?



CHANDAN LOGICS 9676578793,9494558793

A) 1

B) 2

C) 1.5

D) 1.25

28.PA and PB are tangents to a circle with center O, from a point P outside the circle, A and B are points on the circle. C is a point on minor arc AB, If $\angle ACB = 115^{\circ}$, then ∠APB is equal to

A) 50°


B) 40°

C) 65°

D) 60°

29.In the given figure O is the centre of the circle. Circle

has 3 tangents if $\angle QPR = 64^{\circ}$ then what is the value of $\angle QOR$.



CHANDAN LOGICS 9676578793,9494558793

A) 64°

B) 58°

C) 48°

D) 56°

30. In the given figure, $AB = 6\sqrt{3}cm$ radius = 6 cm

Follow Chandan Logics on














Download Chandan Logics APP Contact: 96 76 57 8793 94 94 55 8793

Aspire to Inspire

PA | | OC and PB | | OD then $\angle COD = ?$



CHANDAN LOGICS 9676578793.9494558793

- A) 30°
- B) 60°
- C) 45°
- D) 75°
- 31.0 is the center of the circle to which PAX and PBY are tangents from a point P at points A and B. Q is a point on the circle, such that $\angle QAX = 49^{\circ}$ and $\angle QBY = 62^{\circ}$.

What is the measure of **AQB?**

- A) 67°
- B) 59°
- C) 69°
- D) 63°
- 32. There are two concentric circles of radius 8cm and 13cm. AB is the diameter of bigger circle there is a tangent BD on a smaller circle then find the length of AD?
- B) 17
- C) 18
- D) 19
- 33. There are two chords AB and CD of length 10cm and 24cm respectively and both are opposite of the center. If the distance between two chords is 17cm then find the radius of circle
- A) 13 B) 14
- C) 15
- D) 10
- 34.AB and CD are two chords of a circle AB = 10cm, CD = 8cm, distance between two chords is 2cm. If both chords are same side of the center then find radius.

$$_{A)}\,\frac{5\sqrt{17}}{2}$$

$$_{\rm B)} \frac{5\sqrt{17}}{4}$$

c)
$$\frac{5\sqrt{17}}{3}$$

D)
$$5\sqrt{17}$$

- 35.In a circle with center 'O' ABCD is a cyclic quadrilateral and AB is diameter chords AB and DC are produced to E. If $\angle CAE = 34^{\circ}$ and $\angle E = 30^{\circ}$ then $\angle CBD = ?$

- C) 26
- D) 34
- 36.In a circle with center 'O' AC and BD are two chords AC and BD meet at E when produced if AB is diameter and $\angle AEB = 68^{\circ}$ then $\angle DOC = ?$
- A) 30°
- C) 32°
- D) 22°
- 37.In the given figure two circle passes through each other centres if $\angle \mathtt{CDE} = \mathbf{57}^{\circ}$,

then find \(\sumset DCE = ? \)

CHANDAN LOGICS 9676578793.9494558793

Follow Chandan Logics on
















Chandan Logics Download Chandan Logics Contact: 96 76 57 8793

Aspire to Inspire

Download Chandan Logics APP 94 94 55 8793





CHANDAN LOGICS 9676578793,9494558793

B) 22°


C) 16.5°

D) 26°

38.In a circle with center O, AB is diameter. Points C, D and E are on the circle on one side of AB such that ABEDC is a pentagon. The sum of $\angle ACD$ and $\angle DEB$ is? C) 270° D) 180° B) 225°

39. Two circles intersect each other at point A and B respectively as shown in figure. where $\angle RBS = 150^{\circ}$.


If AP = 6 cm and AQ = 8cm then find area of shaded region (\triangle APQ)?



CHANDAN LOGICS 9676578793,9494558793

_{A)} $12\sqrt{3}$ cm _{B)} 24 cm² _{C)} 12 cm² _{D)} $6\sqrt{2}$ cm²

40. In $\triangle ABC$, BP and CQ are perpendiculars on sides AC and AB respectively. $\angle BAC = 42^{\circ}$, D is mid point of side BC. Find $\angle PDQ$?



CHANDAN LOGICS 9676578793,9494558793

Follow Chandan Logics on









C) 96°

Download Chandan Logics APP Contact: 96 76 57 8793 / 94 94 55 8793 One STOP For ALL Competitive EXAMS

D) 102°





Chandan Logics Download Chandan Log Contact: 96 76 57 8793

Download Chandan Logics APP

94 94 55 8793




Aspire to Inspire

41.A circle touches the side PQ of a $\triangle APQ$ at the point R and sides AP and AQ produced at the points B and C respectively. Points B and C lie on circle. If the perimeter of

 $\triangle APQ = 30cm$, then the length of AB is?


- A) 20
- B) 10
- C) 12

42. Δ PCD, If PC = 8cm PD = 9cm and CD = 7cm then find radius of circle = ?



CHANDAN LOGICS 9676578793,9494558793

43. If PE = 18 cm and radius of circle is 7cm then find tangent CD?




- B) 14
- C) 10.5

44. In the given figure, a circle touches the sides of the quadrilateral PQRS. The radius of the circle is 12cm

$$\angle$$
RSP = \angle SRQ = 60°, and \angle PQR = \angle QPS = 120°

What is the perimeter (in cm) of the quadrilateral?



CHANDAN LOGICS 9676578793,9494558793

Follow Chandan Logics on

















Download Chandan Logics APP Contact: 96 76 57 8793 94 94 55 8793

Aspire to Inspire


A) 48√3

B) $64\sqrt{3}$

c) $72\sqrt{3}$


D) $60\sqrt{3}$

45. In the given figure, two identical circles of radius 4cm touché each other. A and B are the centers of the two circles. If RP is a tangent to the circle, then what is the length (in cm) of RS?



CHANDAN LOGICS 9676578793.9494558793

46. In the given figure, B and C are the centres of the two circles. ADE is the common tangent to the two circles. If the ratio of the radius of both the circles is 3:5 and AC = 40, then what is the value of DE?




CHANDAN LOGICS 9676578793.9494558793

в) $5\sqrt{15}$

_{D)} $4\sqrt{15}$

47. Three circles with radii r1, r2 and r3 (where r1 < r2< r3) are placed as shown in the given figure. What is the value of r2?



CHANDAN LOGICS 9676578793,9494558793

r1r3

 $\mathbf{B}) \sqrt{\mathbf{r1} + \mathbf{r3}}$

48. Four circles are placed as shown in figure, find the value of PD?

Follow Chandan Logics on

Download Chandan Logics APP Contact: 96 76 57 8793 / 94 94 55 8793











One STOP For ALL Competitive EXAMS






Aspire to Inspire

Download Chandan Logics APP
Contact: 96 76 57 8793
94 94 55 8793

A Desired Apple






CHANDAN LOGICS 9676578793,9494558793

A)
$$27\sqrt{6}$$

в)
$$26\sqrt{3}$$

_{D)}
$$36\sqrt{6}$$

49. In the adjoining figure $\angle \mathbf{CPF}$ is a right angle there are three circles which just touch each other and PC and PF are the tangents to all the three circles then find r3: r1 = ?



CHANDAN LOGICS 9676578793,9494558793


A)
$$17:12\sqrt{2}$$

B)
$$(17-12\sqrt{2}):1$$

c) 1:
$$(17-12\sqrt{2})$$

$$_{\rm D)}\,12:17\sqrt{2}$$

50. In the figure AB = 40cm and CD = 32cm find MN?



CHANDAN LOGICS 9676578793,9494558793

A) 16

B) 24

C) 28

D) 25

Follow Chandan Logics on




















Aspire to Inspire

Download Chandan Logics APP Contact: 96 76 57 8793 94 94 55 8793

51. In the figure $\triangle POR$ is equilateral, ST = 4cm and TP = 6cm then find area of Δ PQR?



CHANDAN LOGICS 9676578793.9494558793

A) 10√3

в) $15\sqrt{3}$

c) $12\sqrt{3}$

DI $16\sqrt{3}$

52.A circle touches the sides of a $\triangle ABC$ i.e., AB, BC and AC at P, Q and R respectively AB = 10 cm, BC = 12 cm and AC = 14 cm then AP = ?

C) 6.5

D) 5.5

53.ABCD is a quadrilateral $\angle D = 90^{\circ}$ a circle touch the sides AB, BC, CD and DA at P, Q, R and S respectively. BC = 38 cm, CD = 25 cm and PB = 27 cm. Then find radius of circle

A) 13

B) 15

C) 14

D) 13.5

54.AB is the diameter of the circle CD and BD are two chords such that CD = BD and AB and CD intersect at 'O' if $\angle AOD = 45^{\circ}$ then $\angle ACD = ?$

A) 60°

B) 50°

D) 30° C) 45°

55. There are two chords AB and AC of equal length 8cm. CB is produced to point 'P' AP cuts circle at T such that AT = 5cm then PT = ?

A) 8

B) 7.8

C) 7.6

D) 7.5

CHANDAN LOGICS

9676578793,9494558793

CIRCLE - 2

1. From a point P outside a circle, PAB is a secant and PT is a tangent to the circle, where A, B and T are the points on the circle. If PT = 7cm, PA = 5cm and AB = x cm, then x is equal to


A) 3.6

B) 4.5

C) 4.8

D) 5.6

2.In the given figure TB passes through centre O. What is the radius of the circle?



CHANDAN LOGICS 9676578793,9494558793

Follow Chandan Logics on















Download Chandan Logics APP Contact: 96 76 57 8793 94 94 55 8793

Aspire to Inspire




$$_{A)}\,\frac{2\sqrt{5}}{3}$$

$$_{\rm B)}\,\frac{3\sqrt{2}}{5}$$

c)
$$\frac{3\sqrt{5}}{2}$$

$$_{\mathrm{D})} \frac{2\sqrt{3}}{5}$$


3.In the given figure PC = 9cm, PB = 12cm, PA = 18 cm, PF = 8 cm then DE = ?



CHANDAN LOGICS 9676578793,9494558793

- A) 3
- B) 3.5
- C) 2.5
- D) 2
- 4. ABC is an osoceles triangle AB = AC, a circle passing through B touch AC at mid poind and cut AB at P then AP: AB = ?
- A) 1:3
- B) 1:4
- C) 1:2
- D) 2:3
- 5. Two circle touch each other at point C. If AB = 8cm,

DE = 15 cm then BD = ?




CHANDAN LOGICS 9676578793,9494558793

/30cm

B) 19 cm C) 23 cm

D) 17 cm

6.In the figure QP is a tangent and O is the center of circle. OS = 3cm, PQ = 8cm, QR = 4cm and SR = 5cm find the radius of circle?



CHANDAN LOGICS 9676578793,9494558793

_{B)} $2\sqrt{11}$

 $_{\rm C)}\,4\sqrt{5}$ $_{\rm D)}\,3\sqrt{13}$ / 2

7.Two chords AB and CD of a circle intersect at E. AB is diameter and ${f CD}\perp{f AB}$ AE = 2cm, AB = 10cm then ED = ?

- A) 3
- B) 5
- C) 4
- D) 2.5

Follow Chandan Logics on


















Chandan Logics Download Chandan Logic Contact: 96 76 57 8793 Contact: 96 76 57 8793

Download Chandan Logics APP 94 94 55 8793


Aspire to Inspire

8.In the given figure AB is tangent to circle if AC = BC = 9cm and CD = 7cm then AD = ?



CHANDAN LOGICS 9676578793,9494558793

- A) 12 cm
- B) 8 cm
- C) 16 cm
- D) 10 cm
- 9. Two chords AB and CD intersect at 90° if AD = 16cm and BC = 12cm then find the area of



CHANDAN LOGICS 9676578793.9494558793

- **B)** 96π
- c) **98**π
- _{D)} **100**π
- 10. Two chords of length 20 cm and 24 cm are drawn perpendicular to each other in a circle of radius 15cm. What is the distance between the points of intersection of these chords (in cm) from the centre of the circle?
- A) $\sqrt{214}$
- B) √182
- c) $\sqrt{206}$
- 11.2a' and 2b' are the length of two chords which intersect at right angle. If the distance between the centre of the circle and the intersecting point of the chords is 'c' then the radius of the circle is

$$_{A)} \frac{\sqrt{(a2+b2+c2)}}{2}$$

$$_{\rm B)}\sqrt{(a^2+b^2+c^2)}$$

c)
$$\sqrt{\frac{a^2+b^2+c^2}{2}}$$

$$_{\rm D)}\sqrt{(a^2+b^2-c^2)}$$

- 12.A circle is inscribed in a quadrilateral ABCD touching AB, BC, CD and AD at P, Q, R and S respectively. If $\angle B = 90^{\circ}$, AD = 24 cm, AB = 27cm and DR = 6cm then find the circumference of the circle?

- _{B)} 18 π _{C)} 12 π _{D)} 15 π
- 13.PQRS is a cyclic quadrilateral PQ = 14.4cm, QR = 12.8 cm and SR = 9.6cm. If PR bisect

Follow Chandan Logics on

Download Chandan Logics APP Contact: 96 76 57 8793 / 94 94 55 8793













One STOP For ALL Competitive EXAMS





Chandan Logics Download Chandan Logics Contact: 96 76 57 8793

Download Chandan Logics APP 94 94 55 8793

Aspire to Inspire

QS then PS =?

A) 15.8


B) 19.2

C) 16.4

D) 13.6

In the given figure $\triangle ABC$ is drawn such that AB is tangent to a circle at A whose radius is 10cm and BC passes through centre of the circle. Point C lies on the circle.

If BC = 36 cm and AB = 24 cm then what is the area of \triangle ABC?



CHANDAN LOGICS 9676578793.9494558793


A)134.5

B) 148

C) 180

D) 166.15

In the given figure, a circle is inscribed in quadrilateral ABCD. If AB = 2x + 3, BC = 3x-1, CD = x + 6 and DA = x + 4, then what is the value of x?



CHANDAN LOGICS 9676578793,9494558793

B) 4.5

C) 6

D) 6.5

16.Two tangents are drawn at the ends point of diameter AB of a circle. X is any point on circumference of circle. BX is extended which meets one tangent at point C and AX is extended which meets another tangent at point D. where BD = 18 cm and AC = 8 cm. Find the radius of circle?

A) 4.8 cm

 $_{\rm B)} \frac{72}{13} \, {\rm cm}$

C) 6.5 cm D) 6 cm

In the given figure, CD and AB are diameters of circle and AB and CD are perpendicular to each other, LQ and SR

are perpendiculars to AB and CD respectively. Radius of circle is 5 cm, CN: ND = 2:3 and **PB**: **PA** = 2:3.

What is the length (in cm) of SM?

CHANDAN LOGICS 9676578793,9494558793

Follow Chandan Logics on
















Download Chandan Logics APP Contact: 96 76 57 8793 94 94 55 8793



Aspire to Inspire




CHANDAN LOGICS 9676578793.9494558793

$$_{A)}$$
 $\begin{bmatrix} 5\sqrt{3} & -3 \end{bmatrix}$ $_{C)}$ $\begin{bmatrix} 2\sqrt{5} & -1 \end{bmatrix}$

$$\begin{array}{c|cc}
B_{0} & 4\sqrt{3} & -2 \\
\hline
D_{0} & 2\sqrt{6} & -1
\end{array}$$

18.In the given figure QRTS is quadrilateral. If PT = 5cm, SQ = 4cm, PS = 6cm and $\angle POR = \angle PTS = 63^{\circ}$ then find the length of TR?



CHANDAN LOGICS 9676578793,9494558793

A) 6cm

B) 7cm

C) 9cm

D) 8cm

19.On a triangle ABC, a circle with diameter BC is drawn, intersecting AB and AC at points P and O respectively. If the lengths of AB, AC and CP are 30cm, 25cm and 20cm respectively, then the length of BQ, in cm is

A) 24

B) 18

C) 32

D) 22.5

20.Two circles of diameters 4.8cm and 8cm are such that the distance between their centers is 6.5cm. What is the length of a common tangent to the circles that does not intersect the line joining the centers?

A) 6.3 cm

B) 6.2 cm C) 6.1 cm

D) 6.0 cm

21. The distance between the centers of two circles is 61 cm and their radius are 35 cm and 24 cm, what is the length (in cm) of the direct common tangent to the circles?

C) 48

D) 72

22. If the given figure, E and F are the centres of two identical circles. What is the ratio of area of triangle AOB

to the area of triangle DOC?

CHANDAN LOGICS 9676578793.9494558793

Follow Chandan Logics on
















Chandan Logics Download Chandan Logic Contact: 96 76 57 8793

Download Chandan Logics APP 94 94 55 8793



Aspire to Inspire



CHANDAN LOGICS 9676578793,9494558793

A) 1:3

C) 1:8

D) 1:4


23. Two concentric circles are of radii 15cm and 9cm. What is the length of the chord of the larger circle which is tangent to the smaller circle?

B) 18cm

C) 20cm

D) 25cm

24.In the given figure below, two congruent circles with radius 5cm have two common tangents AB and CD respectively these tangents touch the circles at A, C, B and D respectively. If the length of CD is 24cm, what is the length of tangent AB?




CHANDAN LOGICS 9676578793,9494558793

B) 25cm

C) 26cm

D) 27cm

25.If PQ = 6cm then find the area of shaded region?



CHANDAN LOGICS 9676578793,9494558793


_{A)} 9 π

_{B)} 12 π

c) 15 π

D) 8 π

PP' and QQ' are two direct common tangents to two circles intersecting at points A and B. The common chord on produced intersect PP' at R and QQ' at S. which of the following is true?



CHANDAN LOGICS 9676578793.9494558793

Follow Chandan Logics on

















Chandan Logics Download Chandan Logics APP Contact: 96 76 57 8793

Download Chandan Logics APP 94 94 55 8793

Chandan Logics

Aspire to Inspire

$$A) RA^2 + BS^2 = AB^2$$

B)
$$RS^2 = PP'^2 + AB^2$$

c)
$$RS^2 = PP'^2 + QQ'^2$$

D)
$$RS^2 = BS^2 + PP'^2$$

27. Two circles having radius 'a' cm and 'b' cm touch each other externally. Another circle whose radius is 'c' cm, touches both the circles and also their common tangent. Then which of the following statement will be true?

$$_{A)}\sqrt{a}+\sqrt{b}=\sqrt{c}$$

$$\mathbf{B}) \sqrt{\mathbf{a}} = \sqrt{\mathbf{b}} + \sqrt{\mathbf{c}}$$

$$c_1 \sqrt{ab} + \sqrt{bc} = \sqrt{ac}$$

$$\mathbf{p}_{0} \frac{1}{\sqrt{\mathbf{a}}} + \frac{1}{\sqrt{\mathbf{b}}} = \frac{1}{\sqrt{\mathbf{c}}}$$

28. Find the length of common chord of two circles of radii 30cm and 40cm, whose centres are 50cm apart?

- A) 42cm
- B) 48cm
- C) 50cm
- D) 45cm

29.Two intersecting circles have a common chord of length 24cm the radii of the circle are 20cm and 37cm. Find the distance between the centre of circles?

- A) 51cm
- B) 49cm
- C) 48cm
- D) 52cm

30.Two circles of radii 15cm and 12cm intersect each other, and the length of their common chord is 18cm. What is the distance (in cm) between their centers?

A)
$$18 + \sqrt{7}$$

B)
$$15 + \sqrt{7}$$

c)
$$12 + 2\sqrt{7}$$

A)
$$18 + \sqrt{7}$$
 B) $15 + \sqrt{7}$ C) $12 + 2\sqrt{7}$ D) $12 + 3\sqrt{7}$

CHANDAN LOGICS 9676578793,9494558793







Follow Chandan Logics on







Download Chandan Logics APP Contact: 96 76 57 8793 / 94 94 55 8793

One STOP For ALL Competitive EXAMS

