Team 24 Demo Day Proposal: LaneRoom

Nov 6, 2026 · The Gen Academy, Mastering Agentic AI · Bala Mallampati, Ravindranath Konduru (Ravi), Deepthi Avula and Neha Madhao Pande

LaneRoom is a team of AI agents that runs a shipper's freight tender committee in about 30 seconds. Give it a lane, such as "Dallas→Atlanta dry van, 500 weekly loads", and it reads the carriers' SEC 10-K filings and the shipper's lane scorecard, has a Cost advocate and a Resilience advocate argue how to split the loads, checks every claim against the page or scorecard row it cites, and hands a human a cited memo with a recommended allocation % per carrier. It is the logistics sibling of our DealRoom project: same agentic architecture, new documents, new agents and a new decision.

Submission summary

Form field	Answer
Team number	24
Contributing members	Bala Mallampati, Ravindranath Konduru (Ravi), Deepthi Avula and Neha Madhao Pande
One-line pitch	A multi-agent tender committee: research carriers, debate cost against resilience, verify every claim and recommend a cited allocation % per carrier
GitHub link	https://github.com/balum211/LaneRoom
Live app	https://team24-logisticslanedealroom.streamlit.app
Video demo	https://www.loom.com/share/230491153e4546378afab6933ceb111a
Track	LangChain + LangGraph multi-agent system

Data note. J.B. Hunt (JBHT), C.H. Robinson (CHRW) and Old Dominion (ODFL) figures come from their real FY2025 Form 10-K filings on SEC EDGAR and are cited by page. Armada, Edge Logistics (Edge Logistics LLC), First Star (First Star LLC) and BlueGrace Logistics (BlueGrace Logistics LLC) are privately held and file nothing with the SEC, so each has a synthetic, illustrative profile: none of it is data from, or a claim about, the real company. Each is labelled on every page and capped at 25% of any lane. Public filings never report a shipper's tender acceptance, on-time %, rate per mile or claims %, so the lane scorecard is synthetic for all seven providers.

Problem and users

Shippers re-bid their lanes every year and re-allocate them every peak season. A procurement analyst has to weigh tender acceptance, on-time service, rate per mile and claims from the TMS against each carrier's capacity and financial health from its 10-K, then defend the split to operations and finance. Today that is a spreadsheet, several 100-page filings and a gut call. Plain chatbots fall short in three ways:

- **No decision.** They summarise carriers but do not produce an allocation that follows procurement rules.
- **Unverifiable numbers.** A rate or an operating ratio without a source cannot go into an award memo.
- **One lens.** Cheapest-rate thinking ignores peak-season capacity risk, and the reverse.


Primary users

User	Job to be done	What they get from LaneRoom
Transportation procurement analyst	Split a lane's weekly loads across carriers	A cited allocation with loads per week and the rules applied
Logistics or operations manager	Protect service in peak season	The Resilience case, Q4 acceptance and backup capacity
Finance or category lead	Understand the cost trade-off	The Cost case, rate per mile and carrier financial health


Solution overview

The user types one request. A guardrail checks it, a Planner works out the lane, the carriers and the load count, and the committee runs. Why this is agentic, not just RAG:

- **Planning.** The Planner splits the request into capacity and reliability, cost, financial health, service fit and risk sub-questions per provider.
- **Tool use and MCP.** Agents call a hybrid filing search, a table-reading metrics tool, a lane scorecard tool and a change calculator. The same tools are served by an MCP server.
- **Multi-agent debate.** Cost and Resilience advocates get the same evidence but opposite briefs, run in parallel, then rebut each other.
- **Self-correction.** A Verifier rejects claims whose quote is not on the cited page or scorecard row, or whose numbers are not in the source, and sends them back (max 2 loops).
- **Decision.** A Judge scores each carrier and allocates 100% of loads under tender rules: at most 60% per carrier, at least 10% backup share, an 80% acceptance floor and a 25% cap on synthetic-only evidence.
- **Human in the loop and memory.** LangGraph interrupt() pauses before anything is awarded. Long-term memory keeps the shipper's mandate (cost-first, balanced or service-first), preferred KPIs, incumbent and past awards, and the mandate changes the award.
- **Logistics UI.** An animated US route map, a route card on a street map where each carrier's trucks drive the real highway (OpenStreetMap road geometry) with width following its share, the Google Maps driving route, a network map of every lane, and original carrier badges (not company logos).



The committee's recommended allocation for Dallas→Atlanta: J.B. Hunt 45% (225 loads), C.H. Robinson 20%, Armada 15%, BlueGrace Logistics 10%, Edge Logistics 10%.



Route map: each carrier's trucks drive the real I-20 route; line width and truck count follow its share. Carrier badges are original designs, not company logos.


Business value: ROI and net savings

Every award comes with its business value: net savings a year, ROI, payback and the drivers behind them. The figures are illustrative because the lane scorecard is synthetic, and every assumption can be edited in the app.

Pain today	What LaneRoom changes
Procurement and legal spend weeks to a month or two reviewing carriers' 10-Ks and scorecards	A cited memo in about a minute plus a short human review: about 462 hours saved a year per lane. Legal still signs the contract.
Manual errors and bias toward an incumbent carrier	Every claim is cited and verified against its source, the same allocation rules apply to every carrier, and a person approves
Adding a carrier is rigid and slow, so fewer carriers compete	A new carrier is one more document, compared the same day; more bidders keep rates competitive (compliance checks stay separate)
Backhaul and spot tenders expire in minutes to hours	Decisions in minutes win discounted capacity that a days-long review misses
Single-carrier dependence, service failures and no audit trail	Capped shares with backups; the award weighs acceptance, on-time and claims, not just rate; memo, trace and decision log

How it is calculated. Four drivers per lane and year: review time saved, backhaul and spot loads won by deciding in minutes, rate pressure from more bidders, and the award mix. The award mix compares each carrier's landed cost (contract rate, spot fallback on rejected tenders, claims and late loads) with an even split, and is shown honestly as a negative number when the mandate pays a premium for service. Net savings = drivers minus the cost of running the committee; ROI = net savings divided by platform, LLM and human review cost.

Lane (balanced mandate)	Net savings / yr	% of freight cost	ROI	Payback
Dallas → Atlanta, 500 loads / wk	$304K	+0.6%	1,144%	29 days
Dallas → Houston, 500 loads / wk	$242K	+1.3%	913%	36 days
Chicago → Los Angeles intermodal	$1.82M	+2.9%	6,843%	5 days
Peak season surge (national)	$3.11M	+3.0%	11,704%	3 days
Eight lanes in total	≈ $7.7M (≈ $11.9M cost-first)	0.5% to 3.5%		



Business value tab: the drivers behind the net savings, service and risk benefits, and why an AI tender committee. Illustrative, synthetic scorecard data.

Agent design

Eight agents share one LangGraph state object: the request, the lane, the plan, an evidence list with citations (E# for 10-K pages, S## for scorecard rows), the metrics, both advocates' claims, the allocation and the memo.

Agent	Role	Tools
Guardrail	Blocks prompt injection, off-topic requests and carriers outside the knowledge base; flags stock questions and synthetic data	rules
Planner	Finds the lane, providers and weekly loads; writes sub-questions per provider	LLM or rules
Researcher	Hybrid search over the filings in parallel, re-searches weak results with a reformulated query, adds the lane's scorecard rows	search_filings (MCP), lane_scorecard
Quant	Revenue, operating income, net income, cash flow and operating ratio from the 10-K tables; acceptance, Q4 acceptance, on-time, rate per mile and claims per carrier	key_metrics, compute_change
Cost advocate	Argues for the lowest-cost split	LLM or extractive
Resilience advocate	Argues for service and capacity; files "against" points from risk factors	LLM or extractive

Agent	Role	Tools
Verifier	Checks every claim against its page or row; sends failures back	rules + LLM judge
Judge	Mandate-weighted fit score and allocation % under tender rules	scoring
Writer	One-page cited memo; strips stock advice and adds a disclaimer	LLM or template

Data, retrieval and tech stack

Layer	Choice
Data	FY2025 Form 10-K for JBHT, CHRW and ODFL (EDGAR HTML printed to PDF to keep page numbers), synthetic profiles for four private providers (Armada, Edge Logistics, First Star, BlueGrace Logistics), and a synthetic 152-row lane scorecard (8 lanes, 4 quarters of 2025), plus real road geometry per lane from OpenStreetMap
Retrieval	1,033 semantic chunks, Chroma (MiniLM ONNX) + BM25, Reciprocal Rank Fusion, local reranker, provider filters (reused from our FilingSight project)
Orchestration	LangGraph: parallel fan-out, conditional retry loop, interrupt for human review, checkpointer
LLM	Any OpenAI-compatible model (Nebius Llama-3.3-70B by default, OpenAI or local Ollama); deterministic offline agents with no key
Tools	MCP server laneroom-carriers: search_filings, get_page, list_companies, lane_scorecard, key_metrics, compute_change
UI	Streamlit 3D glass theme with a freight-orange accent: animated US route map, street-map route card with trucks on the real highway, Google Maps driving route, network map, business value view (net savings, ROI, payback), carrier badges and roster; deployed on Streamlit Community Cloud
Quality	48 pytest tests, evaluation suite, GitHub Actions CI, per-agent token and cost tracking, JSONL run traces

Guardrails and evaluation

- **Input:** prompt injection, empty, oversized and off-topic requests and unknown carriers are refused; stock questions get a freight allocation instead of investment advice.
- **Evidence and grounding:** instruction-like lines in retrieved text are stripped; a claim that fails verification never reaches the memo.
- **Output:** stock buy/sell language removed, disclaimer always added, synthetic data labelled in the UI, memo and README.
- **Cost and loops:** at most 2 verification retries and 1 rebuttal round; tokens and cost tracked per agent.

Results (offline agents, no API key)

Metric	Result	Target
Citation faithfulness (verified claims in final memos)	100%	≥ 95%

Metric	Result	Target
Planted false claim caught by the Verifier	100%	100%
Valid allocations (sum to 100%, caps respected)	100%	100%
Mandate changes the award (cost-first vs service-first)	yes	yes
10-K and profile figures read correctly by the Quant	29/29	all
Retrieval hit@5 / MRR (25 labelled questions)	100% / 0.94	≥ 85% / 0.70
Guardrail decisions correct	8/8	all
Median time per memo (laptop CPU)	~29 s	< 180 s

Against plain RAG on the same corpus, LaneRoom produces an allocation in 100% of runs versus 0%, weighs both cost and service evidence in 100% versus 0%, and cites 9.5 sources per answer versus 4.8.

Demo script (about 3 minutes)

1. Click Dallas→Atlanta 500 loads and Convene committee, with the stress test on.
2. Narrate the pipeline: Planner, Researcher (hybrid search, MCP), Quant reading 10-K tables.
3. Debate tab: Cost vs Resilience advocates, then the rejected planted claim and its replacement.
4. Verdict and route map: 45% J.B. Hunt, with the 60% concentration cap, the 10% backup floor and the 25% cap on providers backed only by synthetic data.
5. Value strip and Business value tab: net savings, ROI, payback and the drivers behind them.
6. Switch the mandate to service-first and run Peak surge: the award shifts toward Old Dominion.
7. Agent log (tokens and cost), Approve allocation, Evaluation tab, Course map tab.

Team and roles

One owner per workstream; everyone reviews and rehearses the demo.

Team member	Owns
Bala Mallampati	LangGraph orchestration, the advocate and Judge agents, allocation rules, human review and memory
Ravindranath Konduru	EDGAR ingestion, chunking, hybrid retrieval, the lane scorecard and the MCP carrier server
Deepthi Avula	Streamlit UI, allocation and debate views, README, live app and the demo video
Neha Madhao Pande	Evaluation set, LLM judge, guardrails, synthetic-data labelling and the Demo Day slides

Risks and fallbacks

Risk	Fallback
LLM slow or rate limited on stage	Offline agents run the same graph with no key; a recorded run as backup
Judges ask whether the tender data is real	Every screen and the memo label the scorecard and the private-provider profiles as synthetic; the 10-K figures are real and page-cited

Risk	Fallback
Live app cold start	Open the Streamlit Cloud app once before the demo; run locally with run.bat as backup
Filing tables parse badly	Quant reads named table rows and is tested against the printed figures (29 of 29 match)

Future work: upload a real TMS scorecard instead of the synthetic one, live EDGAR fetch for any carrier ticker, more carriers (Knight-Swift, Werner, Saia), multi-lane network optimisation, and pushing approved awards back to the TMS.