

# Introduction to L<sup>A</sup>T<sub>E</sub>X

Joan Albert Silvestre Cerdà

Departament de Matemàtiques  
per a l'Economia i l'Empresa (DMEE)

VNIVERSITAT [Ò%]  
ID VALÈNCIA  
**Facultat d' Economia**

# Outline

Introduction

The Basics

Structured Documents

Figures and Tables

Bibliographies

What's Next?


# Why L<sup>A</sup>T<sub>E</sub>X?

- ▶ It makes beautiful documents
  - ▶ Especially mathematics
- ▶ It makes you focus only on the content
  - ▶ No need to worry about how the content is displayed.
- ▶ It is powerful — you can extend it
  - ▶ Packages for papers, presentations, spreadsheets, ...
- ▶ It is widely used in academic and scientific scopes.

# How does it work?

- ▶ You write your document in plain text with `commands` that describe its structure and meaning.
- ▶ The latex program processes your text and commands to produce a beautifully formatted document.

```
Int. Business' students are \emph{pretty} cool.
```



```
Int. Business' students are pretty cool.
```

## More examples of commands and their output...

```
\begin{itemize}  
\item Rice  
\item Rabbit  
\item Chicken  
\end{itemize}
```

- ▶ Rice
- ▶ Rabbit
- ▶ Chicken

```
\begin{figure}  
\includegraphics{gerbil}  
\end{figure}
```



```
\begin{equation}  
\alpha + \beta + 1  
\end{equation}
```

$$\alpha + \beta + 1 \quad (1)$$

# Change your mind!

- ▶ Use commands to describe ‘what it is’, not ‘how it looks’.
- ▶ Focus on your content.
- ▶ Let  $\text{\LaTeX}$  do its job.

# Outline

Introduction

The Basics

Structured Documents

Figures and Tables

Bibliographies

What's Next?

# Getting started

- ▶ A minimal  $\text{\LaTeX}$  document:

```
\documentclass{article}
\begin{document}
Hello World! % your content goes here...
\end{document}
```

- ▶ Commands start with a *backslash* `\`.
- ▶ Every document starts with a `\documentclass` command.
- ▶ The *argument* in curly braces `{ }` tells  $\text{\LaTeX}$  what kind of document we are creating: an `article`.
- ▶ A percent sign `%` starts a *comment* —  $\text{\LaTeX}$  will ignore the rest of the line.



# Getting started with **Overleaf**

- ▶ Overleaf is a website for writing documents in  $\text{\LaTeX}$ .
- ▶ It 'compiles' your  $\text{\LaTeX}$  automatically to show you the results.

Click here to open an example document in **Overleaf**

- ▶ Use this sample document to test all commands we'll learn.

# Writing Text

- ▶ Type your text between `\begin{document}` and `\end{document}`.
- ▶ For the most part, you can just type your text normally.

Words are separated by one or more spaces.

Paragraphs are separated by one or more blank lines.

Words are separated by one or more spaces.

Paragraphs are separated by one or more blank lines.

- ▶ Space in the source file is collapsed in the output.

The    rain            in Spain  
falls mainly on the plain.

The rain in Spain falls  
mainly on the plain.

# Writing Text

- ▶ Quotation marks are a bit tricky:  
use a backtick ``` on the left and an apostrophe `'` on the right.

Single quotes: `'text'`.

Double quotes: `“text”`.

Single quotes: `'text'`.

Double quotes: `“text”`.

- ▶ Some common characters have special meanings in  $\text{\LaTeX}$ :

<code>%</code>	percent sign
<code>#</code>	hash (pound / sharp) sign
<code>&amp;</code>	ampersand
<code>\$</code>	dollar sign

- ▶ If you just type these, you'll get an error. If you want one to appear in the output, you have to *escape* it by preceding it with a backslash.

`\$\\%\\&\\#!`

`$\%&\#!`

# Writing Text

- ▶ Use `\emph` or `\alert` to highlight:

I should <code>\emph{emphasise}</code> that this is an <code>\alert{important}</code> point.	I should <i>emphasise</i> that this is an <b>important</b> point.
---	--

- ▶ Or specify bold face or italics:

Text in <code>\textbf{bold face}</code> . Text in <code>\textit{italics}</code> .	Text in <b>bold face</b> . Text in <i>italics</i> .
--	--

- ▶ Or specify a color:

It <code>\textcolor{red}{stops}</code> and <code>\textcolor{green}{starts}</code> .	It <b>stops</b> and <b>starts</b> .
--	-------------------------------------

# Writing Text

- ▶ If you write non-ASCII characters, you must scape accents:
  - ▶ `Castell\`{o}` → Castelló
  - ▶ `Val\`{e}ncia` → València
  - ▶ `Espa\~{n}a` → España
  - ▶ `Biling\`{u}ismo` → Bilingüismo
- ▶ Better: add this to the preamble of the document:

```
\usepackage[utf8]{inputenc}  
\usepackage[T1]{fontenc}
```

- ▶ This way you won't need to scape accents.

# Handling Errors

- ▶  $\text{\LaTeX}$  can get confused when trying to compile a document.
  - ▶ If it does, it stops with an error, which you must fix.
- ▶ For example, if you misspell `\emph` as `\meph`,  $\text{\LaTeX}$  will stop with an “undefined control sequence” error, because “meph” is not one of the commands it knows.

## Advice on Errors

1. Don't panic! Errors happen.
2. Fix them as soon as they arise.
  - ▶ if what you just typed caused an error, you can start your debugging there.

# Exercise 1

Write this in  $\text{\LaTeX}$ :

València's economy is service-oriented, as nearly 84% of the working population is employed in service sector occupations. In 2009, València was designated *"the 29th fastest-improving European city"*.

Its influence in commerce, education, entertainment, media, fashion, science and the arts contributes to its status as one of the world's "Gamma"-rank global cities. The València metropolitan area had a GDP\$ amounting to \$52.7 billion, and \$28,141 per capita.

Click to open this exercise in **Overleaf**

- ▶ Hint: watch out for characters with special meanings!
- ▶ Once you've tried, [click here to see my solution](#).

# Writing Mathematics: Dollar Signs

- ▶ We use dollar signs  $\$$  to mark mathematics in text.

*% not so good:*

Let  $a$  and  $b$  be distinct positive integers, and let  $c = a - b + 1$ .

*% much better:*

Let  $a$  and  $b$  be distinct positive integers, and let  $c = a - b + 1$ .

Let  $a$  and  $b$  be distinct positive integers, and let  $c = a - b + 1$ .

Let  $a$  and  $b$  be distinct positive integers, and let  $c = a - b + 1$ .

- ▶ Always use dollar signs in pairs
  - ▶ one to begin the mathematics, and one to end it.
- ▶  $\text{\LaTeX}$  handles spacing automatically; it ignores your spaces.

Let  $y=mx+b$  be  $\ldots$

Let  $y = m x + b$  be  $\ldots$

Let  $y = mx + b$  be  $\ldots$

Let  $y = mx + b$  be  $\ldots$



# Writing Mathematics: Notation

- Use caret `^` for superscripts and underscore `_` for subscripts.

```
$y = c_2 x^2 + c_1 x + c_0$
```

$$y = c_2 x^2 + c_1 x + c_0$$

- Use curly braces `{}` `}` to group superscripts and subscripts.

```
$F_n = F_{n-1} + F_{n-2}$ % oops!
```

$$F_n = F_n - 1 + F_n - 2$$

```
$F_n = F_{\{n-1\}} + F_{\{n-2\}}$ % ok!
```

$$F_n = F_{n-1} + F_{n-2}$$

- There are commands for Greek letters and common notation.

```
$\mu = A e^{\{Q/RT\}}$
```

$$\mu = A e^{Q/RT}$$

```
$\Omega = \sum_{k=1}^{\{n\}} \omega_k$
```

$$\Omega = \sum_{k=1}^n \omega_k$$

# Writing Mathematics: Equations

- ▶ If it's big and scary, *display* it on its own line using `\begin{equation}` and `\end{equation}`.

<p>The roots of a quadratic equation are given by</p> <pre>\begin{equation} x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a} \end{equation}</pre> <p>where <math>a</math>, <math>b</math> and <math>c</math> are ...</p>	<p>The roots of a quadratic equation are given by</p> $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a} \quad (2)$ <p>where <math>a</math>, <math>b</math> and <math>c</math> are ...</p>
--	---

- ▶ You should try this on-line L<sup>A</sup>T<sub>E</sub>X equation editor:
  - ▶ <https://www.codecogs.com/latex/eqneditor.php>

## Exercise 2

Write this in  $\text{\LaTeX}$ :

Let  $X_1, X_2, \dots, X_n$  be a sequence of independent and identically distributed random variables with  $E[X_i] = \mu$  and  $\text{Var}[X_i] = \sigma^2 < \infty$ , and let

$$S_n = \frac{1}{n} \sum_i^n X_i \tag{1}$$

denote their mean. Then as  $n$  approaches infinity, the random variables  $\sqrt{n}(S_n - \mu)$  converge in distribution to a normal  $N(0, \sigma^2)$ .

Click to open this exercise in **Overleaf**

- ▶ Hint: the command for  $\infty$  is `\infty`. What about  $\sigma$  and  $\mu$ ?
- ▶ Once you've tried, [click here to see my solution](#).

# Lists

- ▶ Use `itemize` environment for building unordered lists:

```
\begin{itemize}
\item Cats
\item Dogs
  \begin{itemize}
    \item Fox Terrier
    \item Damaltian
  \end{itemize}
\item Crocodiles
\end{itemize}
```

- ▶ Cats
- ▶ Dogs
  - ▶ Fox Terrier
  - ▶ Damaltian
- ▶ Crocodiles

- ▶ For numbered lists, use `enumerate` environment.

```
\begin{enumerate}
\item Buy ingredients
  \begin{enumerate}
    \item Go to the supermarket
    \item Pick up products
    \item Pay them
  \end{enumerate}
\item Make your paella
\item Enjoy!
\end{enumerate}
```

1. Buy ingredients
  - 1.1 Go to the supermarket
  - 1.2 Pick up products
  - 1.3 Pay them
2. Make your paella
3. Enjoy!

# Outline

Introduction

The Basics

Structured Documents

Figures and Tables

Bibliographies

What's Next?

# Title and Abstract

- ▶ Tell L<sup>A</sup>T<sub>E</sub>X the `\title` and `\author` names in the preamble.
- ▶ Then use `\maketitle` in the document to actually create the title.
- ▶ Use the abstract environment to make an abstract.

```
\documentclass{article}

\title{The Title}

\author{A. Author}

\date{\today}

\begin{document}
\maketitle

\begin{abstract}
Abstract goes here...
\end{abstract}

\end{document}
```

The Title

A. Author

November 16, 2018

**Abstract**

Abstract goes here...

# Sections

- ▶ Just use `\section` and `\subsection` (and even `\subsubsection`).

```
\documentclass{article}
\begin{document}

\section{Introduction}
The problem of \ldots

\section{Method}
We investigate \ldots

\section{Data}
\subsection{Data Collection}
\subsubsection{Data Cleaning}

\section{Experiments}

\section{Conclusions}

\end{document}
```

## 1 Introduction

The problem of ...

## 2 Method

We investigate ...

## 3 Data

### 3.1 Data Collection

#### 3.1.1 Data Cleaning

## 4 Experiments

## 5 Conclusions

- ▶ Tip: `\tableofcontents` can automatically generate the index.

# Labels and Cross-References

- ▶ Use `\label` and `\ref` to reference Sections.
  - ▶ This way you can reference Equations, Tables or Figures too!

```
\documentclass{article}
\begin{document}
```

```
\section{Introduction}
\label{sec:intro}
```

In Section `\ref{sec:method}`, ...

```
\section{Method}
\label{sec:method}
```

```
\begin{equation}
\label{eq:euler}
e^{i\pi} + 1 = 0
\end{equation}
```

In Equation `\ref{eq:euler}`, ...

```
\end{document}
```

## 1 Introduction

In Section 2, ...

## 2 Method

In Equation 1, ...

$$e^{i\pi} + 1 = 0$$

(1)



# Outline

Introduction

The Basics

Structured Documents

**Figures and Tables**

Bibliographies

What's Next?

# Figures

- ▶ Add `\usepackage{graphicx}` to the preamble.
- ▶ Include an image using the `\includegraphics` command.
- ▶ Figure environment:
  - ▶ Allow  $\text{\LaTeX}$  to decide where the figure will go (it can “float”).
  - ▶ You can give the figure a caption.
  - ▶ And also add a label and reference it with `\ref`.

```
\documentclass{article}
\usepackage{graphicx}
\begin{document}
```

Figure `\ref{fig:gerbil}` shows ...

```
\begin{figure}
\centering
\includegraphics[
  width=0.5\textwidth]{gerbil}
\caption{\label{fig:gerbil} Aww ...}
\end{figure}

\end{document}
```



Figure 1: Aww ...

Figure 1 shows ...

# Tables

- ▶ Use the tabular environment from the tabularx package.
- ▶ The argument specifies column alignment — **left, right, right**.

```
\begin{tabular}{lrr}  
Item & Qty & Unit \euro \\  
Widget & 1 & 199.99 \\  
Gadget & 2 & 399.99 \\  
Cable & 3 & 19.99 \\  
\end{tabular}
```

Item	Qty	Unit €
Widget	1	199.99
Gadget	2	399.99
Cable	3	19.99

- ▶ It also specifies vertical lines; use `\hline` for horizontal lines.

```
\begin{tabular}{|l|r|r|} \hline  
Item & Qty & Unit \euro \\ \hline  
Widget & 1 & 199.99 \\  
Gadget & 2 & 399.99 \\  
Cable & 3 & 19.99 \\ \hline  
\end{tabular}
```

Item	Qty	Unit €
Widget	1	199.99
Gadget	2	399.99
Cable	3	19.99

- ▶ Use an ampersand `&` to separate columns.
- ▶ Use double backslash `\\` to start a new row.

# Tables

- ▶ We can envelop a tabular with a table environment.
  - ▶ This allows us to float, add a caption and/or reference it later.

```
\documentclass{article}
\begin{document}

\begin{table}
\centering
\begin{tabular}{l|cc}
Item & Qty & Unit \\
\hline
Widget & 1 & 199.99 \\
Gadget & 2 & 399.99 \\
Cable & 3 & 19.99 \\
\end{tabular}
\caption{\label{tab:prizes} Quantities
and prizes for each product.}
\end{table}

In Table \ref{tab:prizes}
we can see...

\end{document}
```

Item	Qty	Unit
Widget	1	199.99
Gadget	2	399.99
Cable	3	19.99

Table 1: Quantities and prizes for each product.

In Table ?? we can see...

# Outline

Introduction

The Basics

Structured Documents

Figures and Tables

**Bibliographies**

What's Next?

# Adding bibliography with bibT<sub>E</sub>X

- Put your references in a .bib file in 'bibtex' database format:

```
@Article{Silvestre2012Explicit,  
  title = {Explicit length modelling for  
           statistical machine translation},  
  author = {Joan Albert Silvestre-Cerda and Jesus Andres-Ferrer  
           and Jorge Civera},  
  journal = {Pattern Recognition},  
  volume = {45},  
  number = {9},  
  pages = {3183 - 3192},  
  year = {2012}  
}  
  
@phdthesis{Silvestre2016Different,  
  title = {Different Contributions to Cost-Effective  
           Transcription and Translation of Video Lectures},  
  author = {Joan Albert Silvestre-Cerda},  
  url = {http://hdl.handle.net/10251/62194},  
  year = {2016},  
  school = {Universitat Politecnica de Valencia}  
}
```

- Most reference managers can export to bibT<sub>E</sub>X format.

## Adding bibliography with bib<sub>T</sub>E<sub>X</sub>

- ▶ Each entry in the .bib file has a *key* used to reference it.
- ▶ I.e., Silvestre2012Explicit is the key for this article:

```
@Article{Silvestre2012Explicit,  
  author = {Joan Albert Silvestre-Cerda  
            and Jesus Andres-Ferrer  
            and Jorge Civera},  
  ...  
}
```

- ▶ It's a good idea to use a key based on the name, year and title.
- ▶ L<sup>A</sup>T<sub>E</sub>X can automatically generate the list of references.
- ▶ It can also automatically format your citations.

# Adding bibliography with bibT<sub>E</sub>X

- ▶ Use the natbib package with `\citet` and `\citep`.
- ▶ Use `\bibliography` to insert the references list.
- ▶ Specify a `\bibliographystyle`.

```
\documentclass{article}
\usepackage{natbib}
\begin{document}

\citet{Silvestre2016Different}
shows that ... Clearly,
Machine Translation is very cool
\citep{Silvestre2012Explicit}.

\bibliography{bib-example}
% 'bib-example' is the name of
% your bib file (bib-example.bib)

\bibliographystyle{abbrvnat}
% try changing to alpha or apalike

\end{document}
```

Silvestre-Cerda [2016] shows that ... Clearly, Machine Translation is very cool [Silvestre-Cerda et al., 2012].

## References

J. A. Silvestre-Cerda. *Different Contributions to Cost-Effective Transcription and Translation of Video Lectures*. PhD thesis, Universitat Politècnica de Valencia, 2016. URL <http://hdl.handle.net/10251/62194>.

J. A. Silvestre-Cerda, J. Andres-Ferrer, and J. Civera. Explicit length modelling for statistical machine translation. *Pattern Recognition*, 45(9):3183 – 3192, 2012.



# Mandatory exercise

1. Here is the text for a short article:<sup>1</sup>

Click to open this exercise in **Overleaf**

2. Add  $\text{\LaTeX}$  commands to the text to make it look like this one:

Click to open the model document

## Hints

- ▶ Use the `enumerate` and `itemize` environments for lists.
- ▶ To write a  $\%$  percent sign, *escape* it with a backslash (`\%`).
- ▶ To write the equation
  - ▶ use `\frac{ }{ }` for the fraction,
  - ▶ `\left(` and `\right)` for the parentheses.

---

<sup>1</sup>Based on [http://www.cgd.ucar.edu/cms/agu/scientific\\_talk.html](http://www.cgd.ucar.edu/cms/agu/scientific_talk.html)

# Outline

Introduction

The Basics

Structured Documents

Figures and Tables

Bibliographies

What's Next?

# Document templates

- ▶ TFG/TFM template using `\documentclass{book}`:

Click to open this template in **Overleaf**

- ▶ Slides template using beamer:

Click to open this template in **Overleaf**

- ▶ Many other document templates at **Overleaf**:
  - ▶ <https://www.overleaf.com/latex/templates>

# Installing L<sup>A</sup>T<sub>E</sub>X

- ▶ Overleaf is a cool on-line web L<sup>A</sup>T<sub>E</sub>X editor.
- ▶ To run L<sup>A</sup>T<sub>E</sub>X off-line on your own computer, you need to install a L<sup>A</sup>T<sub>E</sub>X *distribution*.
- ▶ A distribution includes a latex program and (typically) several thousand packages.
  - ▶ On Windows: MikT<sub>E</sub>X or T<sub>E</sub>XLive
  - ▶ On Linux: T<sub>E</sub>XLive
  - ▶ On Mac: MacT<sub>E</sub>X
- ▶ You'll also want a text editor with L<sup>A</sup>T<sub>E</sub>X support.
  - ▶ We recomend LyX or Kile

# Online Resources

- ▶ The  $\text{\LaTeX}$  Wikibook
  - ▶ Excellent tutorials and reference material.
- ▶  $\text{\TeX}$  Stack Exchange
  - ▶ Ask questions and get excellent answers quickly.
- ▶  $\text{\LaTeX}$  Community
  - ▶ A large online forum.
- ▶ Comprehensive  $\text{\TeX}$  Archive Network (CTAN)
  - ▶ Over four thousand packages plus documentation.
- ▶ Google will usually get you to one of the above.