Feature: Custom Events and CRM Attributes

Field	Value
Product page	
Components	FYNXT Cloud: Global Configuration (Event Catalog, CRM Attributes, Incentive Tier KPIs, Rebate KPIs). Incentive Engine.
Design	Prototype: https://claude.ai/artifact/MQpjm4PCppg1A7u4rL5GPR
Phase	Phase 2 of Incentive Cloud. Builds on Formula Builder (Phase 1). Next: Object Enrollment, PAMM Rebates.
Jira epic	
Product owner	
Needed by	
Page status	Draft
Summary	A broker admin can bring in events (from the FYNXT platform, their websites through the SDK, and their CRM activities) and CRM fields, turn events into metrics, and use both in the Formula Builder to build KPIs.

Why

The problem: KPIs can use only the variables FYNXT provides. Brokers can't use what happens on their own websites, their CRM activities, or their own CRM fields.

Who asked:

What it costs today:

What good looks like: An admin sets up websites, CRM activities and CRM fields in Global Configuration. Events become metrics through Map to variable. Metrics and CRM fields are available in the Formula Builder, with no development. FYNXT can switch Custom Events on or off per tenant.

Who is involved

Actor	Their part in this feature
FYNXT (internal)	Switches Custom Events on or off for each tenant (brand)
Broker admin	Sets up websites, events, metrics, CRM fields and KPIs
Broker website or app	Sends custom events through the SDK
FYNXT platform	Sends System events
CRM (FYNXT or external)	Supplies CRM activities and CRM fields; the CRM team provides the connection
Incentive Engine	Stores metrics and KPIs and calculates them

User stories

US1 - Map an event to a metric (Must)

As a broker admin, I want to turn an event into a metric with an aggregation, scope and optional filter, so that I can use it in KPIs.

Independent test: Map LOGIN with Count occurrences and scope User, publish login_total. It shows in the event's Mapped metrics and in the Formula Builder under Event metrics.

Acceptance scenarios:

1. Given LOGIN in the Event Catalog, when the admin clicks + and publishes a metric, then the metric appears in LOGIN's Mapped metrics.
2. Given Sum of value is chosen on an event with no number fields, when the admin looks at Value field, then it says the event cannot be summed and Publish metric stays disabled.

US2 - Receive events from our websites (Must)

As a broker admin, I want to connect each of my brand's websites, so that events from them reach the Event Catalog.

Independent test: Add promo.orionfx.com. It gets a site key and setup code, with status Waiting for first event.

Acceptance scenarios:

1. Given a connected website, when it sends an event, then the event shows in the Event Catalog as Custom (SDK) with that website.
2. Given the site key was regenerated, when an event arrives with the old key, then it is rejected.

US3 - Turn a CRM activity into an event (Must)

As a broker admin, I want to define a CRM activity as an event, so that I can reward things recorded in the CRM.

Independent test: Add Meetings, only when Status is Completed. MEETING_COMPLETED appears in the Event Catalog as CRM Activity, Not mapped.

Acceptance scenarios:

1. Given the rule Meetings, Status is Completed, when a meeting is marked Completed, then a MEETING_COMPLETED event is recorded.
2. Given the same rule, when a meeting is marked Scheduled, then no event is recorded.

US4 - Add CRM fields (Must)

As a broker admin, I want to add my own CRM fields, so that I can use them as variables.

Independent test: Add Webinars Attended (Number). It is listed as Custom, usable as Calculation, and shows in the Formula Builder under CRM Attributes.

US5 - Use metrics and CRM fields in the Formula Builder (Must)

As a broker admin, I want published metrics and CRM fields in the Formula Builder, so that I can build KPIs from them.

Independent test: In Incentive Tier KPIs, Event metrics lists login_count; selecting it adds it to the formula.

US6 - Switch Custom Events on or off per tenant (Must)

As FYNXT, I want to switch Custom Events on or off for each tenant (brand), so that we can offer it as a paid add-on.


Independent test: Switch it off for brand A: Websites (SDK) and + Add CRM activity as event do not show for brand A. Brand B is unaffected.

Acceptance scenarios:

1. Given Custom Events is off for a tenant, when its admin opens the Event Catalog, then Websites (SDK) and + Add CRM activity as event are not shown.
2. Given Custom Events is switched on for a tenant, when its admin opens the Event Catalog, then both actions are shown.

User journey

Flow: numbers match the steps below



Purple: event path · Teal: CRM fields path · Gray: where both meet. Numbers match the User journey steps.


1. [UI] Website (SDK): admin adds a website and pastes its setup code on the site (S3, S4). [Backend] Its events arrive as Custom (SDK).
2. [Backend] FYNXT platform: System events arrive.
3. [UI] CRM activity: admin adds a CRM activity as an event (S5). [Backend] Matching activities arrive as CRM Activity events.
4. [UI] Event Catalog: every event is listed; admin clicks + on one (S1).
5. [UI] Map to variable: admin sets aggregation, scope, attribute to and filter, then publishes a metric (S2).
6. [UI] CRM Attributes: admin uses built-in fields or adds fields (S6, S7).
7. [UI] Formula Builder: admin picks CRM fields or Event metrics and publishes a KPI (S8).

8. [Backend] Incentive programs: the KPI is used in tiers, rewards, contests and rebates, as today.


Screens

ID	Screen	Figma frame link	Purpose	States to design
S1	Event Catalog (change)	Prototype	List, filter and map events	Filled, filtered, empty
S2	Map to variable	Existing	Create a metric from an event	Each aggregation, filter open, name error
S3	Websites (SDK) (new)	Prototype	List and manage websites	Empty, filled, menu open
S4	Add website (new)	Prototype	Add a website; get site key and setup code	Empty, filled, added
S5	Add CRM activity as event (new)	Prototype	Define an event from a CRM activity	Filled, condition off, name error
S6	CRM Attributes	Existing	List CRM fields	Filled, filtered
S7	Add / edit field	Prototype	Add or edit a CRM field	Empty, filled
S8	Formula Builder: Variables (change)	Prototype	Pick CRM fields or Event metrics	CRM fields, Event metrics, no metrics yet


S1 today




S1 with the additions (prototype)




S2 Map to variable: Count occurrences




S2 Map to variable: Sum of value




S2 filter: Key = Value




S3 Websites (SDK), row menu open




S4 Add website




S4 Website added: site key and setup code




S5 Add CRM activity as event




S6 CRM Attributes



S7 Add field



S8 Formula Builder: Event metrics



Rules

Front end

U1. Event Catalog lists ID, event name, type, website, volume (30D), last seen, sample parameters and mapped metrics, with filters for type and mapping status and a search by event name.

U2. Type is System, Custom (SDK) or CRM Activity.

U3. Event Catalog has two actions: Websites (SDK) and + Add CRM activity as event.

U4. Map to variable aggregation is Count occurrences, Consecutive days, Days since last occurrence or Sum of value. Sum of value needs a value field; only the event's number fields are offered.

U5. Scope is required: User, Trading account or Team.

U6. Attribute to shows only when the event has related parties: the event's own scope, or a role from its related parties (e.g. Referrer).

U7. Filter is optional: Key (from the event's fields) = Value. Several filters can be added.

U8. Publish as metric is required: lowercase letters, numbers and _, starting with a letter, and unique.

U9. Websites (SDK) lists name, domains, masked site key, status (Waiting for first event, Receiving, Paused), events (30D) and last event. Actions: Copy site key, Copy setup code, Regenerate site key, Pause or Resume events, Remove website.

U10. Add website needs a name and domains; on save it shows the site key and setup code.

U11. Add CRM activity as event: activity type (Meetings, Tasks, Tickets, Interactions), optional "only when" Status condition, belongs to (contact on the activity or owner of the activity), and a unique event name.

U12. CRM Attributes lists ID, field name and key, category, type, usable as, used in and status (Built-in, Custom), with a category filter, search and + Add field. Custom fields can be edited and deleted.

U13. Formula Builder variables come in two groups: CRM fields (by object, including CRM Attributes) and Event metrics (each with its source event).

U14. When Custom Events is off for a tenant, Websites (SDK) and + Add CRM activity as event are not shown to that tenant.

Back end

B1. System events come from the FYNXT platform.
B2. Custom (SDK) events are accepted only from a connected website's domains, with its current site key.
B3. Every SDK event identifies the client.
B4. Regenerating a site key replaces the old key; the old key stops working.
B5. While a website is paused, its events are not counted.
B6. A CRM activity event is recorded each time an activity of that type meets the condition, credited to the contact or the owner as chosen.
B7. A published metric is listed in the event's Mapped metrics and is available in the Formula Builder under Event metrics.
B8. Number CRM fields are usable as Calculation; Text, Date and Yes/No fields as Condition.
B9. CRM activities and CRM fields can come from FYNXT CRM or an external CRM. The CRM team provides the connection; this feature needs access to both, the external CRM being optional.
B10. Custom Events has a feature flag per tenant (brand), set by FYNXT. When it is off, that tenant's Custom (SDK) and CRM Activity events are not accepted. System events, Map to variable for System events, and CRM Attributes are not affected.

Examples

Setup: client John Smith (CL-50123), referred by IB-10234. Period 1-13 Oct 2026.

#	Rule	Input	Expected result
E1	U4	LOGIN, Count occurrences, scope User. John logs in 5 times	5
E2	U4	LOGIN, Days since last occurrence. Last login 1 Oct, checked on 13 Oct	12
E3	U4	TRADE_EXECUTED, Sum of value, value field volume. Trades of 1.5, 2.0 and 0.5 lots	4.0
E4	U7	E3 with filter symbol = EURUSD. EURUSD trades 1.5 and 0.5; GBPUSD 2.0	2.0
E5	U6	DEPOSIT_COMPLETED, Count occurrences, attribute to Referrer. John deposits once	1 for IB-10234; nothing for John
E6	U11, B6	Meetings, only when Status is Completed. 2 meetings Completed, 1 Scheduled	2 MEETING_COMPLETED events
E7	U8	Metric name "Login Count"	Blocked: "Use lowercase letters, numbers and _ only, starting with a letter."

Edge cases and errors

Case	Side	Expected result
Sum of value on an event with no number fields	UI	"This event has no number fields, so it cannot be summed. Choose another aggregation." Publish disabled
Metric name already used	UI	"This metric name is already used."
CRM activity event name already exists	UI	"An event with this name already exists."
SDK event from a domain not listed for the website	Backend	Rejected
SDK event with an old site key	Backend	Rejected
SDK event without a client ID	Backend	Rejected: "clientId is required."
Removing a website whose events feed a metric	Backend	Its events are no longer accepted (B2)
Custom Events switched off while metrics or KPIs use Custom (SDK) or CRM Activity events	Backend	New Custom (SDK) and CRM Activity events are not accepted (B10)

What must not change

- Existing System events and their metrics (login_activity, login_count, trade_count, deposit_volume) keep working.
- Built-in CRM attributes and the KPIs that use them.
- Today's custom events payload keeps being accepted.

Out of scope

- Connecting FYNXT CRM or an external CRM (CRM team).
- The SDK itself and its setup code (engineering).
- Handling custom CRM fields deleted after a KPI uses them.
- Using KPIs in incentive programs (existing behaviour).

Data and interfaces

Field	Screen	Direction	Type	Required	Allowed values and rules	Example
Event type	S1	Out	List		System, Custom (SDK), CRM Activity	Custom (SDK)

Field	Screen	Direction	Type	Required	Allowed values and rules	Example
Website	S1	Out	Text		Connected websites	orionfx.com
Aggregation	S2	In	List	Yes	U4	Count occurrences
Value field	S2	In	List	When Sum of value	The event's number fields	volume
Scope	S2	In	List	Yes	User, Trading account, Team	User
Attribute to	S2	In	List	When related parties exist	Own scope or a related-party role	Referrer
Filter	S2	In	List	No	Key = Value	symbol = EURUSD
Metric name	S2	In	Text	Yes	U8	login_count
Website name	S4	In	Text	Yes		Promo site
Domains	S4	In	Text	Yes	One or more, comma separated	promo.orionfx.com
Site key	S3, S4	Out	Text		One per website	sk_live_••••7d13
Activity type	S5	In	List	Yes	Meetings, Tasks, Tickets, Interactions	Meetings
Only when	S5	In	List	No	Status is a value of that activity	Completed
Belongs to	S5	In	List	Yes	Contact on the activity, Owner of the activity	Contact
Event name	S5	In	Text	Yes	Capitals, numbers, _; unique	MEETING_COMPLETED
Field name	S7	In	Text	Yes		Webinars Attended
Category	S7	In	List	Yes	Client Lifecycle Stage, Deposit & Financial, Trading, Custom	Custom
Field type	S7	In	List	Yes	Number, Text, Date, Yes/No	Number
Custom Events flag	—	In (FYNXT)	Yes/No	Yes	Per tenant (brand), set by FYNXT	On

Non-functional

Area	Requirement
Permissions	Same as access to Global Configuration today
Speed	
Audit	Same as other Global Configuration changes today

Success criteria

Measure	Target value

Integrations

System	Direction	Change	Owner agreed?
Broker websites (SDK)	In	Custom events with site key and client ID	
CRM (FYNXT or external)	In	CRM activities and CRM fields, through the CRM team's connection	
Incentive Engine	Out	Published metrics and KPIs	

Definition of done

- ☐ Screens S1-S8 match their design, in every listed state
- ☐ Rules U1-U14 and B1-B10 are met
- ☐ Every acceptance scenario, example and edge case passes as an automated test
- ☐ Everything under What must not change still passes
- ☐ Product has signed off

Changes after Ready for build

None

Glossary

Term	Meaning
Event	Something that happened, sent by the platform, a website or the CRM

Term	Meaning
Metric	A published number made from an event by Map to variable
CRM Activity	An activity recorded in the CRM (meeting, task, ticket, interaction) defined as an event
CRM Attribute	A field on a CRM record, used directly as a variable
Site key	The key a website uses to send events through the SDK
Scope	Who the metric is counted for: user, trading account or team
Attribute to	Credit the metric to a related party, such as the referrer
Feature flag	A per-tenant on/off switch for Custom Events, set by FYNXT