

Paper BIO-13: Adaptive Flux Limitation in Evolutionary Dynamics: A CDFD Model of Sustainable Throughput and Adaptive Trade-Offs

Steve Bico Mujjabi
Independent Researcher

May 22, 2026

Abstract

This paper presents **Adaptive Flux Limitation (AFL)** as the Part III biology-and-medicine model inside Constraint-Driven Flux Dynamics (CDFD). CDFD supplies the flow-constraint-memory grammar: physiological flow Φ , constraint C , surface responsiveness S , and structural memory M_s . The Runtime citation anchors the CDFL implementation, while clinical interpretation remains separate from software output and bedside validation.

Evolution is traditionally described as the process of natural selection acting on heritable variation. While this framework explains adaptation, it does not explicitly account for the physical and physiological constraints that limit biological performance.

In this work, we apply Adaptive Flux Limitation (AFL) to evolutionary biology, proposing that natural selection favors organisms that optimize sustainable flux under constraint. We argue that metabolic capacity, resource transport, and constraint management define fitness landscapes.

We show that evolutionary processes can be interpreted as the gradual expansion, redistribution, and stabilization of flux capacity across biological systems. This framework links physiology, ecology, and evolution into a unified model grounded in constraint-driven dynamics.

Status: Inferred

Within the extended framework of this series, biological networks are modeled as *Adaptive Surfaces* that dynamically integrate physiological load and retain structural memory. The system's health is governed by the adaptive ratio $\Psi_s = (\Phi/C) \cdot S \cdot M_s$, where homeostasis ($\Psi_s \approx 1.0$) is maintained near the stable attractor ($S \cdot M_s \approx 1.0$), and disease emerges as surface dysregulation when maladaptive memory locks tissues into chronic constraint.

Greek-symbol convention. Unless a manuscript states a tighter equation-local meaning, Greek symbols are local CDFD variables or coefficients, not universal constants. Here Φ denotes driving flux, Ψ_s denotes the adaptive operating ratio, Ω denotes a domain or state space, and Λ denotes the Life Number where used. The coefficients α , β , and γ denote accumulation or reinforcement, relaxation or decay, and diffusion, coupling, or redistribution. The symbols δ and ϵ denote perturbation or tolerance scales, while η , λ , μ , ν , ρ , σ , τ , and ϕ denote local efficiency, rate, baseline, frequency, density or correlation, noise or variance, time-scale, and phase or field terms. Subscripts restrict any coefficient to the named pathway, tissue, domain, or experiment.

Clinical Reader's Guide

This paper moves from physiology to evolution. Selection acts on organisms and populations that must move energy, information, genes, cells, and materials through constrained bodies and environments. AFL interprets adaptation as a change in constraint architecture, not only a change in trait value.

The medical relevance is indirect but important. Cancer evolution, antimicrobial resistance, immune escape, metabolic trade-offs, and developmental canalization all involve populations finding routes through constraint landscapes. A change that improves one flux may increase another burden.

The paper should be read as a bridge between clinical time and evolutionary time. It does not replace population genetics; it supplies a systems vocabulary for the cost of adaptation.

AFL notation. In this paper, Φ denotes the relevant physiological throughput, C the operative biological constraint, S surface responsiveness, and M_s retained structural memory. When a dominant flow can be specified, $\Psi_s = (\Phi/C) \cdot S \cdot M_s$ denotes the operating ratio. Claim discipline: explicit assumptions, separated derivation vs. interpretation, and status labels.

1 Introduction

Adaptive Flux Limitation (AFL) is the named model used in this paper; CDFD is the parent framework that supplies the variables, closure logic, and claim discipline. The biological or medical question is posed first as AFL, then interpreted as a CDFD model of flow, constraint, surface responsiveness, and structural memory.

1.1 Formal Symbol Rigor: The Extended CDFD Paradigm

In strict alignment with the Fundamental Physics (Part I) and Origins of Life (Part II) archives, this biological translation formally preserves the exact Mujjabi transport tensor structure:

- Φ (**Flow Intensity**): The physiological or biochemical drive (e.g., nutrient flux, signaling rate).
- C (**Constraint / Pathway Resistance**): The biological resistance regulating the flow. It dynamically evolves via the standard closure: $dC/dt = \alpha\Phi - \beta C$.
- S (**Surface Responsiveness**): The active response capability of the biological medium.
- M_s (**Surface Memory**): Structural hysteresis or maladaptive drift (e.g., chronic scarring, epigenetic locking) with a finite recovery time τ_M .
- $\Psi_s = (\Phi/C) \cdot S \cdot M_s$ (**Operating State Ratio**): The dimensionless index of biological health. $\Psi_s \approx 1$ defines homeostasis ($\Psi_s \approx 1.0$); $\Psi_s \gg 1$ defines pathological overload.

Evolution operates through:

- variation
- selection
- inheritance

Fitness is typically defined in terms of reproductive success. However, reproduction depends on:

- energy acquisition
- metabolic processing
- resource distribution

These processes are fundamentally constrained.

2 Flux-Based Definition of Fitness

Define organismal flux:

$$J_{org} = \text{rate of resource acquisition and utilization} \quad (1)$$

Define fitness:

$$W \propto \frac{J_{org}}{C_{org}} \quad (2)$$

Where:

- C_{org} = internal and environmental constraints

3 Material basis of constraint capacities (tri-regime bridge)

Recurring biomaterial classes can be read as *strategies* for the same functional problem: ordered aromatic systems bias toward energy capture and excitation handling (chlorophyll-*like* role models); crystalline mixed-valence oxides bias toward spatial electron transport (magnetite / iron-*like* analogues); disordered aromatic polymers bias toward radical buffering and broadband dissipation (melanin-*like* loads); aqueous hydrogen-bond networks bias toward proton coupling (Grotthuss-*like* σ_p). Evolutionary dynamics in AFL can be read as rearranging which capacity is limiting.

Introduce nonnegative bookkeeping capacities $C_{\text{input}}, C_{\text{electron}}, C_{\text{proton}}, C_{\text{stability}}$ (hypothesis tier unless separately instrumented). Coupled throughput

$$J_{\text{bio}} = \Phi \cdot \frac{\sigma_e \sigma_p}{S}, \quad (3)$$

with energy-input intensity Φ , electron and proton conductance proxies σ_e, σ_p , and stabilization load $S > 0$, mirrors the public OOL and AFL equations. A weakest-link cartoon is

$$J_{\text{max}} \lesssim \min(C_{\text{input}}, C_{\text{electron}}, C_{\text{proton}}, C_{\text{stability}}), \quad (4)$$

norm-dependent but capturing bottleneck reasoning used throughout AFL installments.

Maintenance-aware regimes use the dimensionless life number $\Lambda_{\text{life}} = (\Phi \sigma_e \sigma_p \tau_{\text{relax}}) / (SE_{\text{maintenance}})$ from OOL-11; evolutionary transitions that enlarge coordinated capacities shift organisms toward $\Lambda_{\text{life}} > 1$ in model space without claiming fine-tuned paleontology.

Discipline: do not assert historical equations “magnetite became chlorophyll” or “melanin evolved into chlorophyll”; assert convergent physical strategies under distinct constraints (OOL-11 boundary language).

Status: Inferred / Hypothesis

4 Evolution as Constraint Optimization

Evolution modifies both:

- flux capacity (J_{org})
- constraint structure (C_{org})

Thus:

$$\frac{dW}{dt} = f\left(\frac{dJ_{org}}{dt}, \frac{dC_{org}}{dt}\right) \quad (5)$$

5 Metabolic Evolution

Organisms evolve improved energy handling:

- increased enzyme efficiency
- improved mitochondrial function

This increases:

$$J_{org} \uparrow \quad (6)$$

6 Structural Constraints

Physical structure imposes limits:

- surface area to volume ratios
- transport distances

Thus:

$$C_{org} \propto \text{geometry} \quad (7)$$

7 Trade-Offs

Increasing flux often increases constraints:

$$J_{org} \uparrow \Rightarrow C_{org} \uparrow \quad (8)$$

Examples:

- high metabolism increases oxidative stress
- rapid growth reduces stability

8 Adaptive Balance

Optimal systems operate near:

$$\Psi_{s,org} = \frac{J_{org}}{C_{org}} \approx 1 \quad (9)$$

Where:

- $\Psi_s < 1$: underutilized capacity
- $\Psi_s > 1$: instability or collapse

9 Environmental Constraints

Environment defines external limits:

- resource availability
- temperature
- competition

Thus:

$$C_{env} \rightarrow C_{org} \quad (10)$$

10 Evolutionary Transitions

Major transitions involve shifts in flux capacity:

- multicellularity increases transport complexity
- vascular systems reduce constraints

11 Selection Pressure

Selection favors:

$$\max \left(\frac{J_{org}}{C_{org}} \right) \quad (11)$$

Not simply maximum flux, but sustainable flux.

12 Population Dynamics

At population level:

$$J_{pop} = \sum J_{org} \quad (12)$$

Constraints include:

- resource competition
- carrying capacity

13 Evolutionary Stability

Stable strategies occur when:

$$\frac{d}{dt} \left(\frac{J_{org}}{C_{org}} \right) = 0 \quad (13)$$

14 System-Level Interpretation

Evolution can be summarized as:

the optimization of sustainable flux under constraint across generations

15 Predictions

AFL predicts:

- organisms evolve toward optimal flux–constraint balance
- high-flux systems require stronger regulatory mechanisms
- extreme environments favor constraint minimization strategies

16 Numerical Verification

This installment’s toy deterministic checks should be packaged as an active-numbered public supplement (NumPy; seed and parameters in-file). Console tables illustrate the adopted AFL closure; they do not substitute for cohort or experimental validation.

Status: Derived

17 Interpretation

Domain-specific narratives above map mechanisms to $(\Phi, C, S, M_s, \Psi_s)$ within the AFL working model. Interpretive claims are model-mediated; claim strengths follow the public status labels used throughout this paper.

Status: Inferred

18 Limitations and Open Problems

- simplified abstraction of genetic mechanisms
- requires integration with evolutionary theory

Status: Open

19 Falsifiability

The framework would be invalid if:

- fitness does not correlate with resource throughput capacity
- evolutionary adaptation occurs independently of constraint limits

Status: Open

20 Deep Analysis: Evolutionary Implications and Selection on C Architecture

Detailed derivation placeholder retained for future expansion in this preprint release.

21 Translational Medicine: Biological Aging as Universal M_s Accumulation

Senescence and aging are rarely formalized as constraint-memory processes. Under the AFL framework, aging can be represented as the lifetime accumulation of structural memory (M_s), with reversibility treated as an empirical question rather than assumed away.

Throughout a lifespan, repeated cycles of stress (Φ transients) invoke the constraint equation $dC/dt = \alpha\Phi - \beta C$. As humans age, evolutionary selection pressure relaxes, and the systemic relaxation parameter β globally decays. This decay forces the recovery time $\tau_{relax} \rightarrow \infty$. Consequently, M_s accumulates monotonically across all tissues (manifesting clinically as arterial stiffening, fibrosis, and cognitive decline). Aging is thus the slow, universal stiffening of the biological adaptive surface.

22 Clinical Mapping of Symbols

Table 1: AFL symbol map for evolutionary dynamics and aging.

Symbol	Evolutionary meaning	Measurable proxy	Implication
Φ_g	Reproductive / growth flux	Population growth rate, reproductive output	If $\Phi_g \rightarrow 0$, population collapses
C	Environmental / selective constraint	Carrying capacity, predation rate, resource scarcity	If $C \rightarrow 0$, system overloads
β	Constraint relaxation (adaptation rate)	Generation time, mutation rate, plasticity index	If $\beta \rightarrow 0$, system becomes rigid
M_s	Evolutionary memory / epigenetic burden	Transgenerational epigenetic marks	If $M_s \rightarrow 0$, system forgets history

23 Experiments and Future Validation

1. **Step 1 — Mathematical consistency:** Verify evolutionary trajectory and aging β -decay model in toy simulation (complete — `supplementary_afl_13.py`, outputs in `outputs/paper_13/`).
2. **Step 2 — Microbial evolution:** Apply AFL fitness proxy $1/(1 + |\Psi_s - 1|)$ to bacterial fitness landscapes from LTEE (Long-Term Evolution Experiment) or clinical AMR evolution datasets.

3. **Step 3 — Life-history theory alignment:** Compare AFL trade-off geometry predictions to documented life-history trade-offs (pace-of-life syndromes, reproductive senescence).
4. **Step 4 — Cancer evolutionary alignment:** Test AFL constraint-redistribution model against intra-tumour heterogeneity and clonal evolution datasets (TCGA, PCAWG).
5. **Step 5 — Longitudinal aging:** Test whether declining β (AFL relaxation decay) correlates with biological age clocks (epigenetic clocks, telomere length) in prospective cohorts.

Validation ladder status: Step 1 complete; Steps 2–5 open.

24 Clinical Safety Boundary

This paper contains no clinical aging interventions, anti-ageing plans, or cancer treatment guidance. AFL evolutionary dynamics are mathematical hypotheses about population-level and lineage-level constraint accumulation. No AFL output should guide geriatric care, oncological management, or longevity intervention without: (a) prospective validation in appropriate cohorts; (b) regulatory review; (c) specialist clinical oversight.

25 Runtime Diagnostic

The release-local evolutionary dynamics script is `supplementary/supplementary_afl_13.py`. It simulates 12 lineages with varying α/β parameters and an aging trajectory with declining β , producing `evolutionary_scenarios.csv`, `evolutionary_trajectory.csv`, `aging_memory_accumulation.csv`, `evolutionary_dynamics.png`, and `summary.json` in `outputs/paper_13/`.

All outputs carry the label “toy diagnostic — not a clinical claim.”

26 Conclusion

Evolutionary fitness reflects sustainable flux–constraint balance, not maximum growth. AFL predicts that successful lineages maintain viable Ψ_s across variable constraint regimes, and that aging corresponds to global constraint-relaxation decay (β decline) accumulating M_s across tissues. These trade-off structures explain antibiotic resistance cost, life-history syndromes, and cancer evolution as instances of constraint redistribution.

Empirical validation in microbial, cancer, and longitudinal human cohorts is required before any evolutionary or aging prediction influences clinical practice. The current work provides quantitative hypotheses; experimental and clinical validity remain open.

27 Reproducibility Note

Release-local script: `supplementary/supplementary_afl_13.py`. Dependencies: NumPy, matplotlib. Runtime < 2 s. All parameters and seeds are set in-file. Outputs written to `outputs/paper_13/`. No proprietary data required.

28 Evolution as Flux–Constraint Optimization

Evolutionary success is not simply maximal growth. It is sustainable throughput under constraint. A genotype that maximizes flux in one environment may fail when the constraint regime changes. AFL therefore reframes fitness as the ability to maintain viable Ψ_s across variable ecological, energetic, and reproductive conditions.

29 Trade-Off Geometry

Every adaptation changes a constraint. Antibiotic resistance may protect against drug flux while increasing metabolic burden. Larger body size may improve predation resistance while increasing energetic demand. Faster replication may increase population flux while raising error load. These trade-offs are not exceptions to AFL; they are the evolutionary form of constraint redistribution.

30 Selection Pressure

Selection can be represented as environmental forcing on Φ and C . Harsh environments raise constraint; abundant resources raise flux; fluctuating environments increase the value of relaxation and plasticity. AFL predicts that stable strategies sit near a viable operating band rather than at maximal flux.

31 Research Tests

The framework can be tested in microbial evolution, cancer evolution, life-history theory, and ecological adaptation. The key measurement is whether successful lineages maintain better flux–constraint balance under perturbation, not merely higher flux under baseline conditions.

Conflict of Interest

The author declares no conflict of interest.

Funding

This research received no external funding.

Author Contributions

Conceptualization, formal analysis, runtime engineering, and manuscript preparation: S.B.M.

Data Availability

All computational models, Python scripts, and numerical verifications are explicitly available in the `/supplementary` repository layer and the `cdfd.runtime` engine.

32 Reference Layer

References