

Paper BIO-15: Adaptive Flux Limitation in Microbial Systems: A CDFD Model of Resistance Cycles, Biofilms, and Trade-Offs

Steve Bico Mujjabi
Independent Researcher

May 22, 2026

Abstract

This paper presents **Adaptive Flux Limitation (AFL)** as the Part III biology-and-medicine model inside Constraint-Driven Flux Dynamics (CDFD). CDFD supplies the flow-constraint-memory grammar: physiological flow Φ , constraint C , surface responsiveness S , and structural memory M_s . The Runtime citation anchors the CDFL implementation, while clinical interpretation remains separate from software output and bedside validation.

Antibiotic resistance is a major global health challenge driven by rapid microbial adaptation. Traditional models attribute resistance to genetic mutations and horizontal gene transfer, but do not fully capture the dynamic trade-offs associated with resistance mechanisms.

In this work, we apply Adaptive Flux Limitation (AFL) to microbial systems, proposing that antibiotic resistance arises from constraint-driven trade-offs in metabolic and transport flux. We demonstrate that resistance mechanisms increase constraints on cellular throughput, leading to fitness costs in the absence of antibiotics.

We show that resistance cycles—emergence, persistence, and loss—can be explained as shifts in flux–constraint balance under changing environmental pressures. This framework provides a unified explanation for resistance dynamics and suggests new strategies for antimicrobial therapy.

Status: Inferred

Within the extended framework of this series, biological networks are modeled as *Adaptive Surfaces* that dynamically integrate physiological load and retain structural memory. The system’s health is governed by the adaptive ratio $\Psi_s = (\Phi/C) \cdot S \cdot M_s$, where homeostasis ($\Psi_s \approx 1.0$) is maintained near the stable attractor ($S \cdot M_s \approx 1.0$), and disease emerges as surface dysregulation when maladaptive memory locks tissues into chronic constraint.

Greek-symbol convention. Unless a manuscript states a tighter equation-local meaning, Greek symbols are local CDFD variables or coefficients, not universal constants. Here Φ denotes driving flux, Ψ_s denotes the adaptive operating ratio, Ω denotes a domain or state space, and Λ denotes the Life Number where used. The coefficients α , β , and γ denote accumulation or reinforcement, relaxation or decay, and diffusion, coupling, or redistribution. The symbols δ and ϵ denote perturbation or tolerance scales, while η , λ , μ , ν , ρ , σ , τ , and ϕ denote local efficiency, rate, baseline, frequency, density or correlation, noise or variance, time-scale, and phase or field terms. Subscripts restrict any coefficient to the named pathway, tissue, domain, or experiment.

Clinical Reader's Guide

This paper applies AFL to microbial systems and resistance. Microbes adapt by changing uptake, efflux, metabolism, dormancy, biofilm structure, mutation rate, and community organization. Each change alters a constraint landscape.

Antimicrobial resistance is therefore not only a gene list. It is a dynamic state in which drug exposure, nutrient conditions, host immunity, biofilm boundaries, and population memory shape which constraints dominate. AFL can help distinguish direct drug failure from boundary protection, metabolic tolerance, persistence, or community-level buffering.

The clinical standard remains microbiology, susceptibility testing, antimicrobial stewardship, source control, pharmacokinetics, and trial evidence. AFL is a modeling layer for hypotheses about why resistance emerges and persists.

AFL notation. In this paper, Φ denotes the relevant physiological throughput, C the operative biological constraint, S surface responsiveness, and M_s retained structural memory. When a dominant flow can be specified, $\Psi_s = (\Phi/C) \cdot S \cdot M_s$ denotes the operating ratio. Claim discipline: explicit assumptions, separated derivation vs. interpretation, and status labels.

1 Introduction

Adaptive Flux Limitation (AFL) is the named model used in this paper; CDFD is the parent framework that supplies the variables, closure logic, and claim discipline. The biological or medical question is posed first as AFL, then interpreted as a CDFD model of flow, constraint, surface responsiveness, and structural memory.

1.1 Formal Symbol Rigor: The Extended CDFD Paradigm

In strict alignment with the Fundamental Physics (Part I) and Origins of Life (Part II) archives, this biological translation formally preserves the exact Mujjabi transport tensor structure:

- Φ (**Flow Intensity**): The physiological or biochemical drive (e.g., nutrient flux, signaling rate).
- C (**Constraint / Pathway Resistance**): The biological resistance regulating the flow. It dynamically evolves via the standard closure: $dC/dt = \alpha\Phi - \beta C$.
- S (**Surface Responsiveness**): The active response capability of the biological medium.
- M_s (**Surface Memory**): Structural hysteresis or maladaptive drift (e.g., chronic scarring, epigenetic locking) with a finite recovery time τ_M .
- $\Psi_s = (\Phi/C) \cdot S \cdot M_s$ (**Operating State Ratio**): The dimensionless index of biological health. $\Psi_s \approx 1$ defines homeostasis ($\Psi_s \approx 1.0$); $\Psi_s \gg 1$ defines pathological overload.

Microbial systems exhibit:

- rapid growth
- high mutation rates
- strong selection pressure

Antibiotic resistance is typically explained by:

- genetic mutations
- acquisition of resistance genes

However, resistance often carries:

- metabolic costs
- reduced growth rates

2 Microbial Flux Definition

Define microbial flux:

$$J_{micro} = \text{rate of nutrient uptake and biomass production} \quad (1)$$

Driven by:

$$J_{micro} = \frac{\nabla \Phi_{nutrient}}{C_{cell}} \quad (2)$$

Where:

- C_{cell} = cellular constraints (enzymes, membranes)

3 Antibiotics as External Constraints

Antibiotics increase constraints:

$$C_{drug} \uparrow \Rightarrow J_{micro} \downarrow \quad (3)$$

Mechanisms include:

- enzyme inhibition
- membrane disruption
- ribosomal blockage

4 Resistance Mechanisms

Microbes respond by modifying constraints:

$$C_{drug \rightarrow cell} \downarrow \quad (4)$$

Examples:

- efflux pumps
- enzyme degradation of antibiotics
- target modification

5 Flux Trade-Off

Resistance increases internal constraints:

$$C_{cell} \uparrow \tag{5}$$

Thus:

$$J_{micro}^{resistant} < J_{micro}^{sensitive} \tag{6}$$

in drug-free environments.

6 Adaptive Constraint Dynamics

Constraint evolution follows:

$$\frac{dC}{dt} = \alpha J - \beta C \tag{7}$$

Under antibiotic pressure:

- α increases (selection for resistance)

Without antibiotics:

- β dominates (loss of resistance)

7 Resistance Cycles

Resistance dynamics:

1. Antibiotic exposure $\rightarrow$ resistance increases
2. Drug removal $\rightarrow$ resistance declines

This reflects:

$$\Psi_s = \frac{J_{micro}}{C_{cell}} \tag{8}$$

8 Population-Level Effects

Define:

$$J_{pop} = \sum J_{micro} \tag{9}$$

Competition determines:

- dominance of resistant vs sensitive strains

9 Biofilms

Biofilms increase constraints:

$$C_{environment} \uparrow \tag{10}$$

Result:

- reduced drug penetration
- altered metabolic flux

10 Therapeutic Implications

10.1 High-Dose Therapy

Maximizes:

$$C_{drug} \tag{11}$$

10.2 Cycling Therapy

Exploits:

- fitness cost of resistance

10.3 Combination Therapy

Targets multiple constraints:

$$C_{total} = C_1 + C_2 + \dots \tag{12}$$

11 Predictions

AFL predicts:

- resistance carries measurable metabolic cost
- resistance declines without selective pressure
- biofilms shift flux-constraint balance

12 Numerical Verification

This installment's toy deterministic checks should be packaged as an active-numbered public supplement (NumPy; seed and parameters in-file). Console tables illustrate the adopted AFL closure; they do not substitute for cohort or experimental validation.

Status: Derived

13 Interpretation

Domain-specific narratives above map mechanisms to $(\Phi, C, S, M_s, \Psi_s)$ within the AFL working model. Interpretive claims are model-mediated; claim strengths follow the public status labels used throughout this paper.

Status: Inferred

14 Limitations and Open Problems

- simplified genetic representation
- variability across species

Status: Open

15 Falsifiability

The framework would be invalid if:

- resistance does not affect metabolic throughput
- resistance persists without selective advantage

Status: Open

16 Deep Analysis: Microbiological System and Resistance Cycling as CDFT C Modification

Detailed derivation placeholder retained for future expansion in this preprint release.

17 Clinical Mapping of Symbols

Table 1: AFL symbol map for microbial systems and antimicrobial resistance.

Symbol	Microbiology meaning	Measurable proxy	Invalidation condition
Φ_g	Microbial growth flux	Colony-forming units / growth rate	If growth rate is independent
C_a	Antibiotic-imposed constraint	MIC (minimum inhibitory concentration)	If MIC does not correlate
C_r	Resistance metabolic cost	Fitness cost assay (competitive growth)	If resistance has zero fitness
$\Psi_{s,micro}$	Microbial operating ratio	MIC-to-fitness ratio	If MIC and fitness cost are

18 Known Medicine Baseline

The following guidelines and frameworks take precedence over any AFL microbial model output:

- **WHO Global Action Plan on Antimicrobial Resistance (2015, updated 2022):** AMR policy is governed by WHO and national stewardship frameworks; AFL constraint-axis analysis is a candidate modelling supplement, not a stewardship protocol.
- **CDC Core Elements of Hospital Antibiotic Stewardship Programs (2019):** Antibiotic prescribing is guided by stewardship principles; AFL does not substitute for MIC-based clinical decisions or infectious disease specialist input.
- **EUCAST/CLSI Breakpoint Tables:** Clinical MIC breakpoints are empirically determined by EUCAST and CLSI; AFL “constraint” labels are theoretical correlates, not breakpoint revisions.

This paper contains no antibiotic prescribing guidance. No AFL output should guide antibiotic selection, dosing, or combination therapy without infectious disease specialist oversight and local stewardship guidance.

19 Experiments and Future Validation

1. **Step 1 — Mathematical consistency:** Verify resistance cycle, HGT dynamics, and stewardship scenarios in toy simulation (complete — `supplementary_afl_15.py`, outputs in `outputs/paper_15/`).
2. **Step 2 — Fitness-cost alignment:** Test AFL resistance-cost model (C_r proxy) against published competitive fitness assay data from ESKAPE pathogens.
3. **Step 3 — Retrospective MIC dataset:** Apply AFL $\Psi_{s,micro}$ trajectory to published longitudinal MIC monitoring datasets; test whether constraint-axis predictions match observed resistance emergence timing.
4. **Step 4 — In vitro evolution:** Serial passaging experiments with simultaneous AFL biomarker tracking (growth rate, MIC, metabolic cost); test whether cross-constraint combinations delay resistance more than single-axis pressure.
5. **Step 5 — Clinical stewardship alignment:** In collaboration with stewardship programs, map AFL constraint axes to de-escalation decision points; test whether AFL-informed cycling or combination hypotheses align with stewardship outcome data.

Validation ladder status: Step 1 complete; Steps 2–5 open.

20 Clinical Safety Boundary

This paper is a mathematical modelling study. It contains no antibiotic dosing recommendations, combination instructions, or stewardship protocols. AFL resistance models are candidate hypotheses for future research. Any translation to clinical antibiotic practice requires: (a) prospective validation in clinical microbiology datasets; (b) infectious disease specialist review; (c) alignment with local stewardship programs and WHO/CDC AMR frameworks; (d) regulatory clearance for any diagnostic or therapeutic tool derived from this framework.

21 Runtime Diagnostic

The release-local AMR script is `supplementary/supplementary_afl_15.py`. It simulates a resistance selection cycle, horizontal gene transfer dynamics, and three stewardship intervention scenarios, producing `resistance_cycle.csv`, `hgt_dynamics.csv`, `stewardship_scenarios.csv`, `microbial_resistance_afl.png`, and `summary.json` in `outputs/paper_15/`.

All outputs carry explicit safety labels: “NOT a therapy recommendation — toy diagnostic only.”

22 Conclusion

Antimicrobial resistance is not simply the absence of drug sensitivity — it is a constraint redistribution event. Resistance mechanisms reduce antibiotic-imposed constraint (C_a) at the cost of metabolic resistance constraint (C_r). AFL predicts that the winning population under antibiotic pressure is the one that achieves the highest total $\Psi_{s,micro}$, and that resistance declines when antibiotics are withdrawn precisely because C_r now dominates without offsetting C_a reduction.

AFL stewardship implications — cycling, cross-axis combination, collateral-sensitivity exploitation — are hypotheses that require prospective validation and stewardship-program collaboration before influencing clinical prescribing. The framework offers a mechanistic language for AMR; clinical validity remains open.

23 Reproducibility Note

Release-local script: `supplementary/supplementary_afl_15.py`. Dependencies: NumPy, matplotlib. Runtime < 2 s. All parameters are set in-file. Outputs written to `outputs/paper_15/`. No proprietary data required.

24 Resistance as Constraint Redistribution

Resistance mechanisms do not abolish constraint; they move it. Efflux pumps reduce intracellular antibiotic burden but consume energy. Enzymatic degradation protects the target but requires protein synthesis. Target modification lowers drug binding but may reduce native catalytic efficiency. Biofilms reduce exposure but impose diffusion and growth constraints.

25 AFL Model of Antibiotic Pressure

Let Φ_g be growth flux, C_a antibiotic-imposed constraint, and C_r resistance cost. Sensitive cells have low C_r and high vulnerability to C_a . Resistant cells reduce C_a but increase C_r . The winning population depends on the total operating ratio:

$$\Psi_{s,micro} = \frac{\Phi_g}{C_a + C_r + C_{env}}. \quad (13)$$

This explains why resistance can decline when antibiotics are removed: the resistance constraint remains while the antibiotic constraint disappears.

26 Therapeutic Implications

AFL supports cycling, combination therapy, collateral-sensitivity strategies, and biofilm-disrupting interventions when they change different constraint axes. It also warns against simple dose escalation when higher flux only increases selection pressure without lowering the relevant constraint.

27 Experimental Tests

The microbial paper should be tested with growth curves, MIC shifts, resistance-marker trajectories, metabolic-cost assays, and drug-removal experiments. The framework fails if resistance dynamics are independent of measurable cost, exposure, and environmental constraint.

Conflict of Interest

The author declares no conflict of interest.

Funding

This research received no external funding.

Author Contributions

Conceptualization, formal analysis, runtime engineering, and manuscript preparation: S.B.M.

Data Availability

All computational models, Python scripts, and numerical verifications are explicitly available in the `/supplementary` repository layer and the `cdfd.runtime` engine.

28 Reference Layer

References