

Paper C-05: Urban Systems: A Constraint-Driven Flux Dynamics (CDFD) Perspective

Steve Bico Mujjabi, MD

Independent Researcher

ORCID: 0009-0001-0556-5516

May 2026

Abstract

This paper asks whether Constraint-Driven Flux Dynamics (CDFD) and Adaptive Flux Limitation (AFL) can give the named system a sharper audit language. The working variables are driving flux Φ , constraint C , surface responsiveness S , and structural memory M_s . The useful question is plain: what can be measured, what would count as overload, and what result would make the mapping fail?

1 Series Context

Part I sets the flow–constraint language used here [1]. Part II develops the Life Number and the origins-of-life use of the same notation [2]. Part III applies AFL to biology and medicine [3]. Part IV is the cross-domain stress test: it asks where the notation clarifies measurement, and where it becomes only a metaphor.

2 Introduction

Notation. In Part IV, C names the active constraint or capacity burden in the system being discussed. Φ is the driving flow, S is the surface response, and M_s is retained structural memory. Λ appears only where the Part II Life Number is being referenced [2]. Other Greek symbols are local coefficients whose meaning is set by the equation in which they appear.

2.1 The Mujjabi Universal Capacity Law

Building directly upon the Fundamental Physics (Part I) [1], the **Mujjabi Universal Capacity Law** proposes that across all scales—from black hole event horizons to global financial markets and power grids—driving high flux (Φ) against a rigid topological constraint (C) can drive system saturation. When Φ/C approaches critical thresholds, the system does not scale linearly; it undergoes a topological phase transition.

2.2 The Mujjabi Universal Memory Law

The **Mujjabi Universal Memory Law** frames persistent systemic collapse. When a complex network fails to clear its structural memory (M_s) and its relaxation parameter decays ($\tau_{relax} \rightarrow \infty$), temporary stressors become permanent rigidities. This is the proposed CDFD mechanism behind ecological death, economic depressions, and infrastructural gridlock.

A city is a thermodynamic vortex. It exists to compress humans into a small spatial area, vastly reducing the physical distance between nodes to hyper-accelerate the exchange of ideas and capital. This compression is what generates the superlinear scaling of economic output.

However, this immense compression generates massive internal pressure. Under CDFD, a city is a delicate biological membrane attempting to contain and process a profoundly energetic fluid dynamics problem.

3 The Metropolitan Adaptive Surface

We apply the Universal Adaptive Ratio to urban economics:

$$\Psi_s = \left(\frac{\Phi}{C} \right) \cdot S \cdot M_s \quad (1)$$

For a major metropolitan area:

- **Flux (Φ)**: The intensity of social interaction, business creation, and capital transfer. The "energy" of the city.
- **Constraint (C)**: The scarcity of physical land, housing units, and zoning restrictions limiting vertical growth.
- **Responsiveness (S)**: The elasticity of the housing market and public transit, enabling the city to absorb new residents without friction.
- **Memory (M_s)**: Historic preservation laws, NIMBY (Not In My Back Yard) lobbying, and rigid neighborhood demographics. High memory locks the city's topology into its historical shape, refusing to adapt to modern flux.

3.1 The Housing Crisis as Topological Necrosis

When a city experiences a massive economic boom (e.g., a tech hub like San Francisco), the capital and population flux Φ skyrockets. In a healthy adaptive system, the responsiveness S would flex: the city would rapidly construct high-density housing to absorb the pressure.

However, in many modern cities, the memory term M_s is absolute. Historic zoning laws rigidly lock the constraints C , making new construction illegal or impossibly slow. Because the physical structure cannot flex, the intense pressure Φ violently impacts the fixed constraint. The adaptive ratio hits an extreme bottleneck.

The system adapts via a pathological price mechanism. Housing costs skyrocket to artificially kill the incoming flux Φ and restore equilibrium. The working-class population is purged

from the membrane (gentrification), and the city loses its foundational socioeconomic diversity. The core of the city enters a state of high-cost stagnation, choking on its own topological memory.

4 Measurement Layer

The first job in any domain is to choose proxies before drawing conclusions. Φ may be a rate of material, energy, information, capital, or signal flow. C is the bottleneck that slows or redirects that flow. S measures the system's ability to reconfigure under stress, and M_s records the past load that still changes present behavior. A useful application gives those four terms observable definitions, a time scale, and a failure condition. If a standard domain model explains the same data more cleanly, the CDFD/AFL mapping should give way.

4.1 Current Runtime Diagnostic: Universal Network Cascade

The diagnostic script `Part_E_Synthesis/supplementary/run_partiv_discovery.py` keeps this paper tied to the current CDFD Runtime [4], including RK4 field updates, surface dynamics, structural-memory diffusion, and a finite-value audit. In the May 2026 run, the localized hub-drive stress test ended with hub $\Psi_s = 14.8$, peak network $\Psi_s = 14.8$, 21 nodes above $\Psi_s > 1.5$, and 37 maximum memory-locked nodes. I treat those numbers as a runtime sanity check and as a target for later domain measurement, not as a substitute for field data.

5 Conclusion

Urban economic crises are not failures of capitalism; they are failures of topology. A city cannot simultaneously maximize socioeconomic flux and lock its spatial constraints in concrete without triggering catastrophic structural rupture. CDFD models the condition that for a city to survive its own growth, it must actively erase its historical zoning memory (M_s) and maintain high topological elasticity (S).

Conflict of Interest

The author declares no conflict of interest.

Data Availability

Release-local runtime diagnostics are available under each Part's `outputs/` folder, with release-wide synthesis artifacts under `Part_E_Synthesis/supplementary/`, `Part_E_Synthesis/outputs/`, and `Part_E_Synthesis/figures/`.

6 Reference Layer

References

- [1] Steve Bico Mujjabi. Cdfd part i: Fundamental physics - constraint-driven field theory and flux dynamics, 2026.
- [2] Steve Bico Mujjabi. Cdfd part ii: Origins of life and tri-regime bioenergetics - constraint-driven flux dynamics, 2026.
- [3] Steve Bico Mujjabi. Cdfd part iii: Adaptive flux limitation biology and medicine - constraint-driven flux dynamics, 2026.
- [4] Steve Bico Mujjabi. Cdfd runtime: Constraint-driven flux dynamics and cdfl execution engine, 2026.