

# Paper C-08: Scaling Laws: A Constraint-Driven Flux Dynamics (CDFD) Perspective

Steve Bico Mujjabi, MD

Independent Researcher

ORCID: 0009-0001-0556-5516

May 2026

## Abstract

This paper asks whether Constraint-Driven Flux Dynamics (CDFD) and Adaptive Flux Limitation (AFL) can give the named system a sharper audit language. The working variables are driving flux  $\Phi$ , constraint  $C$ , surface responsiveness  $S$ , and structural memory  $M_s$ . The useful question is plain: what can be measured, what would count as overload, and what result would make the mapping fail?

## 1 Series Context

Part I sets the flow–constraint language used here [1]. Part II develops the Life Number and the origins-of-life use of the same notation [2]. Part III applies AFL to biology and medicine [3]. Part IV is the cross-domain stress test: it asks where the notation clarifies measurement, and where it becomes only a metaphor.

## 2 Introduction

**Notation.** In Part IV,  $C$  names the active constraint or capacity burden in the system being discussed.  $\Phi$  is the driving flow,  $S$  is the surface response, and  $M_s$  is retained structural memory.  $\Lambda$  appears only where the Part II Life Number is being referenced [2]. Other Greek symbols are local coefficients whose meaning is set by the equation in which they appear.

### 2.1 The Mujjabi Universal Capacity Law

Building directly upon the Fundamental Physics (Part I) [1], the **Mujjabi Universal Capacity Law** proposes that across all scales—from black hole event horizons to global financial markets and power grids—driving high flux ( $\Phi$ ) against a rigid topological constraint ( $C$ ) can drive system saturation. When  $\Phi/C$  approaches critical thresholds, the system does not scale linearly; it undergoes a topological phase transition.

## 2.2 The Mujjabi Universal Memory Law

The **Mujjabi Universal Memory Law** frames persistent systemic collapse. When a complex network fails to clear its structural memory ( $M_s$ ) and its relaxation parameter decays ( $\tau_{relax} \rightarrow \infty$ ), temporary stressors become permanent rigidities. This is the proposed CDFD mechanism behind ecological death, economic depressions, and infrastructural gridlock.

Whether analyzing the branching of a mammalian cardiovascular system or the layout of an electrical power grid, complex systems exhibit identical geometric architectures. As they grow in size, their internal transport networks branch fractally. This fractal branching ensures that energy and resources reach every localized node.

In CDFD, this geometry is not accidental. It is the physical manifestation of the system attempting to regulate its internal thermodynamic pressure. The scaling laws are simply the mathematical boundaries of this topological optimization.

## 3 Deriving Scaling from the Adaptive Ratio

We model the growth of a complex network using the Universal Adaptive Ratio:

$$\Psi_s = \left( \frac{\Phi}{C} \right) \cdot S \cdot M_s \quad (1)$$

For a growing biological or socioeconomic system:

- **Flux ( $\Phi$ ):** The total metabolic or economic throughput required to sustain the mass of the system.
- **Constraint ( $C$ ):** The physical distance and the frictional resistance of transporting resources from a central node to the peripheral capillaries.
- **Responsiveness ( $S$ ):** The hierarchical branching geometry of the network. A fractal network maximizes internal surface area to optimize delivery.

### 3.1 Sublinear vs. Superlinear Scaling

As an organism grows, its total volume (and thus its required flux  $\Phi$ ) grows as a cube ( $L^3$ ), but the cross-sectional area of its transport vessels (its constraints  $C$ ) only grows as a square ( $L^2$ ). To prevent the system from entering a fatal  $\Psi_s \gg 1$  over-pressure state, the biological organism must structurally slow down its mass-specific metabolic rate. This is the origin of the 3/4 sublinear scaling law (Kleiber's Law). The constraint geometry absolutely forces the flux to scale sublinearly.

Conversely, in a human city, the goal is not merely to transport physical calories, but to maximize social interactions and informational exchange. Because information does not take up physical volume, the human network compresses spatially as it grows. The proximity drastically reduces the spatial constraint  $C$ , allowing the informational flux  $\Phi$  to accelerate. The adaptive ratio scales positively with density, giving rise to the 1.15 superlinear scaling laws observed in urban wealth and innovation generation.

## 4 Measurement Layer

The first job in any domain is to choose proxies before drawing conclusions.  $\Phi$  may be a rate of material, energy, information, capital, or signal flow.  $C$  is the bottleneck that slows or redirects that flow.  $S$  measures the system's ability to reconfigure under stress, and  $M_s$  records the past load that still changes present behavior. A useful application gives those four terms observable definitions, a time scale, and a failure condition. If a standard domain model explains the same data more cleanly, the CDFD/AFL mapping should give way.

### 4.1 Current Runtime Diagnostic: Universal Network Cascade

The diagnostic script `Part_E_Synthesis/supplementary/run_partiv_discovery.py` keeps this paper tied to the current CDFD Runtime [4], including RK4 field updates, surface dynamics, structural-memory diffusion, and a finite-value audit. In the May 2026 run, the localized hub-drive stress test ended with hub  $\Psi_s = 14.8$ , peak network  $\Psi_s = 14.8$ , 21 nodes above  $\Psi_s > 1.5$ , and 37 maximum memory-locked nodes. I treat those numbers as a runtime sanity check and as a target for later domain measurement, not as a substitute for field data.

## 5 Conclusion

Scaling laws are not empirical coincidences; they are the fundamental shadow of CDFD mathematics. Whether a system scales sublinearly to survive biological constraints or superlinearly to exploit informational density, it is entirely dictated by the continuous topological effort to maintain the critical  $\Psi_s \approx 1$  equilibrium.

## Conflict of Interest

The author declares no conflict of interest.

## Data Availability

Release-local runtime diagnostics are available under each Part's `outputs/` folder, with release-wide synthesis artifacts under `Part_E_Synthesis/supplementary/`, `Part_E_Synthesis/outputs/`, and `Part_E_Synthesis/figures/`.

## 6 Reference Layer

### References

- [1] Steve Bico Mujjabi. Cdfd part i: Fundamental physics - constraint-driven field theory and flux dynamics, 2026.
- [2] Steve Bico Mujjabi. Cdfd part ii: Origins of life and tri-regime bioenergetics - constraint-driven flux dynamics, 2026.

- [3] Steve Bico Mujjabi. Cdfd part iii: Adaptive flux limitation biology and medicine - constraint-driven flux dynamics, 2026.
- [4] Steve Bico Mujjabi. Cdfd runtime: Constraint-driven flux dynamics and cdf execution engine, 2026.