

Paper D-02: Pandemic Dynamics: A Constraint-Driven Flux Dynamics (CDFS) Perspective

Steve Bico Mujjabi, MD

Independent Researcher

ORCID: 0009-0001-0556-5516

May 2026

Abstract

This paper asks whether Constraint-Driven Flux Dynamics (CDFS) and Adaptive Flux Limitation (AFL) can give the named system a sharper audit language. The working variables are driving flux Φ , constraint C , surface responsiveness S , and structural memory M_s . The useful question is plain: what can be measured, what would count as overload, and what result would make the mapping fail?

1 Series Context

Part I sets the flow–constraint language used here [1]. Part II develops the Life Number and the origins-of-life use of the same notation [2]. Part III applies AFL to biology and medicine [3]. Part IV is the cross-domain stress test: it asks where the notation clarifies measurement, and where it becomes only a metaphor.

2 Introduction

Notation. In Part IV, C names the active constraint or capacity burden in the system being discussed. Φ is the driving flow, S is the surface response, and M_s is retained structural memory. Λ appears only where the Part II Life Number is being referenced [2]. Other Greek symbols are local coefficients whose meaning is set by the equation in which they appear.

2.1 The Mujjabi Universal Capacity Law

Building directly upon the Fundamental Physics (Part I) [1], the **Mujjabi Universal Capacity Law** proposes that across all scales—from black hole event horizons to global financial markets and power grids—driving high flux (Φ) against a rigid topological constraint (C) can drive system saturation. When Φ/C approaches critical thresholds, the system does not scale linearly; it undergoes a topological phase transition.

2.2 The Mujjabi Universal Memory Law

The **Mujjabi Universal Memory Law** frames persistent systemic collapse. When a complex network fails to clear its structural memory (M_s) and its relaxation parameter decays ($\tau_{relax} \rightarrow \infty$), temporary stressors become permanent rigidities. This is the proposed CDFD mechanism behind ecological death, economic depressions, and infrastructural gridlock.

A pandemic is an informational virus spreading across a biological network. The pathogen attempts to maximize its throughput (transmission) by utilizing the host population's inherent social and economic connectivity. When the pathogen poses a mortal threat, the society behaves exactly like a single immune system: it deploys systemic constraints to block the flow.

CDFD models the society and the pathogen as a coupled fluid-mechanical system. The effectiveness of the public health response depends entirely on the topological elasticity of the population.

3 The Epidemiological Adaptive Surface

We govern the pandemic response using the Universal Adaptive Ratio:

$$\Psi_s = \left(\frac{\Phi}{C} \right) \cdot S \cdot M_s \quad (1)$$

For a society under viral threat:

- **Flux** (Φ): The viral transmission rate (closely related to R_0) and the raw volume of human-to-human contact.
- **Constraint** (C): Quarantines, mask mandates, border closures, and eventually, vaccination walls. These are artificial barriers erected to drive Φ to zero.
- **Responsiveness** (S): The healthcare system capacity. The number of ICU beds, ventilators, and medical personnel able to absorb and process the severe cases generated by the flux.
- **Memory** (M_s): Societal fatigue and institutional adherence. High memory implies strict, unwavering adherence to the constraint mandates. As memory degrades over time (lockdown fatigue), the constraints effectively weaken.

3.1 Lockdown Fatigue and Pandemic Waves

At the onset of a deadly pandemic, the pathogen flux Φ is extremely high. The society's responsiveness S (hospitals) begins to saturate. To prevent the system from entering a catastrophic over-flux state ($\Psi_s \gg 1$), the government mandates a lockdown, instantly driving the constraint C to an extreme high. The effective flux Φ drops, and the system stabilizes.

However, strict lockdowns are fundamentally unnatural to a highly connected socioeconomic surface. Maintaining high C causes economic necrosis (as described in the Socioeconomic CDFD papers). Over months, societal memory M_s degrades. The populace ceases to adhere strictly

to the mandates. The effective constraint C drops, and because the pathogen is still present, the flux Φ surges again. This triggers the classic "Second Wave" of the pandemic.

4 Measurement Layer

The first job in any domain is to choose proxies before drawing conclusions. Φ may be a rate of material, energy, information, capital, or signal flow. C is the bottleneck that slows or redirects that flow. S measures the system's ability to reconfigure under stress, and M_s records the past load that still changes present behavior. A useful application gives those four terms observable definitions, a time scale, and a failure condition. If a standard domain model explains the same data more cleanly, the CDFD/AFL mapping should give way.

4.1 Current Runtime Diagnostic: Universal Network Cascade

The diagnostic script `Part_E_Synthesis/supplementary/run_partiv_discovery.py` keeps this paper tied to the current CDFD Runtime [4], including RK4 field updates, surface dynamics, structural-memory diffusion, and a finite-value audit. In the May 2026 run, the localized hub-drive stress test ended with hub $\Psi_s = 14.8$, peak network $\Psi_s = 14.8$, 21 nodes above $\Psi_s > 1.5$, and 37 maximum memory-locked nodes. I treat those numbers as a runtime sanity check and as a target for later domain measurement, not as a substitute for field data.

5 Conclusion

A pandemic is a war of attrition between biological transmission and sociological constraint. By applying the CDFD equation, public health officials can model not just the pathogen, but the mathematical decay rate of societal adherence (M_s). True pandemic resolution occurs only when vaccines provide a permanent, low-friction constraint (C), allowing normal socioeconomic flow to resume without risking a $\Psi_s \gg 1$ systemic collapse.

Conflict of Interest

The author declares no conflict of interest.

Data Availability

Release-local runtime diagnostics are available under each Part's `outputs/` folder, with release-wide synthesis artifacts under `Part_E_Synthesis/supplementary/`, `Part_E_Synthesis/outputs/`, and `Part_E_Synthesis/figures/`.

6 Reference Layer

References

- [1] Steve Bico Mujjabi. Cdfd part i: Fundamental physics - constraint-driven field theory and flux dynamics, 2026.
- [2] Steve Bico Mujjabi. Cdfd part ii: Origins of life and tri-regime bioenergetics - constraint-driven flux dynamics, 2026.
- [3] Steve Bico Mujjabi. Cdfd part iii: Adaptive flux limitation biology and medicine - constraint-driven flux dynamics, 2026.
- [4] Steve Bico Mujjabi. Cdfd runtime: Constraint-driven flux dynamics and cdfl execution engine, 2026.