

Paper D-05: Microbiome: A Constraint-Driven Flux Dynamics (CDFD) Perspective

Steve Bico Mujjabi, MD

Independent Researcher

ORCID: 0009-0001-0556-5516

May 2026

Abstract

This paper asks whether Constraint-Driven Flux Dynamics (CDFD) and Adaptive Flux Limitation (AFL) can give the named system a sharper audit language. The working variables are driving flux Φ , constraint C , surface responsiveness S , and structural memory M_s . The useful question is plain: what can be measured, what would count as overload, and what result would make the mapping fail?

1 Series Context

Part I sets the flow–constraint language used here [1]. Part II develops the Life Number and the origins-of-life use of the same notation [2]. Part III applies AFL to biology and medicine [3]. Part IV is the cross-domain stress test: it asks where the notation clarifies measurement, and where it becomes only a metaphor.

2 Introduction

Notation. In Part IV, C names the active constraint or capacity burden in the system being discussed. Φ is the driving flow, S is the surface response, and M_s is retained structural memory. Λ appears only where the Part II Life Number is being referenced [2]. Other Greek symbols are local coefficients whose meaning is set by the equation in which they appear.

2.1 The Mujjabi Universal Capacity Law

Building directly upon the Fundamental Physics (Part I) [1], the **Mujjabi Universal Capacity Law** proposes that across all scales—from black hole event horizons to global financial markets and power grids—driving high flux (Φ) against a rigid topological constraint (C) can drive system saturation. When Φ/C approaches critical thresholds, the system does not scale linearly; it undergoes a topological phase transition.

2.2 The Mujjabi Universal Memory Law

The **Mujjabi Universal Memory Law** frames persistent systemic collapse. When a complex network fails to clear its structural memory (M_s) and its relaxation parameter decays ($\tau_{relax} \rightarrow \infty$), temporary stressors become permanent rigidities. This is the proposed CDFD mechanism behind ecological death, economic depressions, and infrastructural gridlock.

A human is not a single organism; it is a walking ecosystem. The millions of bacteria residing in the human gut process complex carbohydrates, synthesize critical neurotransmitters, and constantly train the host's immune system.

The microbiome is a fluid, highly adaptive network. It responds to the daily flux of food and stress with staggering speed. In CDFD terms, the gut lining is the ultimate biological boundary, attempting to balance immense chemical throughput against strict immunological constraints.

3 The Microbial Adaptive Surface

We govern the gut ecosystem using the Universal Adaptive Ratio:

$$\Psi_s = \left(\frac{\Phi}{C} \right) \cdot S \cdot M_s \quad (1)$$

For the host-microbiome interface:

- **Flux (Φ):** The influx of dietary macronutrients, particularly complex fibers, as well as the out-flux of bacterial metabolites (e.g., short-chain fatty acids) into the host bloodstream.
- **Constraint (C):** The host immune system (mucosal antibodies) and the physical barrier of the intestinal epithelium, which actively restrict bacterial overgrowth and translocation.
- **Responsiveness (S):** Microbial diversity. A highly diverse microbiome can easily adapt to a wide variety of dietary inputs and successfully out-compete pathogenic invaders.
- **Memory (M_s):** The established climax community of the gut. Once a specific bacterial profile is established, it fiercely defends its niche, creating a stable biological memory that resists alteration.

3.1 Antibiotic Shocks and Dysbiosis

In a healthy gut, high microbial diversity (S) perfectly metabolizes the dietary flux Φ , existing in peaceful symbiosis with the host constraints C . $\Psi_s \approx 1$.

Consider the introduction of a broad-spectrum antibiotic. This represents an instantaneous, catastrophic shock to the system. The drug violently eradicates the microbial diversity, causing $S \rightarrow 0$. Simultaneously, it wipes out the systemic memory (M_s).

Without the healthy bacteria to process the dietary flux Φ , the system crashes ($\Psi_s \ll 1$). Opportunistic pathogens (like *C. difficile*), which face no competition, rapidly colonize the void. To fight the pathogens, the host immune system massively spikes the constraint C (inflammation). The gut enters a state of chronic, locked constraint (Dysbiosis). The topological

membrane of the gut breaks down, leaking metabolites into the bloodstream and triggering systemic metabolic syndrome.

4 Measurement Layer

The first job in any domain is to choose proxies before drawing conclusions. Φ may be a rate of material, energy, information, capital, or signal flow. C is the bottleneck that slows or redirects that flow. S measures the system's ability to reconfigure under stress, and M_s records the past load that still changes present behavior. A useful application gives those four terms observable definitions, a time scale, and a failure condition. If a standard domain model explains the same data more cleanly, the CDFD/AFL mapping should give way.

4.1 Current Runtime Diagnostic: Universal Network Cascade

The diagnostic script `Part_E_Synthesis/supplementary/run_partiv_discovery.py` keeps this paper tied to the current CDFD Runtime [4], including RK4 field updates, surface dynamics, structural-memory diffusion, and a finite-value audit. In the May 2026 run, the localized hub-drive stress test ended with hub $\Psi_s = 14.8$, peak network $\Psi_s = 14.8$, 21 nodes above $\Psi_s > 1.5$, and 37 maximum memory-locked nodes. I treat those numbers as a runtime sanity check and as a target for later domain measurement, not as a substitute for field data.

5 Conclusion

The microbiome is a macroscopic thermodynamic engine operating inside the human body. By analyzing it through the CDFD ontology, we realize that biological diversity is the mathematical parameter S that may support topological elasticity. Treating the microbiome with blunt antibiotics is equivalent to carpet-bombing a fragile economic supply chain; the resulting collapse is a candidate failure mode.

Conflict of Interest

The author declares no conflict of interest.

Data Availability

Release-local runtime diagnostics are available under each Part's `outputs/` folder, with release-wide synthesis artifacts under `Part_E_Synthesis/supplementary/`, `Part_E_Synthesis/outputs/`, and `Part_E_Synthesis/figures/`.

6 Reference Layer

References

- [1] Steve Bico Mujjabi. Cdfd part i: Fundamental physics - constraint-driven field theory and flux dynamics, 2026.
- [2] Steve Bico Mujjabi. Cdfd part ii: Origins of life and tri-regime bioenergetics - constraint-driven flux dynamics, 2026.
- [3] Steve Bico Mujjabi. Cdfd part iii: Adaptive flux limitation biology and medicine - constraint-driven flux dynamics, 2026.
- [4] Steve Bico Mujjabi. Cdfd runtime: Constraint-driven flux dynamics and cdf execution engine, 2026.