

Paper D-06: Macroscopic Quantum Systems: A Constraint-Driven Flux Dynamics (CDFS) Perspective

Steve Bico Mujjabi, MD

Independent Researcher

ORCID: 0009-0001-0556-5516

May 2026

Abstract

This paper asks whether Constraint-Driven Flux Dynamics (CDFS) and Adaptive Flux Limitation (AFL) can give the named system a sharper audit language. The working variables are driving flux Φ , constraint C , surface responsiveness S , and structural memory M_s . The useful question is plain: what can be measured, what would count as overload, and what result would make the mapping fail?

1 Series Context

Part I sets the flow–constraint language used here [1]. Part II develops the Life Number and the origins-of-life use of the same notation [2]. Part III applies AFL to biology and medicine [3]. Part IV is the cross-domain stress test: it asks where the notation clarifies measurement, and where it becomes only a metaphor.

2 Introduction

Notation. In Part IV, C names the active constraint or capacity burden in the system being discussed. Φ is the driving flow, S is the surface response, and M_s is retained structural memory. Λ appears only where the Part II Life Number is being referenced [2]. Other Greek symbols are local coefficients whose meaning is set by the equation in which they appear.

2.1 The Mujjabi Universal Capacity Law

Building directly upon the Fundamental Physics (Part I) [1], the **Mujjabi Universal Capacity Law** proposes that across all scales—from black hole event horizons to global financial markets and power grids—driving high flux (Φ) against a rigid topological constraint (C) can drive system saturation. When Φ/C approaches critical thresholds, the system does not scale linearly; it undergoes a topological phase transition.

2.2 The Mujjabi Universal Memory Law

The **Mujjabi Universal Memory Law** frames persistent systemic collapse. When a complex network fails to clear its structural memory (M_s) and its relaxation parameter decays ($\tau_{relax} \rightarrow \infty$), temporary stressors become permanent rigidities. This is the proposed CDFD mechanism behind ecological death, economic depressions, and infrastructural gridlock.

In quantum mechanics, a system exists in a superposition of states until it interacts with its environment. This interaction causes decoherence, collapsing the system into a classical state. In a biological cell, the immense thermal noise and molecular collisions should cause decoherence in femtoseconds.

Yet, experiments reveal that photosynthetic complexes transfer energy with near-100% efficiency by exploiting quantum coherence, exploring multiple energy pathways simultaneously. CDFD offers a topological explanation for this survival: biology actively engineers physical constraints to firewall the quantum state from the classical flux.

3 The Quantum-Biological Adaptive Surface

We govern the quantum-biological interface using the Universal Adaptive Ratio:

$$\Psi_s = \left(\frac{\Phi}{C} \right) \cdot S \cdot M_s \quad (1)$$

For a specific biological quantum structure (e.g., the FMO complex in green sulfur bacteria):

- **Flux** (Φ): The chaotic thermal noise, vibrational phonons, and molecular collisions of the surrounding cellular cytoplasm.
- **Constraint** (C): The rigid, highly structured protein scaffold that physically holds the chlorophyll or chromophore molecules in precise alignment.
- **Responsiveness** (S): The ability of the scaffold to dynamically tune its internal vibrations (phonon-assisted coherence) to match the required quantum transitions.
- **Memory** (M_s): The deeply conserved evolutionary architecture of the protein. The exact folding geometry is locked by billions of years of natural selection (high M_s), ensuring the precise distances required for quantum tunneling are rigidly maintained.

3.1 Engineering the Coherence Firewall

To maintain a quantum superposition, the chaotic external thermal flux Φ must be prevented from interacting with the quantum particles.

The biological system achieves this by constructing a massive structural constraint C via the protein scaffold. The rigid geometry and high memory lock (M_s) create a localized topological pocket where the external flux is physically barred from entering. Within this specific microscopic pocket, the local adaptive ratio drops to near zero ($\Psi_s \rightarrow 0$).

Because the environment inside the pocket is perfectly isolated from the macroscopic flux, decoherence is delayed. Furthermore, the responsiveness S of the protein scaffold actually utilizes the specific frequencies of the remaining thermal noise to actively "push" the quantum state along the most efficient path (quantum goldilocks effect). Biology does not fight the thermodynamic laws; it expertly manipulates the CDFD constraints to create sheltered sanctuaries where quantum mechanics can operate at room temperature.

4 Measurement Layer

The first job in any domain is to choose proxies before drawing conclusions. Φ may be a rate of material, energy, information, capital, or signal flow. C is the bottleneck that slows or redirects that flow. S measures the system's ability to reconfigure under stress, and M_s records the past load that still changes present behavior. A useful application gives those four terms observable definitions, a time scale, and a failure condition. If a standard domain model explains the same data more cleanly, the CDFD/AFL mapping should give way.

4.1 Current Runtime Diagnostic: Universal Network Cascade

The diagnostic script `Part_E_Synthesis/supplementary/run_partiv_discovery.py` keeps this paper tied to the current CDFD Runtime [4], including RK4 field updates, surface dynamics, structural-memory diffusion, and a finite-value audit. In the May 2026 run, the localized hub-drive stress test ended with hub $\Psi_s = 14.8$, peak network $\Psi_s = 14.8$, 21 nodes above $\Psi_s > 1.5$, and 37 maximum memory-locked nodes. I treat those numbers as a runtime sanity check and as a target for later domain measurement, not as a substitute for field data.

5 Conclusion

Macroscopic quantum coherence in biology is the ultimate triumph of topological constraint engineering. By applying CDFD, we see that living organisms natively utilize the exact same physical mechanisms to isolate a delicate quantum superposition as they do to isolate a vital organ from a deadly pathogen. The geometry of the protein scaffold serves as a universal constraint barrier, mathematically firewalling the quantum realm from thermodynamic collapse.

Conflict of Interest

The author declares no conflict of interest.

Data Availability

Release-local runtime diagnostics are available under each Part's `outputs/` folder, with release-wide synthesis artifacts under `Part_E_Synthesis/supplementary/`, `Part_E_Synthesis/outputs/`, and `Part_E_Synthesis/figures/`.

6 Reference Layer

References

- [1] Steve Bico Mujjabi. Cdfd part i: Fundamental physics - constraint-driven field theory and flux dynamics, 2026.
- [2] Steve Bico Mujjabi. Cdfd part ii: Origins of life and tri-regime bioenergetics - constraint-driven flux dynamics, 2026.
- [3] Steve Bico Mujjabi. Cdfd part iii: Adaptive flux limitation biology and medicine - constraint-driven flux dynamics, 2026.
- [4] Steve Bico Mujjabi. Cdfd runtime: Constraint-driven flux dynamics and cdfl execution engine, 2026.