

Paper D-12: Immune System: A Constraint-Driven Flux Dynamics (CDFD) Perspective

Steve Bico Mujjabi, MD

Independent Researcher

ORCID: 0009-0001-0556-5516

May 2026

Abstract

This paper asks whether Constraint-Driven Flux Dynamics (CDFD) and Adaptive Flux Limitation (AFL) can give the named system a sharper audit language. The working variables are driving flux Φ , constraint C , surface responsiveness S , and structural memory M_s . The useful question is plain: what can be measured, what would count as overload, and what result would make the mapping fail?

1 Series Context

Part I sets the flow–constraint language used here [1]. Part II develops the Life Number and the origins-of-life use of the same notation [2]. Part III applies AFL to biology and medicine [3]. Part IV is the cross-domain stress test: it asks where the notation clarifies measurement, and where it becomes only a metaphor.

2 Introduction

Notation. In Part IV, C names the active constraint or capacity burden in the system being discussed. Φ is the driving flow, S is the surface response, and M_s is retained structural memory. Λ appears only where the Part II Life Number is being referenced [2]. Other Greek symbols are local coefficients whose meaning is set by the equation in which they appear.

2.1 The Mujjabi Universal Capacity Law

Building directly upon the Fundamental Physics (Part I) [1], the **Mujjabi Universal Capacity Law** proposes that across all scales—from black hole event horizons to global financial markets and power grids—driving high flux (Φ) against a rigid topological constraint (C) can drive system saturation. When Φ/C approaches critical thresholds, the system does not scale linearly; it undergoes a topological phase transition.

2.2 The Mujjabi Universal Memory Law

The **Mujjabi Universal Memory Law** frames persistent systemic collapse. When a complex network fails to clear its structural memory (M_s) and its relaxation parameter decays ($\tau_{relax} \rightarrow \infty$), temporary stressors become permanent rigidities. This is the proposed CDFD mechanism behind ecological death, economic depressions, and infrastructural gridlock.

A healthy biological organism must maintain strict boundaries to preserve its internal thermodynamic homeostasis. When pathogens breach these boundaries, they hijack the host's metabolic throughput to replicate, essentially creating an unauthorized, parasitic flow of resources. The immune system's primary function is to detect this parasitic flow and aggressively deploy constraints to halt it.

The CDFD framework posits that all living systems operate under Adaptive Flux Limitation (AFL). The immune response is the ultimate manifestation of AFL: it is the biological mechanism by which the host dynamically manipulates its own internal constraints C to counter external perturbations in Φ .

3 Immunological Adaptive Flux

We assess the immunological health of the host via the Universal Adaptive Ratio:

$$\Psi_s = \left(\frac{\Phi}{C} \right) \cdot S \cdot M_s \quad (1)$$

In the context of infection:

- **Flux** (Φ): The replication rate and pathogenic load of the invading organism (e.g., viral titer), combined with the metabolic toll it exacts on the host.
- **Constraint** (C): The targeted immune response. Cytokines, macrophages, T-cells, and antibodies act to bottleneck and neutralize the pathogenic flux.
- **Responsiveness** (S): The functional capacity of the bone marrow, thymus, and lymphatic system to mobilize a defense without exhausting the host's total energetic budget.
- **Memory** (M_s): Immunological memory (B and T memory cells). Memory ensures that if the same flux profile (antigen) is detected again, the system can instantly deploy massive constraints without a lag phase.

3.1 Cytokine Storms and Autoimmunity

In a healthy response to infection, the host detects a spike in pathogenic Φ and proportionally increases C (inflammation) to neutralize it. Once Φ drops to zero, the constraint C must also relax to restore $\Psi_s \approx 1$ for normal tissue function.

However, if the regulatory feedback loop fails, the system enters a pathological regime. In a **cytokine storm**, the host overestimates the required constraint, causing C to skyrocket out of proportion to Φ . The resulting extreme constraint state ($\Psi_s \ll 1$) halts not just the pathogen, but the host's own healthy metabolic flux, leading to rapid multi-organ failure.

Similarly, in **autoimmunity**, the system’s memory (M_s) becomes maladaptively locked. The immune system erroneously identifies native host flux as pathogenic. It permanently enforces a high constraint C on healthy tissue (e.g., attacking the myelin sheath in Multiple Sclerosis or pancreatic islets in Type 1 Diabetes). The locked memory ensures the tissue remains chronically constrained, slowly destroying the host’s adaptive surface.

4 Measurement Layer

The first job in any domain is to choose proxies before drawing conclusions. Φ may be a rate of material, energy, information, capital, or signal flow. C is the bottleneck that slows or redirects that flow. S measures the system’s ability to reconfigure under stress, and M_s records the past load that still changes present behavior. A useful application gives those four terms observable definitions, a time scale, and a failure condition. If a standard domain model explains the same data more cleanly, the CDFD/AFL mapping should give way.

4.1 Current Runtime Diagnostic: Universal Network Cascade

The diagnostic script `Part_E_Synthesis/supplementary/run_partiv_discovery.py` keeps this paper tied to the current CDFD Runtime [4], including RK4 field updates, surface dynamics, structural-memory diffusion, and a finite-value audit. In the May 2026 run, the localized hub-drive stress test ended with hub $\Psi_s = 14.8$, peak network $\Psi_s = 14.8$, 21 nodes above $\Psi_s > 1.5$, and 37 maximum memory-locked nodes. I treat those numbers as a runtime sanity check and as a target for later domain measurement, not as a substitute for field data.

5 Conclusion

Immunology is fundamentally a study of thermodynamic constraint management. By treating the immune system through the lens of CDFD, we see that pathogens are simply competing flux networks, and immunity is the dynamic structural resistance deployed to maintain the host’s topological integrity.

Conflict of Interest

The author declares no conflict of interest.

Data Availability

Release-local runtime diagnostics are available under each Part’s `outputs/` folder, with release-wide synthesis artifacts under `Part_E_Synthesis/supplementary/`, `Part_E_Synthesis/outputs/`, and `Part_E_Synthesis/figures/`.

6 Reference Layer

References

- [1] Steve Bico Mujjabi. Cdfd part i: Fundamental physics - constraint-driven field theory and flux dynamics, 2026.
- [2] Steve Bico Mujjabi. Cdfd part ii: Origins of life and tri-regime bioenergetics - constraint-driven flux dynamics, 2026.
- [3] Steve Bico Mujjabi. Cdfd part iii: Adaptive flux limitation biology and medicine - constraint-driven flux dynamics, 2026.
- [4] Steve Bico Mujjabi. Cdfd runtime: Constraint-driven flux dynamics and cdfl execution engine, 2026.