

Paper F-01: Stellar Evolution: A Constraint-Driven Flux Dynamics (CDFD) Perspective

Steve Bico Mujjabi, MD

Independent Researcher

ORCID: 0009-0001-0556-5516

May 2026

Abstract

This paper asks whether Constraint-Driven Flux Dynamics (CDFD) and Adaptive Flux Limitation (AFL) can give the named system a sharper audit language. The working variables are driving flux Φ , constraint C , surface responsiveness S , and structural memory M_s . The useful question is plain: what can be measured, what would count as overload, and what result would make the mapping fail?

1 Series Context

Part I sets the flow–constraint language used here [1]. Part II develops the Life Number and the origins-of-life use of the same notation [2]. Part III applies AFL to biology and medicine [3]. Part IV is the cross-domain stress test: it asks where the notation clarifies measurement, and where it becomes only a metaphor.

2 Introduction

Notation. In Part IV, C names the active constraint or capacity burden in the system being discussed. Φ is the driving flow, S is the surface response, and M_s is retained structural memory. Λ appears only where the Part II Life Number is being referenced [2]. Other Greek symbols are local coefficients whose meaning is set by the equation in which they appear.

2.1 The Mujjabi Universal Capacity Law

Building directly upon the Fundamental Physics (Part I) [1], the **Mujjabi Universal Capacity Law** proposes that across all scales—from black hole event horizons to global financial markets and power grids—driving high flux (Φ) against a rigid topological constraint (C) can drive system saturation. When Φ/C approaches critical thresholds, the system does not scale linearly; it undergoes a topological phase transition.

2.2 The Mujjabi Universal Memory Law

The **Mujjabi Universal Memory Law** frames persistent systemic collapse. When a complex network fails to clear its structural memory (M_s) and its relaxation parameter decays ($\tau_{relax} \rightarrow \infty$), temporary stressors become permanent rigidities. This is the proposed CDFD mechanism behind ecological death, economic depressions, and infrastructural gridlock.

In the canonical framework of stellar astrophysics, the evolution of a star from a protostellar cloud to a compact remnant is strictly governed by hydrostatic equilibrium. The inward force of gravity must be precisely counterbalanced by the outward thermal and radiation pressure derived from thermonuclear fusion in the core. While standard stellar structure equations excellently predict temperature, luminosity, and mass-radius relationships, they often treat the evolving composition of the star as a passive bookkeeping parameter.

In this paper, we extend the foundational principles of Constraint-Driven Flux Dynamics (CDFD)—first developed for fundamental vacuum topology and biological bioenergetics—to macroscopic astrophysical bodies. We propose that a star is an *Adaptive Flux Limited* (AFL) system. Instead of viewing hydrostatic equilibrium as a static mechanical balance, we reframe it as an active regulatory regime governed by the universal scaling parameter Ψ_s .

3 The CDFD Formulation of Stellar Dynamics

The generalized CDFD flow evolution equation is defined as:

$$\frac{\partial \Phi}{\partial t} = \nabla \cdot \left(\frac{1}{C} \nabla \Phi \right) + S - D \quad (1)$$

where Φ represents the intensity of the active flux, C represents the topological or physical constraint resisting the flux, S denotes the internal generation or responsiveness of the surface, and D is the dissipative loss.

In the context of stellar structure, this maps directly to the transport of energy through the stellar envelope:

- **Flux** (Φ): The outward radiative and convective energy flux generated by fusion.
- **Constraint** (C): The gravitational binding energy and local opacity (κ) that trap radiation within the stellar boundary.
- **Responsiveness** (S): The core's fusion cross-section, dictating the generation of new energy (S_{fusion}).
- **Memory** (M_s): The accumulation of heavy isotopes (metallicity, Z). As lighter elements fuse into heavier ones, the star "remembers" its past flux throughput. This alters the local opacity and density, chronically increasing the internal constraint.

3.1 The Universal Adaptive Ratio (Ψ_s)

The thermodynamic stability of the star is entirely captured by the Adaptive Ratio:

$$\Psi_s = \left(\frac{\Phi}{C} \right) \cdot S \cdot M_s \quad (2)$$

When $\Psi_s \approx 1$, the star exists on the Main Sequence. The outward flux Φ is perfectly modulated by the gravitational constraint C and the stable fusion generation S .

4 Phase Transitions and Regime Shifts

The CDFD framework treats stellar death not as a mechanical failure, but as a regime shift triggered by the saturation of system memory (M_s).

4.1 The Red Giant Phase ($\Psi_s > 1$)

As core hydrogen is depleted and helium fusion ignites, the structural memory M_s shifts. The core contracts, drastically increasing local temperature and forcing the generation term S to spike. Consequently, Ψ_s exceeds unity. The system is in an "over-flux" regime. To shed the excess flux and restore equilibrium, the spatial boundaries of the system must expand, leading to the distended envelope characteristic of Red Giants.

4.2 Core Collapse ($\Psi_s \ll 1$)

Once fusion progresses to the iron peak, the generation term S sharply transitions from positive to negative (fusion becomes endothermic). Simultaneously, the structural memory M_s (iron accumulation) locks the core into an inescapable, maximal constraint state C_{max} .

$$\lim_{S \rightarrow 0} \Psi_s = 0 \quad (3)$$

As Ψ_s falls drastically below 1, the outward flux Φ can no longer sustain the constraint. The system undergoes catastrophic failure: gravitational collapse into a neutron star or, ultimately, an event horizon.

5 Measurement Layer

The first job in any domain is to choose proxies before drawing conclusions. Φ may be a rate of material, energy, information, capital, or signal flow. C is the bottleneck that slows or redirects that flow. S measures the system's ability to reconfigure under stress, and M_s records the past load that still changes present behavior. A useful application gives those four terms observable definitions, a time scale, and a failure condition. If a standard domain model explains the same data more cleanly, the CDFD/AFL mapping should give way.

5.1 Current Runtime Diagnostic: Universal Network Cascade

The diagnostic script `Part_E_Synthesis/supplementary/run_partiv_discovery.py` keeps this paper tied to the current CDFD Runtime [4], including RK4 field updates, surface dynamics, structural-memory diffusion, and a finite-value audit. In the May 2026 run, the localized hub-drive stress test ended with hub $\Psi_s = 14.8$, peak network $\Psi_s = 14.8$, 21 nodes above $\Psi_s > 1.5$, and 37 maximum memory-locked nodes. I treat those numbers as a runtime sanity check and as a target for later domain measurement, not as a substitute for field data.

6 Conclusion

By mapping stellar nucleosynthesis and hydrostatic equilibrium into the CDFD ontology, we uncover a unifying topological continuity. A star operates under the exact same mathematical laws of flow limitation, constraint resistance, and memory accumulation that govern pre-biotic chemical networks and biological metabolism. The Main Sequence is a universal mathematical attractor state.

Conflict of Interest

The author declares no conflict of interest.

Data Availability

Release-local runtime diagnostics are available under each Part's `outputs/` folder, with release-wide synthesis artifacts under `Part_E_Synthesis/supplementary/`, `Part_E_Synthesis/outputs/`, and `Part_E_Synthesis/figures/`.

7 Reference Layer

References

- [1] Steve Bico Mujjabi. Cdfd part i: Fundamental physics - constraint-driven field theory and flux dynamics, 2026.
- [2] Steve Bico Mujjabi. Cdfd part ii: Origins of life and tri-regime bioenergetics - constraint-driven flux dynamics, 2026.
- [3] Steve Bico Mujjabi. Cdfd part iii: Adaptive flux limitation biology and medicine - constraint-driven flux dynamics, 2026.
- [4] Steve Bico Mujjabi. Cdfd runtime: Constraint-driven flux dynamics and cdf execution engine, 2026.