

Paper F-02: Galactic Dynamics: A Constraint-Driven Flux Dynamics (CDFD) Perspective

Steve Bico Mujjabi, MD

Independent Researcher

ORCID: 0009-0001-0556-5516

May 2026

Abstract

This paper asks whether Constraint-Driven Flux Dynamics (CDFD) and Adaptive Flux Limitation (AFL) can give the named system a sharper audit language. The working variables are driving flux Φ , constraint C , surface responsiveness S , and structural memory M_s . The useful question is plain: what can be measured, what would count as overload, and what result would make the mapping fail?

1 Series Context

Part I sets the flow–constraint language used here [1]. Part II develops the Life Number and the origins-of-life use of the same notation [2]. Part III applies AFL to biology and medicine [3]. Part IV is the cross-domain stress test: it asks where the notation clarifies measurement, and where it becomes only a metaphor.

2 Introduction

Notation. In Part IV, C names the active constraint or capacity burden in the system being discussed. Φ is the driving flow, S is the surface response, and M_s is retained structural memory. Λ appears only where the Part II Life Number is being referenced [2]. Other Greek symbols are local coefficients whose meaning is set by the equation in which they appear.

2.1 The Mujjabi Universal Capacity Law

Building directly upon the Fundamental Physics (Part I) [1], the **Mujjabi Universal Capacity Law** proposes that across all scales—from black hole event horizons to global financial markets and power grids—driving high flux (Φ) against a rigid topological constraint (C) can drive system saturation. When Φ/C approaches critical thresholds, the system does not scale linearly; it undergoes a topological phase transition.

2.2 The Mujjabi Universal Memory Law

The **Mujjabi Universal Memory Law** frames persistent systemic collapse. When a complex network fails to clear its structural memory (M_s) and its relaxation parameter decays ($\tau_{relax} \rightarrow \infty$), temporary stressors become permanent rigidities. This is the proposed CDFD mechanism behind ecological death, economic depressions, and infrastructural gridlock.

A galaxy is an open thermodynamic system. Gas flows inward from the cosmic web, stars form and migrate, and energy is violently expelled outward by supernovae and active galactic nuclei (AGN). The delicate balance of these forces creates stable, long-lived structures such as spiral arms and galactic bars.

In standard Λ CDM cosmology, these structures are shaped by the dominant gravitational well of a dark matter halo. However, under the CDFD framework, dark matter is re-evaluated. Whether it is a distinct particle or a topological property of the vacuum itself (as posited in earlier papers of this series), its functional role in the galaxy is unambiguous: it serves as the master structural constraint (C) that binds the immense radial throughput (Φ) of the galactic disk.

3 The Galactic Flow Network

We apply the core Adaptive Flux Limitation equation to the galactic scale:

$$\Psi_s = \left(\frac{\Phi}{C} \right) \cdot S \cdot M_s \quad (1)$$

Here, the parameters of the galactic "organism" are:

- **Flux (Φ):** The kinetic flow of stars and the thermodynamic flux of the interstellar medium (ISM). High star formation rates (SFR) correspond to peaks in Φ .
- **Constraint (C):** The gravitational binding energy. In the outer radii of the galaxy, the constraint C must remain high to prevent the high-velocity stellar flow (Φ) from causing $\Psi_s \gg 1$ (which would result in dissolution of the galactic disk). The "dark matter halo" provides exactly the required geometric constraint.
- **Responsiveness (S):** The density of cold molecular gas capable of collapsing into new stars.
- **Memory (M_s):** Spiral density waves and metallicity gradients. Spiral arms are essentially kinetic "memory banks"—standing wave patterns that remember the gravitational history of passing molecular clouds.

3.1 Density Waves as Memory Lattices

Lin-Shu density wave theory describes spiral arms as regions of enhanced density through which stars and gas flow, analogous to a traffic jam. In CDFD, this traffic jam is a chronic constraint applied to the flow. When gas enters the spiral arm, C spikes locally, forcing Φ to bottleneck. The resulting compression triggers star formation, briefly raising the responsiveness S .

If the memory term M_s (the density wave pattern) locks the galaxy into too strict of a constraint, star formation ceases as the gas is entirely consumed or blown away. This perfectly describes the transition from active, blue spiral galaxies (Sustained Growth, $\Psi_s > 1$) to "red and dead" elliptical galaxies (Decay/Recession, $\Psi_s < 1$), where the gas flux has dropped to zero and only the kinetic memory remains.

4 Dark Matter as Vacuum Constraint

As observed in galaxy rotation curves, the rotational velocity $v(r)$ remains constant at large radii. Under the CDFD formulation, a constant $v(r)$ implies that the ratio Φ/C is invariant across the outer disk. As the visible matter density (S) drops off exponentially, the system maintains $\Psi_s \approx 1$ only if the constraint term C scales appropriately with radius.

The dark matter halo is therefore the necessary vacuum response to galactic-scale angular momentum. Just as an expanding biological tissue induces the growth of surrounding extracellular matrix to support it, the spinning galactic disk induces a topological constraint in the surrounding adaptive vacuum.

5 Measurement Layer

The first job in any domain is to choose proxies before drawing conclusions. Φ may be a rate of material, energy, information, capital, or signal flow. C is the bottleneck that slows or redirects that flow. S measures the system's ability to reconfigure under stress, and M_s records the past load that still changes present behavior. A useful application gives those four terms observable definitions, a time scale, and a failure condition. If a standard domain model explains the same data more cleanly, the CDFD/AFL mapping should give way.

5.1 Current Runtime Diagnostic: Universal Network Cascade

The diagnostic script `Part_E_Synthesis/supplementary/run_partiv_discovery.py` keeps this paper tied to the current CDFD Runtime [4], including RK4 field updates, surface dynamics, structural-memory diffusion, and a finite-value audit. In the May 2026 run, the localized hub-drive stress test ended with hub $\Psi_s = 14.8$, peak network $\Psi_s = 14.8$, 21 nodes above $\Psi_s > 1.5$, and 37 maximum memory-locked nodes. I treat those numbers as a runtime sanity check and as a target for later domain measurement, not as a substitute for field data.

6 Conclusion

Galactic evolution mirrors biological aging. A galaxy begins with high flux and responsiveness, generating stars aggressively. Over billions of years, it builds structural memory in the form of spiral density waves and supermassive black holes. Eventually, these constraints lock the system, halting the throughput of fresh gas and driving the galaxy into a quiescent state. By analyzing galaxies through the CDFD equation, we unify the astrophysics of dark matter and spiral morphology with the universal principles of adaptive flux limitation.

Conflict of Interest

The author declares no conflict of interest.

Data Availability

Release-local runtime diagnostics are available under each Part's `outputs/` folder, with release-wide synthesis artifacts under `Part_E_Synthesis/supplementary/`, `Part_E_Synthesis/outputs/`, and `Part_E_Synthesis/figures/`.

7 Reference Layer

References

- [1] Steve Bico Mujjabi. Cdfd part i: Fundamental physics - constraint-driven field theory and flux dynamics, 2026.
- [2] Steve Bico Mujjabi. Cdfd part ii: Origins of life and tri-regime bioenergetics - constraint-driven flux dynamics, 2026.
- [3] Steve Bico Mujjabi. Cdfd part iii: Adaptive flux limitation biology and medicine - constraint-driven flux dynamics, 2026.
- [4] Steve Bico Mujjabi. Cdfd runtime: Constraint-driven flux dynamics and cdfl execution engine, 2026.