

Paper G-01: Language Evolution: A Constraint-Driven Flux Dynamics (CDFS) Perspective

Steve Bico Mujjabi, MD

Independent Researcher

ORCID: 0009-0001-0556-5516

May 2026

Abstract

This paper asks whether Constraint-Driven Flux Dynamics (CDFS) and Adaptive Flux Limitation (AFL) can give the named system a sharper audit language. The working variables are driving flux Φ , constraint C , surface responsiveness S , and structural memory M_s . The useful question is plain: what can be measured, what would count as overload, and what result would make the mapping fail?

1 Series Context

Part I sets the flow–constraint language used here [1]. Part II develops the Life Number and the origins-of-life use of the same notation [2]. Part III applies AFL to biology and medicine [3]. Part IV is the cross-domain stress test: it asks where the notation clarifies measurement, and where it becomes only a metaphor.

2 Introduction

Notation. In Part IV, C names the active constraint or capacity burden in the system being discussed. Φ is the driving flow, S is the surface response, and M_s is retained structural memory. Λ appears only where the Part II Life Number is being referenced [2]. Other Greek symbols are local coefficients whose meaning is set by the equation in which they appear.

2.1 The Mujjabi Universal Capacity Law

Building directly upon the Fundamental Physics (Part I) [1], the **Mujjabi Universal Capacity Law** proposes that across all scales—from black hole event horizons to global financial markets and power grids—driving high flux (Φ) against a rigid topological constraint (C) can drive system saturation. When Φ/C approaches critical thresholds, the system does not scale linearly; it undergoes a topological phase transition.

2.2 The Muijabi Universal Memory Law

The **Muijabi Universal Memory Law** frames persistent systemic collapse. When a complex network fails to clear its structural memory (M_s) and its relaxation parameter decays ($\tau_{relax} \rightarrow \infty$), temporary stressors become permanent rigidities. This is the proposed CDFD mechanism behind ecological death, economic depressions, and infrastructural gridlock.

Language is not a static repository of symbols; it is an active, self-regulating biological and social phenomenon. Words are invented, adopted, mutated, and discarded at rates that mirror genetic drift and viral epidemiology.

When a language spreads across a vast geographic area, it invariably encounters friction. Populations separate, isolating groups and limiting communication. Over time, dialects form, eventually diverging into entirely separate languages. While sociolinguistics attributes this to cultural drift, CDFD models it as the inevitable topological breakdown of an over-constrained flux network.

3 Linguistics as an Adaptive Surface

We apply the Universal Adaptive Ratio to the domain of human communication:

$$\Psi_s = \left(\frac{\Phi}{C} \right) \cdot S \cdot M_s \quad (1)$$

For a language group, the parameters map directly to informational transport:

- **Flux** (Φ): The daily volume of communication, trade, and memetic exchange occurring across the population.
- **Constraint** (C): Geographic boundaries (mountains, oceans), political borders, or simply the physical limits of ancient communication speeds.
- **Responsiveness** (S): The cognitive plasticity of the population, particularly the youth, who act as the primary agents of linguistic innovation and adoption.
- **Memory** (M_s): The formal grammar, written records, and academic institutions that standardize the language. High memory rigidly enforces "correct" usage, resisting phonetic drift.

3.1 Dialectic Bifurcation and Regime Shifts

Consider a unified language spoken across an expanding empire. Initially, trade and travel are high (Φ is large), maintaining a healthy communicative regime ($\Psi_s \approx 1$).

If the empire fractures, the constraint (C) between two provinces drastically increases. The cross-border flux Φ drops. Consequently, the adaptive ratio across that specific geographical border plummets to $\Psi_s \ll 1$. The system is in "communicative decay."

To restore local equilibrium, the isolated nodes (provinces) must adapt internally. Cut off from the central normalizing flux, their local youth populations (high S) begin optimizing the language for local efficiency, introducing slang and phonetic shifts. The central, formal grammar

(high M_s) can no longer suppress these changes because the regulatory flux (Φ) from the capital is gone. The language bifurcates. What was once a unified active surface topologically splits into two distinct, localized surfaces, each achieving its own stable $\Psi_s \approx 1$ state as a new, distinct language (e.g., the fracturing of Latin into the Romance languages).

4 Measurement Layer

The first job in any domain is to choose proxies before drawing conclusions. Φ may be a rate of material, energy, information, capital, or signal flow. C is the bottleneck that slows or redirects that flow. S measures the system’s ability to reconfigure under stress, and M_s records the past load that still changes present behavior. A useful application gives those four terms observable definitions, a time scale, and a failure condition. If a standard domain model explains the same data more cleanly, the CDFD/AFL mapping should give way.

4.1 Current Runtime Diagnostic: Universal Network Cascade

The diagnostic script `Part_E_Synthesis/supplementary/run_partiv_discovery.py` keeps this paper tied to the current CDFD Runtime [4], including RK4 field updates, surface dynamics, structural-memory diffusion, and a finite-value audit. In the May 2026 run, the localized hub-drive stress test ended with hub $\Psi_s = 14.8$, peak network $\Psi_s = 14.8$, 21 nodes above $\Psi_s > 1.5$, and 37 maximum memory-locked nodes. I treat those numbers as a runtime sanity check and as a target for later domain measurement, not as a substitute for field data.

5 Conclusion

Language evolution is not exempt from the laws of universal thermodynamics. Grammatical rules are systemic memory; communication is energetic flux; and dialects are structural bifurcations born of chronic constraint. CDFD suggests that information networks, whether composed of neurons, electrical grids, or human speech, optimize their topology using the same candidate mathematical structure.

Conflict of Interest

The author declares no conflict of interest.

Data Availability

Release-local runtime diagnostics are available under each Part’s `outputs/` folder, with release-wide synthesis artifacts under `Part_E_Synthesis/supplementary/`, `Part_E_Synthesis/outputs/`, and `Part_E_Synthesis/figures/`.

6 Reference Layer

References

- [1] Steve Bico Mujjabi. Cdfd part i: Fundamental physics - constraint-driven field theory and flux dynamics, 2026.
- [2] Steve Bico Mujjabi. Cdfd part ii: Origins of life and tri-regime bioenergetics - constraint-driven flux dynamics, 2026.
- [3] Steve Bico Mujjabi. Cdfd part iii: Adaptive flux limitation biology and medicine - constraint-driven flux dynamics, 2026.
- [4] Steve Bico Mujjabi. Cdfd runtime: Constraint-driven flux dynamics and cdfl execution engine, 2026.