

Paper G-02: Science Paradigms: A Constraint-Driven Flux Dynamics (CDFD) Perspective

Steve Bico Mujjabi, MD

Independent Researcher

ORCID: 0009-0001-0556-5516

May 2026

Abstract

This paper asks whether Constraint-Driven Flux Dynamics (CDFD) and Adaptive Flux Limitation (AFL) can give the named system a sharper audit language. The working variables are driving flux Φ , constraint C , surface responsiveness S , and structural memory M_s . The useful question is plain: what can be measured, what would count as overload, and what result would make the mapping fail?

1 Series Context

Part I sets the flow–constraint language used here [1]. Part II develops the Life Number and the origins-of-life use of the same notation [2]. Part III applies AFL to biology and medicine [3]. Part IV is the cross-domain stress test: it asks where the notation clarifies measurement, and where it becomes only a metaphor.

2 Introduction

Notation. In Part IV, C names the active constraint or capacity burden in the system being discussed. Φ is the driving flow, S is the surface response, and M_s is retained structural memory. Λ appears only where the Part II Life Number is being referenced [2]. Other Greek symbols are local coefficients whose meaning is set by the equation in which they appear.

2.1 The Mujjabi Universal Capacity Law

Building directly upon the Fundamental Physics (Part I) [1], the **Mujjabi Universal Capacity Law** proposes that across all scales—from black hole event horizons to global financial markets and power grids—driving high flux (Φ) against a rigid topological constraint (C) can drive system saturation. When Φ/C approaches critical thresholds, the system does not scale linearly; it undergoes a topological phase transition.

2.2 The Mujjabi Universal Memory Law

The **Mujjabi Universal Memory Law** frames persistent systemic collapse. When a complex network fails to clear its structural memory (M_s) and its relaxation parameter decays ($\tau_{relax} \rightarrow \infty$), temporary stressors become permanent rigidities. This is the proposed CDFD mechanism behind ecological death, economic depressions, and infrastructural gridlock.

The pursuit of scientific knowledge is an information-processing endeavor. A theoretical paradigm serves as the operating system for a scientific community: it defines what questions are valid, what tools to use, and what data is ignored as "noise."

While philosophy of science treats this process sociologically, CDFD treats it thermodynamically. A scientific paradigm is an adaptive membrane. It consumes raw data, metabolizes it into structured theory, and rejects incompatible anomalies. When anomalies build up faster than the paradigm can explain them, the membrane undergoes acute systemic stress.

3 The Epistemological Adaptive Ratio

We model the health and validity of a scientific paradigm using the Universal Adaptive Ratio:

$$\Psi_s = \left(\frac{\Phi}{C} \right) \cdot S \cdot M_s \quad (1)$$

In the realm of epistemology:

- **Flux (Φ):** The incoming stream of novel experimental data, particularly anomalous observations that do not fit the current theory.
- **Constraint (C):** The fundamental axioms and dogmas of the prevailing paradigm. The constraint acts to filter, suppress, or heavily "massage" incoming anomalous data to make it fit.
- **Responsiveness (S):** The intellectual plasticity of the scientific community (often driven by younger researchers or outsiders less wedded to the establishment).
- **Memory (M_s):** Institutional inertia. Textbooks, peer-review networks, and tenure systems mathematically lock the community into defending the existing constraint structure. High M_s creates theoretical rigidity.

3.1 Normal Science vs. Crisis ($\Psi_s \ll 1$)

During "Normal Science," the paradigm works well. The influx of anomalies (Φ) is low, and the community easily processes it within the existing constraints (C). The system is healthy ($\Psi_s \approx 1$).

As measurement tools improve, anomalous data (Φ) inevitably skyrockets. The current paradigm cannot process this flux natively. In an attempt to save the theory, the establishment introduces ad-hoc corrections (epicycles), effectively driving up the constraint complexity (C). Because the institutional memory (M_s) is absolute, the system refuses to adapt smoothly.

The adaptive ratio crashes: $\Psi_s \ll 1$. The scientific field enters a state of crisis, analogous to biological ischemia or market recession. Theoretical progress grinds to a halt under the weight of its own internal contradictions.

3.2 The Paradigm Shift (Topological Reconnection)

To escape the crisis, the system must undergo a phase transition. The old memory (M_s) must be discarded, and the restrictive constraint (C) shattered. A new theory is proposed that naturally incorporates the anomalies, drastically dropping C and increasing S .

This paradigm shift is the epistemological equivalent of magnetic reconnection in a plasma. The built-up topological tension is violently released, the old structures are wiped clean, and the scientific community re-establishes a $\Psi_s \approx 1$ equilibrium under a new, lower-constraint theoretical framework.

4 Measurement Layer

The first job in any domain is to choose proxies before drawing conclusions. Φ may be a rate of material, energy, information, capital, or signal flow. C is the bottleneck that slows or redirects that flow. S measures the system's ability to reconfigure under stress, and M_s records the past load that still changes present behavior. A useful application gives those four terms observable definitions, a time scale, and a failure condition. If a standard domain model explains the same data more cleanly, the CDFD/AFL mapping should give way.

4.1 Current Runtime Diagnostic: Universal Network Cascade

The diagnostic script `Part.E.Synthesis/supplementary/run_partiv_discovery.py` keeps this paper tied to the current CDFD Runtime [4], including RK4 field updates, surface dynamics, structural-memory diffusion, and a finite-value audit. In the May 2026 run, the localized hub-drive stress test ended with hub $\Psi_s = 14.8$, peak network $\Psi_s = 14.8$, 21 nodes above $\Psi_s > 1.5$, and 37 maximum memory-locked nodes. I treat those numbers as a runtime sanity check and as a target for later domain measurement, not as a substitute for field data.

5 Conclusion

The evolution of human knowledge is governed by the same laws of throughput and constraint as stellar evolution and metabolism. Theoretical dogma is institutional memory; anomalous data is thermodynamic pressure. By mapping epistemology to the CDFD framework, we model the hypothesis that scientific revolutions are the model-predicted healing mechanisms of an over-constrained intellectual network.

Conflict of Interest

The author declares no conflict of interest.

Data Availability

Release-local runtime diagnostics are available under each Part's `outputs/` folder, with release-wide synthesis artifacts under `Part_E_Synthesis/supplementary/`, `Part_E_Synthesis/outputs/`, and `Part_E_Synthesis/figures/`.

6 Reference Layer

References

- [1] Steve Bico Mujjabi. Cdfd part i: Fundamental physics - constraint-driven field theory and flux dynamics, 2026.
- [2] Steve Bico Mujjabi. Cdfd part ii: Origins of life and tri-regime bioenergetics - constraint-driven flux dynamics, 2026.
- [3] Steve Bico Mujjabi. Cdfd part iii: Adaptive flux limitation biology and medicine - constraint-driven flux dynamics, 2026.
- [4] Steve Bico Mujjabi. Cdfd runtime: Constraint-driven flux dynamics and cdf execution engine, 2026.