

Paper A-03: Earth Ocean Currents: A Constraint-Driven Flux Dynamics (CDFD) Perspective

Steve Bico Mujjabi, MD

Independent Researcher

Founder, Vura Labs

Kampala, Uganda

ORCID: 0009-0001-0556-5516

August 2026

Shared Part IV notation and evidence boundaries are defined in `PART_IV_METHODS_AND_CLAIM_BOUNDARY.md`. This paper states only its local observables, comparison, and failure conditions.

Abstract

This paper treats ocean currents as a CDFD/AFL modelling hypothesis. Wind stress, buoyancy forcing, heat, salt, and mass transport are read as fluxes Φ moving through basin geometry, stratification, bathymetry, mixing limits, and freshwater constraints C . The claim is not that CDFD/AFL replaces physical oceanography. The claim is that the notation can organise measurable questions about transport, bottlenecks, responsiveness, and long memory in the ocean system.

1 Series Context

Part I sets the flow-constraint language used here [3]. Part II develops the Life Number and the origins-of-life use of the same notation [4]. Part III applies AFL to biology and medicine [5]. Part IV [6], DOI <https://doi.org/10.5281/zenodo.20395901>, uses the language as a cross-domain stress test, with measurement kept separate from analogy.

2 Ocean Transport Frame

The ocean stores and redistributes heat, salt, carbon, nutrients, and momentum. Its flow is constrained by basin walls, seafloor geometry, density structure, wind forcing, sea ice, freshwater input, and mixing depth. In the CDFD/AFL reading, a current system is not only a velocity field; it is a flow path with capacity, inertia, adaptive response, and memory.

CDFD term	Ocean-current reading	Example proxy
Φ	ocean transport or forcing	Sverdrup transport, heat flux, fresh-water flux
C	active constraint	stratification, bathymetry, sill depth, friction
S	responsiveness	mixing, eddy compensation, current-path adjustment
M_s	structural memory	heat storage, salinity anomaly, overturning inertia
Ψ_s	operating ratio	balanced, constrained, stalled, or amplified transport

3 Candidate Variable Map

4 Memory and Circulation Change

Ocean memory is central to the mapping. Heat stored below the mixed layer, persistent salinity anomalies, ice-ocean feedback, and overturning inertia can make present circulation depend on prior forcing. In CDFD/AFL terms, high M_s means the current state carries a record of earlier flux and constraint. That does not by itself prove a new mechanism; it gives a way to state what must be measured.

5 Measurement Layer

A useful ocean application specifies the current system, the forcing window, the proxy for Φ , the constraint term C , the response term S , and the memory term M_s . Candidate failure conditions include persistent transport weakening, blocked heat redistribution, salinity-driven stratification, or a shift in overturning regime. The mapping has value only if it improves measurement or interpretation beyond ordinary oceanographic diagnostics.

6 Current Runtime Diagnostic

The Part E diagnostic run includes an ocean-transport adapter row and the network-cascade stress test. These outputs check finite runtime behavior in the current CDFD Runtime [7]. They do not validate any ocean claim; they record model behavior that later data work can test.

7 Tests That Can Break the Mapping

The ocean-current mapping weakens if the chosen proxies for flux, constraint, responsiveness, and memory do not track observed transport changes; if a standard ocean model explains the same behavior more cleanly; or if the CDFD terms cannot be tied to reproducible ocean data.

8 Cross-Domain Model Upgrade: Mechanism, Scale, and Tests

8.1 Observable Translation

The paper-specific translation begins with an observable chain rather than a verbal analogy. For Earth Ocean Currents, the proposed drive is wind stress, buoyancy forcing, tides, and freshwater input. The active limitation is bathymetry, stratification, friction, and mixing limits. Responsiveness is carried by eddies, overturning, mixing, and boundary-current adjustment, while retained state is represented by heat, salinity, oxygen, and circulation history. The outcome to explain is heat transport, ventilation, current strength, and recovery.

Table 1: Operational CDFD/AFL map for Paper A-03.

Term	Paper-specific observable meaning	Measurement question
Φ	wind stress, buoyancy forcing, tides, and freshwater input	What rate, load, gradient, or demand enters the focal system?
C	bathymetry, stratification, friction, and mixing limits	Which measured bottleneck limits transfer, function, or recovery?
S	eddies, overturning, mixing, and boundary-current adjustment	Which process changes effective capacity or reroutes the load?
M_s	heat, salinity, oxygen, and circulation history	Which retained state makes equal present loads produce different futures?
Y	heat transport, ventilation, current strength, and recovery	Which outcome is predicted out of sample, with uncertainty?




Figure 1: Paper A-03 observable CDFD/AFL architecture for Earth Ocean Currents. Solid arrows give the proposed forward chain; dashed arrows make history-dependent feedback explicit.

8.2 Paper-Specific Causal Hypothesis

For this paper, the hypothesized causal sequence is specific. A change in wind stress, buoyancy forcing, tides, and freshwater input arrives faster than eddies, overturning, mixing, and boundary-current adjustment can compensate. This raises or redistributes bathymetry, stratification, friction, and mixing limits. If the load persists, the retained

state encoded by heat, salinity, oxygen, and circulation history changes the next response, so a later event of equal magnitude can produce a different trajectory in heat transport, ventilation, current strength, and recovery. The scientific task is to estimate that sequence against the best ordinary model of the domain, not merely to redescribe the outcome after it occurs.

8.3 Cross-Scale Translation Without Mechanistic Erasure

For the Earth systems family, the cross-domain translation compares coupled transport, finite environmental capacity, buffering, and retained landscape or ecosystem state. It cannot erase conservation laws, geometry, or scale; it must expose where those domain equations create comparable overload and recovery structures. [2, 8, 1] The required scale declaration for this paper is hours to centuries; turbulence to global overturning. At short scales, the key question is whether the incoming drive is transmitted, buffered, or diverted. At intermediate scales, response changes effective capacity and network exposure. At long scales, retained structure can alter the state space itself. A result is genuinely cross-scale only when the aggregation rule is stated and the same conclusion is not an artifact of averaging.

8.4 Evidence Ladder and Discriminating Tests

Table 2: Evidence ladder for Paper A-03. Each rung can fail independently.

Test	Design	Discriminating result
Proxy audit	Measure Argo profiles, altimetry, moorings, tracers, and hydrography and preregister how each record maps to Φ , C , S , M_s , and Y .	The mapping fails if proxies are non-identifiable, circular, or change meaning across cases.
Load ramp	Apply or observe a freshwater or heat pulse applied to a stratified basin while estimating the dominant constraint and response time.	A threshold claim requires a reproducible nonlinear change and uncertainty bounds, not a visually chosen breakpoint.
Recovery and memory	Match present load across units with different histories, then compare recovery paths.	The memory claim requires history-dependent divergence after current conditions are controlled.
Model comparison	Compare the baseline domain model with and without the CDFD/AFL state variables using held-out data.	The paper’s stated falsifier is: the CDFD variables add no out-of-sample skill beyond ocean circulation models.

8.5 Research Programme and Boundary Conditions

The immediate research programme has four steps. First, construct a documented dataset from Argo profiles, altimetry, moorings, tracers, and hydrography and retain raw units before normalization. Second, fit a baseline domain model and report its calibration and out-of-sample error. Third, add the smallest identifiable CDFD/AFL state extension and test whether it improves prediction of heat transport, ventilation, current strength, and recovery. Fourth, repeat the analysis across the declared scale range and publish negative cases as part of the cross-domain translation audit.

9 Conclusion

Ocean-current observations provide a direct test of flow, constraint, response, and memory. The CDFD and AFL framing is useful here only as a disciplined measurement language, and the release-level claim remains limited to that role.

Conflict of Interest

The author declares no conflict of interest.

Data Availability

Part-specific runtime diagnostics are under each Part's `outputs/` directory.

Release-wide code: `Part_E_Synthesis/supplementary/`.

Generated summaries: `Part_E_Synthesis/outputs/`.

Figures: `Part_E_Synthesis/figures/`.

10 Reference Layer

References

- [1] Per Bak, Chao Tang, and Kurt Wiesenfeld. Self-organized criticality: An explanation of the $1/f$ noise. *Physical Review Letters*, 59(4):381–384, 1987. DOI: <https://doi.org/10.1103/PhysRevLett.59.381>.
- [2] C. S. Holling. Resilience and stability of ecological systems. *Annual Review of Ecology and Systematics*, 4:1–23, 1973. DOI: <https://doi.org/10.1146/annurev.es.04.110173.000245>.
- [3] Steve Bico Mujjabi. Cdfd part i: Fundamental physics - constraint-driven field theory and flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20250821>.
- [4] Steve Bico Mujjabi. Cdfd part ii: Origins of life and tri-regime bioenergetics - constraint-driven flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20264779>.
- [5] Steve Bico Mujjabi. Cdfd part iii: Adaptive flux limitation biology and medicine - constraint-driven flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20344695>.
- [6] Steve Bico Mujjabi. Cdfd part iv: Cross-domain adaptive flux limitation - constraint-driven flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20395901>.
- [7] Steve Bico Mujjabi. Cdfd runtime: Constraint-driven flux dynamics and cdf execution engine, 2026. DOI: <https://doi.org/10.5281/zenodo.20343160>.
- [8] A. M. Turing. The chemical basis of morphogenesis. *Philosophical Transactions of the Royal Society of London. Series B*, 237(641):37–72, 1952. DOI: <https://doi.org/10.1098/rstb.1952.0012>.