

Paper E-01: Universal AFL Synthesis: A Constraint-Driven Flux Dynamics (CDFD) Perspective

Steve Bico Mujjabi, MD

Independent Researcher

Founder, Vura Labs

Kampala, Uganda

ORCID: 0009-0001-0556-5516

May 2026

Abstract

This synthesis states the common Part IV modelling relation and the release boundary for cross-domain claims. Across Earth systems, engineered systems, socioeconomic systems, domain applications, cosmic and subatomic systems, and abstract or cognitive systems, CDFD/AFL uses the same candidate variables: driving flux Φ , constraint C , responsiveness S , and structural memory M_s . Shared notation does not imply shared material mechanism or empirical validation. The release-local runtime outputs are internal diagnostics and tests that could break the mapping.

Symbol Conventions

CDFD/AFL Part IV symbol convention.

Symbol	Part IV meaning	Cross-domain reading
Φ	Driving flux or throughput	Energy, matter, signal, capital, information, traffic, force, or biological load entering a system
C	Active constraint or capacity burden	Bottleneck, resistance, boundary, scarcity, toxicity, regulation, topology, latency, or load-bearing limit
S	Responsiveness or adaptive surface	The system's ability to reconfigure, buffer, route, repair, learn, or preserve function under changing load
M_s	Structural memory	Stored damage, hysteresis, inherited topology, institutional memory, trained weights, ecological legacy, or retained state
Ψ_s	Adaptive operating ratio $(\Phi/C) \cdot S \cdot M_s$	Local bookkeeping gauge for constrained operation, overload, recovery, or regime change; not a universal constant
Λ	Life Number or capstone surplus ratio where explicitly defined	Reserved for Part II-derived life-number notation or synthesis-level surplus measures, never an undefined decoration

Greek-symbol convention.

Symbol	Local role	Interpretation rule
α	Accumulation or reinforcement coefficient	Sets how fast a pathway, constraint, habit, cascade, or retained structure grows under load
β	Relaxation, decay, clearance, or washout coefficient	Sets loss, recovery, damping, forgetting, degradation, or return toward baseline
γ	Coupling, diffusion, redistribution, or transfer coefficient	Sets spread across nodes, layers, tissues, markets, infrastructures, media, or physical phases
δ, ϵ	Perturbation, tolerance, small offset, or numerical guard	Used only as local thresholds, stability margins, measurement tolerances, or stress increments
η, λ, μ, ν	Efficiency, rate, baseline, intensity, or frequency terms	Meaning is fixed by the equation, subscript, and domain-specific proxy in the paragraph where the term appears
ρ, σ, τ, ϕ	Density/correlation, variability/noise, time-scale, phase, or field terms	Local coefficients only; subscripts bind them to the named pathway, domain, or experiment
Ω, Λ	Domain/state space; Life Number where defined	Ω names a modeled state space; Λ carries life-number or synthesis notation only when the paper defines it

1 Series Context

Part I sets the flow-constraint language used here [4]. Part II develops the Life Number and the origins-of-life use of the same notation [5]. Part III applies AFL to biology and medicine [6]. Part IV [7], DOI <https://doi.org/10.5281/zenodo.20395901>, extends

the notation into a cross-domain release archive and keeps claim status visible beside every synthesis claim.

2 Common Relation

Part IV uses the operating ratio

$$\Psi_s^* = \left(\frac{\Phi}{C} \right) \cdot S \cdot M_s, \quad (1)$$

with the reduced form Φ/C used only when $S = 1$ and $M_s = 1$. The companion constraint-update form is

$$\frac{\partial C}{\partial t} = \alpha|\Phi| - \beta C + \gamma \nabla^2 C. \quad (2)$$

These equations are a modelling grammar. A domain claim becomes stronger only when each term has a measurable proxy, a time scale, a spatial or network scale, and a failure condition.

3 Cross-Domain Reading

The Part IV sections use the same form for different reasons:

- Part A asks how environmental systems carry heat, water, matter, and biological throughput under constraint.
- Part B asks how engineered systems balance throughput against capacity, state, and responsiveness.
- Part C asks how social and economic systems accumulate memory, friction, and institutional constraint.
- Part D tests additional domain mappings, from immunology and population genetics to information flow.
- Part F applies the notation to cosmic and subatomic examples as hypothesis-level analogies.
- Part G treats language, science, and AI as cognitive or abstract transport systems.

4 Measurement Layer

The first job in any domain is to choose proxies before drawing conclusions. Φ may be a rate of material, energy, information, capital, or signal flow. C is the bottleneck that slows or redirects that flow. S measures the system's ability to reconfigure under stress, and M_s records the past load that still changes present behavior. A useful application gives those four terms observable definitions, a time scale, and a failure condition. If a standard domain model explains the same data more cleanly, the CDFD/AFL mapping should give way.

5 Current Runtime Diagnostic

The release-local discovery script produces a domain adapter sweep, a universal cascade stress test, two figures, and a generated Markdown summary. The run records finite-value behavior and overload/memory-locking dynamics in the current CDFD Runtime. It is a model record for later measurement, not a claim that the domains have already been validated.

6 Claim Standard

A Part IV claim is stronger when it names the measured Φ , C , S , and M_s proxies; states the expected direction of change; gives the time and network scale; identifies a dataset or experiment; and states what result would falsify the CDFD/AFL interpretation.

7 Boundary

The universal synthesis is not operational advice for infrastructure, finance, medicine, climate intervention, AI safety, or policy. It is a modelling archive with reproducible local diagnostics. Any applied use requires ordinary domain validation and expert review.

8 Major Universal Upgrade: Mechanism, Scale, and Tests

8.1 Observable Translation

The paper-specific translation begins with an observable chain rather than a verbal analogy. For Universal AFL Synthesis, the proposed drive is domain-specific flows of energy, matter, information, organisms, capital, and force. The active limitation is measured bottlenecks and finite capacities in each domain. Responsiveness is carried by domain-specific adaptation, buffering, rerouting, repair, and control, while retained state is represented by retained physical, biological, technical, institutional, or cognitive state. The outcome to explain is overload, transition, recovery, and comparative transfer.

Table 1: Operational CDFD/AFL map for Paper E-01.

Term	Paper-specific observable meaning	Measurement question
Φ	domain-specific flows of energy, matter, information, organisms, capital, and force	What rate, load, gradient, or demand enters the focal system?
C	measured bottlenecks and finite capacities in each domain	Which measured bottleneck limits transfer, function, or recovery?
S	domain-specific adaptation, buffering, rerouting, repair, and control	Which process changes effective capacity or reroutes the load?
M_s	retained physical, biological, technical, institutional, or cognitive state	Which retained state makes equal present loads produce different futures?
Y	overload, transition, recovery, and comparative transfer	Which outcome is predicted out of sample, with uncertainty?




Figure 1: Paper E-01 observable CDFD/AFL architecture for Universal AFL Synthesis. Solid arrows give the proposed forward chain; dashed arrows make history-dependent feedback explicit.

8.2 Minimal Coupled Model

A paper-level model must separate throughput, constraint accumulation, response, and history. One deliberately minimal form is

$$Y(t) = \frac{\Phi(t)S(t)}{\epsilon + C(t)}, \quad (3)$$

$$\frac{dC}{dt} = \alpha\Phi(t) - \beta S(t)C(t) + \gamma\mathcal{L}C(t), \quad (4)$$

$$\frac{dM_s}{dt} = \eta C(t) - \mu M_s(t), \quad (5)$$

$$\Psi_s(t) = \frac{\widehat{\Phi}(t)}{\epsilon + \widehat{C}(t)} \widehat{S}(t) [1 + \omega \widehat{M}_s(t)]. \quad (6)$$

Here Y is the measured output, $\epsilon > 0$ prevents a singular denominator, $\mathcal{L}$ is a spatial or network coupling operator, and hats denote explicitly normalized variables. The sign and magnitude of ω must be estimated: memory can preserve useful organization or amplify damage. No fixed threshold is universal before the variables, normalization, and observation scale are declared.

For this paper, the hypothesized causal sequence is specific. A change in domain-specific flows of energy, matter, information, organisms, capital, and force arrives faster than domain-specific adaptation, buffering, rerouting, repair, and control can compensate. This raises or redistributes measured bottlenecks and finite capacities in each domain. If the load persists, the retained state encoded by retained physical, biological, technical, institutional, or cognitive state changes the next response, so a later event of equal magnitude can produce a different trajectory in overload, transition, recovery, and comparative transfer. The scientific task is to estimate that sequence against the best ordinary model of the domain, not merely to redescribe the outcome after it occurs.

8.3 Cross-Scale Universality Without Mechanistic Erasure

For the universal synthesis family, the universal object is not a substance or a single physical mechanism. It is a candidate model architecture: driven flow meets finite constraint, response changes effective capacity, and retained state changes later trajectories.

The architecture survives only where normalization and comparison remain meaningful. [2, 11, 3, 10, 9, 1] The CDFD programme is cumulative: Part I supplies the flow-constraint foundation [4]; Part II asks when maintained throughput supports persistent organized states [5]; Part III develops adaptive limitation and biological memory [6]; and Part IV [7] tests how much of that architecture survives translation. The CDFD Runtime [8] supplies a reproducible numerical stress surface, but it does not substitute for the domain evidence named here.

The required scale declaration for this paper is microseconds to geological time; local components to coupled global systems. At short scales, the key question is whether the incoming drive is transmitted, buffered, or diverted. At intermediate scales, response changes effective capacity and network exposure. At long scales, retained structure can alter the state space itself. A result is genuinely cross-scale only when the aggregation rule is stated and the same conclusion is not an artifact of averaging.

8.4 Evidence Ladder and Discriminating Tests

Table 2: Evidence ladder for Paper E-01. Each rung can fail independently.

Test	Design	Discriminating result
Proxy audit	Measure standardized domain datasets, perturbation records, null models, and runtime diagnostics and preregister how each record maps to Φ , C , S , M_s , and Y .	The mapping fails if proxies are non-identifiable, circular, or change meaning across cases.
Load ramp	Apply or observe matched perturbations across carefully normalized domain systems while estimating the dominant constraint and response time.	A threshold claim requires a reproducible nonlinear change and uncertainty bounds, not a visually chosen breakpoint.
Recovery and memory	Match present load across units with different histories, then compare recovery paths.	The memory claim requires history-dependent divergence after current conditions are controlled.
Model comparison	Compare the baseline domain model with and without the CDFD/AFL state variables using held-out data.	The paper’s stated falsifier is: the shared architecture fails to improve prediction or comparison beyond domain baselines.

The strongest practical design combines a prospective perturbation with a recovery window. The load-ramp phase estimates where constraint begins to rise faster than output. The recovery phase estimates β and μ , separating fast relaxation from persistent memory. A topology or coupling intervention then asks whether rerouting changes the cascade as predicted. Null results are informative because they identify domains in which the universal notation adds no measurable value.

8.5 Research Programme and Boundary Conditions

The immediate research programme has four steps. First, construct a documented dataset from standardized domain datasets, perturbation records, null models, and runtime diagnostics and retain raw units before normalization. Second, fit a baseline domain model

and report its calibration and out-of-sample error. Third, add the smallest identifiable CDFD/AFL state extension and test whether it improves prediction of overload, transition, recovery, and comparative transfer. Fourth, repeat the analysis across the declared scale range and publish negative cases as part of the universality audit.

Three boundaries are non-negotiable. Correlation between flow and failure does not identify a constraint mechanism. A fitted memory term does not prove that the stored state has the same material meaning in another domain. Finally, a runtime cascade is evidence about the implementation, not evidence that the real system follows it. The paper becomes stronger when it can say precisely where the translation stops.




Figure 2: Release-local universal cascade stress test generated by the current CDFD Runtime. The figure is a numerical diagnostic, not field validation of a domain claim.




Figure 3: Selected-domain adapter sweep generated from the release-local Part IV discovery pass. Differences show the declared adapter parameterization and provide targets for later calibration.

9 Conclusion

Part IV presents a single cross-domain modelling language. Its value depends on whether that language produces clearer measurable hypotheses than analogy alone. The release therefore keeps claim status, reproducibility, and falsification standards visible beside the manuscripts and outputs.

Conflict of Interest

The author declares no conflict of interest.

Data Availability

Part-specific runtime diagnostics are under each Part's `outputs/` directory.

Release-wide code: `Part_E_Synthesis/supplementary/`.

Generated summaries: `Part_E_Synthesis/outputs/`.

Figures: `Part_E_Synthesis/figures/`.

10 Reference Layer

References

- [1] Per Bak, Chao Tang, and Kurt Wiesenfeld. Self-organized criticality: An explanation of the $1/f$ noise. *Physical Review Letters*, 59(4):381–384, 1987. DOI: <https://doi.org/10.1103/PhysRevLett.59.381>.
- [2] Albert-Laszlo Barabasi and Reka Albert. Emergence of scaling in random networks. *Science*, 286(5439):509–512, 1999. DOI: <https://doi.org/10.1126/science.286.5439.509>.
- [3] C. S. Holling. Resilience and stability of ecological systems. *Annual Review of Ecology and Systematics*, 4:1–23, 1973. DOI: <https://doi.org/10.1146/annurev.es.04.110173.000245>.
- [4] Steve Bico Mujjabi. Cdfd part i: Fundamental physics - constraint-driven field theory and flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20250821>.
- [5] Steve Bico Mujjabi. Cdfd part ii: Origins of life and tri-regime bioenergetics - constraint-driven flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20264779>.
- [6] Steve Bico Mujjabi. Cdfd part iii: Adaptive flux limitation biology and medicine - constraint-driven flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20344695>.
- [7] Steve Bico Mujjabi. Cdfd part iv: Universal adaptive flux limitation - constraint-driven flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20395901>.

- [8] Steve Bico Mujjabi. Cdfd runtime: Constraint-driven flux dynamics and cdf execution engine, 2026. DOI: <https://doi.org/10.5281/zenodo.20343160>.
- [9] Claude E. Shannon. A mathematical theory of communication. *Bell System Technical Journal*, 27(3):379–423, 1948. DOI: <https://doi.org/10.1002/j.1538-7305.1948.tb01338.x>.
- [10] A. M. Turing. The chemical basis of morphogenesis. *Philosophical Transactions of the Royal Society of London. Series B*, 237(641):37–72, 1952. DOI: <https://doi.org/10.1098/rstb.1952.0012>.
- [11] Duncan J. Watts and Steven H. Strogatz. Collective dynamics of small-world networks. *Nature*, 393:440–442, 1998. DOI: <https://doi.org/10.1038/30918>.